# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	A	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	4	2.1.6	Verborgen/Hidden	21
	4	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	4	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	2	2.1.12	Bestand/File	33
	4	2.1.13	Opmaak/Markup	35
	4	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	2	2.4.3	Voortgangsbalk/Progress bar	40
	4	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

## 1 Webformulieren

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

## 1.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

## 2 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

A My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Homa Add content Create Detail page					
New content: Your draft will be placed in modern	- Content				-
Introduction	Title *	1			
Paragraphs	Language	]			
Meta data	English V View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or rons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A 5	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research(@)	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft viething orderess eelding 2. My Workbench Content me Test webformulier ew draft Edit draft Content Edit draft will Content Your draft will Content Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

## 2.1 Webformulier componenten

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 1. Tekstveld/Textfield (tekstveld 1 regel)
- 2. E-mailadres/Email (e-mailveld)
- 3. Keuzerondjes/Radios (radio-buttons)
- 4. Selectielijst/Select list (selectielijst)
- 5. Tijd/Time (tijdveld)
- 6. Verborgen/Hidden (verborgen veld)
- 7. Veldengroep/Fieldset (verzameling velden)
- 8. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 9. Getal/Number (nummerveld)
- 10. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 11. Datum/Date (datumveld)
- 12. Bestand/File (bestandsveld voor uploade bestanden)
- 13. Opmaak/Markup (opgemaakte tekst)
- 14. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

A My Workbench Content Structure Configuration	UM settings			S	Search	Env: accept	editorinchief	Log out
Test webformulier		_						
View draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate	2			
Form components Conditionals E-mails Form sett	ings							
Form preview					Add a fie	ld	Testere	
New textfield				X	lextileic	,	lextarea	
Display Validation				0	Radios		Checkboxes	
Properties Display Validation				Close	Select li	ist 🔲	Date	
Title *					R Time	4	File	
New textfield Form key: new_textfield [Edit]					Hidden	(42)	Markup	
Default value					Fieldset	· H	Page break	
Description								
				1,				
Save Cancel								

Afbeelding 5.

## 2.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

ly Workbench	Content	Structure	Configuration	UM settings						Searc	:h	Env: accept	editorinchief	Log ou
e Test webla EST WE	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mai	Is Form set	tings										
orm prev	riew										Add a fi	eld		
Titel teksve	ld								1	×	Textfie	ld 🔳	Textarea	
Standaard w	aarde										💿 E-mai	12	Number	
Dit is een bes	schrijving										Radio	s 🗹	Checkboxes	
Properties	Display	Validation								Close	E Select	list	Date	
Title *											R Time	4	File	
Titel teksveld	ł										Hidde	n (42)	Markup	
Form key: titel	_teksveld [Ed	it]									Fields	ot	Page break	
Default valu	e													
Standaard w	aarde													
Description														
Dit is een t	oeschrijving	1												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

## 2.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

draft Edit dra	ft Rankings & r	numbers Replicate	Revisions	Webform	Results	Translate				
omponents Conc	itionals E-mails	Form settings								
orm preview									Add a field	
E-mailveld							Ì	×	Discretifield	Textarea
		7							E-mail	12 Number
Properties Displa	y Validation						(	lose	Radios	Checkboxes
Title *	1 1								Select list	Date Date
E-mailveld									R Time	G File
Form key: e_mailveld [8	idit]								Hidden	Al> Markup
Default value									Fieldset	Page break
Deserieties										
Description										

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

	Content	mulle	Configuration	UM settings					Sec	arch Env:	accept	editorinchief
v draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
omponents	Condition	nals E-mails	s Form setti	tings								
orm prev	iew									Add a field		
E-mailveld									X	Textfield		Textarea
				7						💿 E-mail	12	Number
Properties	Dieplay	Validation							 Cioso	Radios		Checkboxes
riopenies	Dispidy	Validation							0.030	Select list		Date
Placeholde	r									Re Time		File
										Hidden	(H2)	Markup
The placehold	der will be sl	hown in the field	d until the user :	starts entering a	value. Often use	d for example v	alues, such as	"john@example.com".		Fieldset		Page break
Label displa	ay											
Determines th Disable Private Private fi Wrapper CS	to the wrop	nt of the compositive of the com	nent's label.	access.	multinla hu enau							
Determines th Disable Private Private fi Wrapper CS	to the wrap	nt of the composite ly) own only to use s per around both	nent's label. rs with results a , the field and it	access. its label. Separate	multiple by spa	ces.						
Determines th Disable Private fi Wrapper CS Apply a classe	to the wrap s	nt of the compositive of the com	nent's label. rs with results a ) the field and it	access. its label. Separate	multiple by spa	ces.						
Determines tr Disable Private Private fi Wrapper CS Apply a class CSS classe	to the field.	It of the composition of the composition of the composition of the use of the composition	nent's label. rs with results a h the field and it	access. Its label. Separate	multiple by spa	Ces.						

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

Ay Workbench Content Structure Configuration UM settings	Sea	rch Env:	accept editorinchief	
e Test webformulier est webformulier				
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
components Conditionals E-mails Form settings				
Form preview		Add a field		
E-mailveld	/ ×	Textfield	Textarea	
E-mailveld	×	E-mail	III Number	]
E-mailveld	∦ ×	Textfield     E-mail     Radios	Textarea Number Checkboxes	]
E-mailveld  Properties Display Validation	Close	Textfield     E-mail     Radios     Select list	Textarea      Number      Checkboxes      Date	
E-mailveld  Properties Display Validation  Required	Close	Textfield     E-mail     Padios     Select list     End     Time	Image: Textarea       Image	
E-mailveld  Properties Display Validation  Required Unique	Close	E-mail     E-mail     Radios     Select list     Em Time     Hidden	Image: Textarea       Image: Number       Image: Checkboxes       Image: Date       Image: File       Image: Markup	

Afbeelding 11.

#### 2.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
⊖ one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						 Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

## 2.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate          Form components       Conditionals       E-mails       Form settings         Form preview       Intel select veld       Intel select veld <th>A My Workbench Content Structure</th> <th>e Configuration UM settings</th> <th></th> <th></th> <th></th> <th></th> <th>S</th> <th>earch</th> <th>Env: accept</th> <th>editorinchief</th> <th>Log out</th>	A My Workbench Content Structure	e Configuration UM settings					S	earch	Env: accept	editorinchief	Log out
View draft       Edit draft       Rankings & numbers       Replicate       Revisions       Webform       Results       Translate         Form components       Conditionals       E-mails       Form settings       Add a field       Intentional       Intentional       Intentional       Intentional       Add a field       Intentional       Inte	Home Test webformulier Test webformulie	er									
Form components       Conditionals       E-mails       Form settings         Form preview       Ittle select veld       Itel select veld	View draft Edit draft Ranking	gs & numbers Replicate	Revisions	Webform	Results	Translate					
Form preview   Titel select veld     •None - ~     Properties Display   Options Validation   Tite select veld     • Tite select veld <td>Form components Conditionals E-ma</td> <td>ails Form settings</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Form components Conditionals E-ma	ails Form settings									
	Form preview Titel select veld None ~ Properties Display Options Title * Titel select veld Form key: titel_select_veld [Edit] Description	Validation					Close	Add a fi Control Textle Control Textle Cont	eld id () i () e () t list () n () et () it	Textarea Number Checkboxes Date File Markup Page break	

## Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys			- Marcal and an							
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

## 2.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cinno	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

## Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

## 2.1.6 Verborgen/Hidden

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

componente conclutertais canalis ronn settings		
<ul> <li>Changes to the form have been saved.</li> </ul>		
<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
Form preview	Add a	field
New hidden - hidden field		tfield 📑 Textarea
Properties	Close E-n	nail (12) Number
	• Ra	ilos 🗹 Checkboxes
Title •	E Se	ect list 📄 Date
New hidden Form key: new hidden (Edit)	i In	e 🔓 File
Default value	lie Hid	den (#2> Markup
	Fie	idset Hage break

Afbeelding 23

## 2.1.7 Veldengroep/Fieldset

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Prease comprete the remaining portions.				
rm preview		Add a	field		
New fieldset			xtfield	Textarea	
		(2) E-	mail	Number	
		• R	adios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	E Se	elect list	Date	
		E Tr	me 📮	File	
		lio Hi	dden 🕸	Markup	
roperties Display		Close Fit	eldset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1.			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		- 2 V	AUU d TIEld	Textarea
New Heldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	HI Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

## 2.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	∕ ×	Textfield	Textarea
		🔞 E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
com key, new junktere [Eot] Default value	4		
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	ð. 14	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay to the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow =			
bel display  Keene V  Second V  Seco			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private make are shown only to users with results access. Private field are shown only to users and results access. Private field are shown only to users and results access. States to the wrigher anound both the field and its label. Reparate multiple by spaces. SS classes			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🐼	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

## 2.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a	field
New number	/ ×	dfield 📰 Textarea
7	(@ E-r	nail 😰 Number
		dios 🕑 Checkboxes
Properties Display Validation Analysis	Se	lect list 📃 🗖 Date
Title *	E Tin	te 🔀 File
New number	ie Hic	Iden 42 Markup
rorm key: new_number (Edit)	T Fie	idset   Page break
Default value		
Description		

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
7	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties Display Validation Analysis Cice Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

## 2.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Tophouto	Hevisions Webtorm	Results	Translate			
Form settings						
					Add a field	
				X	D Textfield	Textarea
					👩 E-mail	12 Number
					<ul> <li>Radios</li> </ul>	Checkboxes
					Select list	Date Date
					Time	G File
liidation				Ciose	iii Hidden	(R> Markup
					Fieldset	Here Page break
	Form settings	Form settings	Form settings	Form settings	Form settings	Form settings  Add a field  Add a field   Add a field    Add a field      Add a field

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
rest webformulier									
view draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	X	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse		Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

## 2.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

		_					
w draft Edit draft Rankings & numbers Rep	blicate Revisions	Webform	Results	Translate			
components Conditionals E-mails Form settings							
Form preview						Add a field	
New date					X	Textfield	Textarea
Month V Day Vear V						E-mail	12 Number
						<ul> <li>Radios</li> </ul>	Checkboxes
Properties Display Validation					Close	Select list	Date
Title *	_					RD Time	🔁 File
New date						Hidden	⊲ł₂> Markup
Default value						Fieldset	Here Page break
Description							

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview       New date     > ×       Month v     Day v     Year v       Properties     Display     Validation       Coor     Enable popup calendar	Add a fie Textfiek E-mail Radios Select I E Time	2ld a (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Textarea Number Checkboxes Date File	
Linuxe a Javaroutin case picker max to be date read.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	482 t	Markup Page break	
Above v Determines the placement of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.           Save         Cancel				

### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchief	Le
est webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ield	
New date	Add a f	eld 📄 Textarea	1
Month v Day v Year v	E-ma	I II Number	i -
	Radic	s Checkboxes	í .
Properties Display Validation	Close	t list 📄 Date	í
Required	E Time	G File	i i
Start date	Hidde	n (R2> Markup	í
-2 years	Fields	et   Page break	í –
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			1
End date			
+2 years			
The latest data that may be entered into the field. Assesses any data is any CNU Data lay of Format			

Afbeelding 39.

## 2.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

orm prev	view												Add	d a field	1		ĩ
New file											0	` ×		Textheid		lextarea	1
Bestand k	iezen Geen	bestand gekozen	Upload											E-mail		) Number	1
										 				Radios		Checkboxes	
Properties	Display	Validation										Close	F	Select list		Date	
Title *													120	Time		File	
New file													60	Hidden	48	> Markup	
Form key: nev	v_file [Edit]													Fieldset	F	Page break	
<ul> <li>Private</li> <li>Private file si</li> <li>Upload dirive</li> <li>Webform/</li> <li>You may opt</li> <li>Description</li> </ul>	files files torage has si ectory ionally specif	gnificantly more	overhead than pul	lic files, but re Browse avail	estricts file	e access to ens.	o users who	o can view	submissions.								
						_						11					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	1	
New file				X	Textfield	Textare	a
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	12 Numbe	r
					<ul> <li>Radios</li> </ul>	Checkb	oxes
Properties Display	Validation			Close	Select list	Date	
Label display					Time	📮 File	
Above ~					Hidden	Markup	
Determines the placer	nent of the component	t's label.			Fieldset	Hage b	reak
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separa	te multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture con	ninguration	OM settin	82									0	sarch	env. accept	editorinchief	
A partia	illy-complete	d form was t	found. Plea	ise complet	e the remai	ining portio	ns.											
Form preview	/														Add a fie	eld		
New file														/ X	Textfiel	d 🔳	Textarea	l
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E E-mail	12	Number	ĺ
	-														Radios		Checkboxes	Í.
Properties Dis	splay Vali	dation												Close	Select	list 🛅	Date	ĺ
Described															Re Time	4	File	Í
Max upload aiz	~														Hidden	40	Markup	ĺ
Max upload size	8														Fieldse	( H	Page break	Í.
Desktop images Documents	(select) (select)	bmp	eps rtf xml	tif	pict pdf	psd doc	doc	k 🗌 odt	_ ppt	pptx	odp	xis	xlsx					
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	al file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated ve.	by commas.										

Afbeelding 42.

## 2.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

Honoenen Content Juotare Conigoration on seconds	30		antaccept	eutoniticniei	
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>					
orm preview		Add a field	ł		
New HTML Markup	/ ×	( Textfield		Textarea	
		E-mail	12	Number	
Enter any text supported by available text formats.		<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Close	E Select list		Date	
Title *		En Time		File	
New markup		Hidden	40	Markup	
Form key: new_markup [Edit]		Fieldset	н	Page break	
Markup					
<strong>New HTML Markup</strong>					
co>Enter any text supported by available text formats.					
	"				
Text format Filtered HTML ~					

Afbeelding 43.

## 2.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>	Cose Cose Cose Cose Cose Cose Cose Cose			
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld a 🔳	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea Number	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie Textflek E-mail Radios Select II Ref Time	2ld d (12) (12) (13) (14) (14) (14) (14) (14) (14) (14) (14	Textarea Number Checkboxes Date File	_
Form preview	Add a fiel		Textarea Number Checkboxes Date File Markup	_

Afbeelding 44.

ũ.
### 2.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 1. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 2. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

3. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



### Afbeelding 45.

A My Workbench Content Structure	Configuration UM settings		Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulie	r					
View draft Edit draft Rankings 8	anumbers Replicate I	Revisions Webform	Results Transla	ate		
Form components Conditionals E-mails Conditionals may be used to hide or show of the New textfield v is then New textfield v is	Form settings	es!) based on the value of othe	r components.	× 4 × 4	Show row wel	ghts
	There are	no conditional actions on th	is form. Add a new cor	ndition: +		
Save conditions						

Afbeelding 46.

### 2.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

ff.	My Workbench C	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log ou
T	est web	formulier										
Vi	ew draft Edit	draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form	components C	conditionals E-mails Form setti	ngs									
	Send	E-mail to			Subject			From	Operations	5		
	Currently not ser	nding e-mails, add an e-mail recipier	nt below.									
		Address: test@ma     Component value	astrichtuniversity	omponents ~					Add			

### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 1. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 2. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 3. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 4. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

	MyWorkbunch Content Structure Configuration UM settings	Search	Env: accept	editorinchief
ave dult Ext dult   ave dult Ext dult   average Control in   Ext dult Ext dult   Control in Ext dult	iest webformulier			
	ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Evaluate bases   Control   Cont	n components Conditionals E-mails Form settings			
• chank indemandation reads   • chank index   • opport   • opport <td>E-mail to address</td> <td></td> <td></td> <td></td>	E-mail to address			
<pre>c Orgonett t</pre>	💿 Custom: teatimaanonturivenity.ni			
The standards the standard to the standard to the standard standards and the neglear statebases may be separated by contrast.  Period control of the statebases of the stateba	Component: No available components v			
Personal services of the service	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-bear mile O-bear form domission horn: Ret elebhomule C-bear mile Ary tardist, seeder-mail rety be selected as the subject to e-mail. E-mail tom above C-bear mile C-b	Enable sending Undrext to disable sending this small.			
Email holds: O Defail: From submission from: Test seebformular C Comport. Ive submission from: Test seebformular C Comport. Ive submission from: Test seebformular D Defail: seebformation/testing/r C Conton: C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university of C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university C Conton: C Comporter. Ive submits of the submit rule senal submits. P Defail: Massion? university C Conton: C Defail: Testing of the submits of the submit rule senal submits. P Email from from: Res submits of the submits rule of	E-mail header details			
O class. Form submission from: Net webformular Custom: Custom: Composered: Net southed: Custom: Composered: Net southed: Custom: Composered: Custom: Composered: Custom: Cust	E-mail subject			
Cutors: Cutor	Delaut: Form submission from: Test webformulier			
Component: we needed:  Any textus:  Construction:  Construction:  Provide:  Construction:  Construction:  Provide:  Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide	Custom:			
Ary testing, select, or hidden term skinear, may be selected as the subject for e-mail.   E-mail from address   O Conported:   No address   O Comported:   No address   O Default:   Selection:   O Default:   No address	Component: New sectivity ~			
Enal forn address O Default: web@maastrichturiversity.vi Custom Component: We walkalis component in Ary walk, weit, or hidden form sammert may be selected as the sender's e-mail address. Enal form name O Default: Mastricht uriversity Custom Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Water waterie in the sender's name for e-mails.  E-mail template Market server, in Submitted public server, in Custom in C	Any startfield, select, or Nidden form element may be selected as the subject for e-mails.			
O blada: web@massichturiversity// C component: we available component: we have not be sender's e-mail address. E-mail from name O blada: Massicht university C custom: C custom: Ary work, standard was be sender's e-mail address. E-mail template: Ary work, standard was be sender's name be e-mails. Defund: Massicht university C custom: E-mail template can customize the display of e-mails. Defund: were table to be sender's e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: the table table to be sender's name be e-mails. Defund: the table table table to be sender's name be e-mails. Defund: the table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table table table table table table table table. Defund: table table.	E-mail from address			
Custom Consorted Consorte	Default: web@maastrichturiversity.nl			
Component: the available components *  Are weakles components the sentence may be selected as the sandars e-mail address. E-mail from name Component: the sandars for durations e-mails Component: the sandars for duration e-mails.  E-mail template Are weakles components Submitted on public resistonical data the sandars in a mail to e-mails.  E-mail template components Submitted on public resistonical sites are: [locations are: [locatio	Custom:			
Ary small, select, or hidden tom element may be selected as the sender's e-mail address. E-mail template Output: Very starting selected as the sender's name bit e-mails.	○ Component: No available components ~			
Default: Masshicht university    Custom:   Component:   Ner waterlieft, select, or hidden form element may be selected as the sendor's name for e-mails.   • E-mail template	Any small, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Custom Component: Rev statilitä Compon	Default: Maastricht university			
Component New statistics  Ary statistics, salace, or hidden form elements may be selected as the sender's name for e-mails.  - E-mail template Are - mail template are  Submitsd on plubrisationules form  Submitsd on plubrisationules  Default template are  Default template are  Submitsd on plubrisationules	O Custom:			
Any statistict, select, or hidden form dement may be selected as the sender's name for e-mails.	Component: New textities ~			
- E-mail template An email template An emails. Detuct strends   Submited on puberssion/desional Submited values set: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values]	Any textfeld, select, or hidden form element may be selected as the sender's name for e-mails.			
- E-mail template An e-mail template can outcome the display of e-mails.  Default template Submitted on bulkersiseonuse() Submitted outserseconuse() Submitted outses are: [submission-values] The results of this submission may be viewed at: [submissionul] Berses patieties teams - • Included e-mail values				
An e-mail template can customize the display of e-mails.          Default template           Default template           Submitted on juburnisation user juburnisations           Submitted values are:           [uubrnisation value]           The results of this submission may be viewed at:           [uubrnisation.valie]           Devise available toters.           - • Included e-mail values	E-mail template			
Default tengilate ~ Submitted on juburisation rules food Submitted on submission rules [ Submitted values are: [submission rul] Deves available toters. - • Included e-mail values	An e-mail template can customize the display of e-mails.			
Submitted verbusierissionual Submitted verbusier (submissionual) Submitted verbus exer (submissionual) The result of its submission may be viewed at: (submissionual) Browse available toters.	Default template ~			
The results of this submission may be viewed at: [submission.ut] Browse available tokens • Included e-mail values	Submitted on (submission/sater.iong) Submitted by user (submission/user) Submitted uses are: (submission/values)			
Bowse evaluate takens. - • Included e-mail values	The results of this submission may be viewed at: [submission.ut]			
Bosse avalatele stars. - • Included e-mail values	_			11
- • Included e-mail values	Browne available stream.			
	- Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	8.			
Custom template ~				
lubmitted on (submission/datesiong) Jubmitted by user (submission/user) Jubmitted values are: submission/values) The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
<ul> <li>Included e-mail values</li> </ul>				 
The selected components will be included in the [su	mission.values) token. Individual values ma	y still be printed if explicitly specified as a [r	submission values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

### 2.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 2.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### 2.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

### 2.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

### 2.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

### 2.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

# 3 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

A Mijn Workbench Inhoud Structuur Instell	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.							
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	iten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	iten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	

Tekst vertalen

### Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 1. Inzendingen/Submissions
- 2. Analyse/Analysis
- 3. Tabel/Table
- 4. Downloaden/Download
- 5. Bewerken/Edit
- 6. Componenten/Components

### 3.1 Inzendingen/Submissions

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workbe	nch Conte	nt Structure Configuration	UM settings						Search	Env: prod	editorinchief	Log out
Conta	M Faculties ICT											
View publish	ned Edit	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Submissions	Analysis	Table Download										
Showing 1	- 50 of 152.	Show 10   50   100   All result	ts per page.									
#		- Submitted			User			IP address	Opera	tions		
152		06/14/2016 - 15:51			Anonymous (n	ot verified)		83.37.211.254	view			
151		06/14/2016 - 12:34			Anonymous (n	ot verified)		62.140.132.66	view			
150		06/14/2016 - 12:07			Anonymous (n	ot verified)		120.164.45.97	view			
149		06/14/2016 - 09:08			Anonymous (n	ot verified)		194.151.36.3	view			
148		06/14/2016 - 08:33			Anonymous (n	ot verified)		193.197.140.242	view			
147		06/14/2016 - 03:36			Anonymous (n	ot verified)		5.117.252.167	view			
146		06/13/2016 - 23:11			Anonymous (n	ot verified)		145.120.11.191	view			
145		06/13/2016 - 22:21			Anonymous (n	ot verified)		84.25.186.176	view			
144		06/13/2016 - 17:02			Anonymous (n	ot verified)		94.142.213.102	view			
143		06/13/2016 - 16:29			Anonymous (n	ot verified)		84.193.158.154	view			
142		06/13/2016 - 13:07			Anonymous (n	ot verified)		86.5.41.98	view			
141		06/13/2016 - 12:40			Anonymous (n	ot verified)		91.61.112.77	view			
140		06/12/2016 - 17:39			Anonymous (n	ot verified)		37.24.202.196	view			
139		06/12/2016 - 13:33			Anonymous (n	ot verified)		91.183.92.189	view			
138		06/11/2016 - 19:39			Anonymous (n	ot verified)		86.247.216.119	view			
137		06/11/2016 - 19:26			Anonymous (n	ot verified)		87.231.10.107	view			
136		06/11/2016 - 16:10			Anonymous (n	ot verified)		83.23.62.230	view			

Afbeelding 51.

### 3.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

### 3.3 Table/Table

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

### 3.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

### 3.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### 3.6 Componenten/Components

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### b https://intranet.accept.maas 🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf Microblog **•** × Featured news My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 9 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scien (staff) FASoS (staff) Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × More news MyUM Classic 🕑 Add a blo e book 🗷 Test3 Intra (UM) 05/12/2017, ICT self : intra.test3 micro test voor open

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	А	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	2	2.1.6	Verborgen/Hidden	21
	2	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	2	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	4	2.1.12	Bestand/File	33
	2	2.1.13	Opmaak/Markup	35
	2	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	4	2.4.3	Voortgangsbalk/Progress bar	40
	4	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

# 4 Webformulieren

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

### 4.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

## 5 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

A My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Homa Add content Create Detail page					
New content: Your draft will be placed in modern	- Content				-
Introduction	Title *	1			
Paragraphs	Language	]			
Meta data	English V View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or rons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A S	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research(@)	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U by V	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft intro document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft viething orderess eelding 2. My Workbench Content me Test webformulier ew draft Edit draft Content Edit draft will Content Your draft will Content Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

### 5.1 Webformulier componenten

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 15. Tekstveld/Textfield (tekstveld 1 regel)
- 16. E-mailadres/Email (e-mailveld)
- 17. Keuzerondjes/Radios (radio-buttons)
- 18. Selectielijst/Select list (selectielijst)
- 19. Tijd/Time (tijdveld)
- 20. Verborgen/Hidden (verborgen veld)
- 21. Veldengroep/Fieldset (verzameling velden)
- 22. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 23. Getal/Number (nummerveld)
- 24. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 25. Datum/Date (datumveld)
- 26. Bestand/File (bestandsveld voor uploade bestanden)
- 27. Opmaak/Markup (opgemaakte tekst)
- 28. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

My Workbench Content Structure Configuration	UM settings					Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulier									
View draft Edit draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate	Ð			
orm components Conditionals E-mails Form setti	ngs								
Form preview New textfield					×	Add a fie	eld	Textarea	
Properties Display Validation					Close	E-mail     Radios     Select	list	Number Checkboxes Date	
Title *						Re Time		File	
New textfield Form key: new_textfield [Edit]						Hidden	(82)	Markup	
Default value						Fieldse	t	Page break	
Description									
					1	1			
Save Cancel									

Afbeelding 5.

### 5.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

ly Workbench	Content	Structure	Configuration	UM settings						Search	Env:	accept	editorinchief	Logo
e Test webloo EST WE	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mail	s Form set	tings										
orm prev	view									A	dd a field			
Titel teksvel	ld								1	×	Textfield		Textarea	
Standaard w	aarde										💿 E-mail	33	Number	
Dit is een bes	schrijving										<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Display	Validation								Close	Select list		Date	
Title *											Time		File	
Titel teksveld	ł										Hidden	482	Markup	
Form key: titel_	_teksveld [Ed	it]									Fieldset	н	Page break	
Default valu	e													
Standaard w	aarde													
Description	i									_				
Dit is een b	peschrijving	1								1,				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

### 5.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

omponents Conditionals E-mails Form settings		
orm preview		
	Add a field	
E-mailveld		Textarea
7	💿 E-mail	12 Number
Properties Display Validation	Close Radios	Checkboxes
Title *	Select list	Date
E-mailveld	Time	File
Form key: e_mailveld [Edit]	Hidden	≪R> Markup
Default value	Fieldset	Page break
Description		
Description		

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est webto	ent Structure	Configuration	UM settings						Search	Env: accept	editorinchief
w draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-ma	ils Form sett	tings								
Form preview									Add a fi	eld	
E-mailveld								/ ×	D Textfie	ld 🔳	Textarea
			7						💿 E-mail	1	Number
Properties Displa	Validation							Close	Radio	s 🕑	Checkboxes
Displa	Vandation							0000	E Select	ist 🛅	Date
Placeholder									E Time	4	File
									Hidder	n (42)	Markup
The placeholder will b	e snown in the tie	aid until the user	starts entering a	value. Otten use	d for example v	alues, such as	"jonn@example.com".		Fields	et	Page break
Label display Above ~ Determines the placer Disabled (read Private Private fields are Wrapper CSS clas	nent of the compo- only) shown only to us	onent's label. ers with results a	access.								
	ranner around bo			e multiple by spa	ces.						
Apply a class to the w CSS classes		oth the field and r	its label. Separate								

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

Ay Workbench Content Structure Configuration UM settings	Sea	rch Env:	accept editorinchief	
e Test webformulier est webformulier				
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
components Conditionals E-mails Form settings				
Form preview		Add a field		
E-mailveld	/ ×	Textfield	Textarea	
E-mailveld	×	E-mail	III Number	]
E-mailveld	∦ ×	Textfield     E-mail     Radios	Textarea Number Checkboxes	]
E-mailveld  Properties Display Validation	Close	Textfield     E-mail     Radios     Select list	Textarea      Number      Checkboxes      Date	
E-mailveld  Properties Display Validation  Required	Close	Textfield     E-mail     Padios     Select list     End     Time	Image: Textarea       Image	
E-mailveld  Properties Display Validation  Required Unique	Close	E-mail     E-mail     Radios     Select list     Em Time     Hidden	Image: Textarea       Image: Number       Image: Checkboxes       Image: Date       Image: File       Image: Markup	

Afbeelding 11.

### 5.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
◯ one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						 Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

### 5.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate          Form components       Conditionals       E-mails       Form settings         Form preview       Intel select veld       Intel select veld <th>A My Workbench Content Structure</th> <th>e Configuration UM settings</th> <th></th> <th></th> <th></th> <th></th> <th>S</th> <th>earch</th> <th>Env: accept</th> <th>editorinchief</th> <th>Log out</th>	A My Workbench Content Structure	e Configuration UM settings					S	earch	Env: accept	editorinchief	Log out
View draft       Edit draft       Rankings & numbers       Replicate       Revisions       Webform       Results       Translate         Form components       Conditionals       E-mails       Form settings       Add a field       Intentional       Intentional       Intentional       Intentional       Add a field       Intentional       Inte	Home Test webformulier Test webformulie	er									
Form components       Conditionals       E-mails       Form settings         Form preview       Ittle select veld       Itel select veld	View draft Edit draft Ranking	gs & numbers Replicate	Revisions	Webform	Results	Translate					
Form preview   Titel select veld     •None - ~     Properties Display   Options Validation   Tite select veld     • Tite select veld <td>Form components Conditionals E-ma</td> <td>ails Form settings</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Form components Conditionals E-ma	ails Form settings									
	Form preview Titel select veld None ~ Properties Display Options Title * Titel select veld Form key: titel_select_veld [Edit] Description	Validation					Close	Add a fi Control Textle Control Textle Cont	eld id () i () e () t list () n () et () it	Textarea Number Checkboxes Date File Markup Page break	

### Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	× 😥 Te:	tfield	Textarea	
- None - 🗸								10 E-1	nail	Number	
Properties	Display Options Validation						Cic	se Ra	dios	Checkboxes	
0								🔡 Se	lect list	Date	
Options								Ra Tin	10	File	
Default	Value							📄 Hk	iden 🕸	Markup	
* ()	one						8	E Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
Save	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ay Workbench Content Structure Configuration UM settings	Sea	irch I	Env: accept	editorinchief	Log o
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	b		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Options Validation	Close	Radios	<b>I</b>	Checkboxes	
		Select list		Date	
Required		Time	G 1	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

### 5.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Se	arch Env: acc	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	X	Textfield	Textarea
Hour v : 00 v • am ) pm		E-mail	12 Number
Proportion Dieplay Validation		Radios	Checkboxes
	0.000	Select list	Date
Title *		Time	📮 File
Form key: titel_tijdveld [Edit]		i Hidden	48> Markup
Default value		Fieldset	Here Page break
Description			
	"		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
| My Workbench Content Structure Configuration UM settings                                       | Search | Env: accept | editorinchief | Log o |
|------------------------------------------------------------------------------------------------|--------|-------------|---------------|-------|
| est webformulier                                                                               |        |             |               |       |
| ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate           |        |             |               |       |
| a components Conditionals E-mails Form settings                                                |        |             |               |       |
| Form preview                                                                                   | Add    | a field     |               |       |
| Titel tijdveld                                                                                 | X X Te | extfield    | Textarea      |       |
| Hour v: 00 v • am pm                                                                           | 0 E-   | mail [12]   | Number        |       |
|                                                                                                | • R    | adios       | Checkboxes    |       |
| Properties Display Validation                                                                  | Close  | elect list  | Date          |       |
| Time format                                                                                    | R Ti   | me 📮        | File          |       |
| 12-hour (am/pm)                                                                                | ы      | dden (42)   | Markup        |       |
| 24-hour                                                                                        | E Fi   | eldset H    | Page break    |       |
| Label display                                                                                  |        |             |               |       |
| Above V                                                                                        |        |             |               |       |
| Determines the procession of the component's label.                                            |        |             |               |       |
| Private fields are shown only to users with results access.                                    |        |             |               |       |
| Wrapper CSS classes                                                                            |        |             |               |       |
|                                                                                                |        |             |               |       |
| Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. |        |             |               |       |

### Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

#### 5.1.6 Verborgen/Hidden

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> </ul>		
<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a field	
New hidden - hidden field		Textarea
Pronerties	Ciose @ E-mail	12 Number
	Radios	Checkboxes
Title •	Select list	Date
Form key: new_hidden [Edit]	E Time	📮 File
Default value	Hidden	48> Markup
	Tieldset	Here Page break

Afbeelding 23

#### 5.1.7 Veldengroep/Fieldset

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Prease comprete the remaining portions.				
rm preview		Add a	field		
New fieldset			xtfield	Textarea	
		(2) E-	mail	Number	
		• R	adios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	E Se	elect list	Date	
		E Tr	me 📮	File	
		lio Hi	dden 🕸	Markup	
roperties Display		Close Fit	eldset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1.			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		-	AUU d TIEld	Textarea
New fieldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	HI Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

### 5.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining</li> </ul>	ig portions.	
orm preview	Add a field	
§New textarea		Textarea
	(  E-mail	12 Number
	Radios	Checkboxes
	Select list	Date
	// Kee Time	G File
Properties Display Validation	Close Midden	⊲⊗ Markup
	Fieldset	Here Page break
Default value		
Description		

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	ð. 14	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of log lay teams			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow =			
bel display  Keene V  Second V  Seco			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private make are shown only to users with results access. Private field are shown only to users and results access. Private field are shown only to users and results access. States to the wrigher anound both the field and its label. Reparate multiple by spaces. SS classes			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territor eta
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🕝	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

#### 5.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

nitionaura compromise compromise			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
orm preview	Add	a field	
New number	/ × 🐵	Textfield	Textarea
F		E-mail	Number
		Radios	Checkboxes
Properties Display Validation Analysis	Close	Select list	Date
Title *	10	Time 📮	File
New number		Hidden 42	Markup
Form key: new_number (Edit)		Fieldset	Page break
Default value			
Description			

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C That	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties         Display         Validation         Analysis         Cice           Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.         Cice	Radios     Radios     Select lis     Time     Hidden	t Date

Afbeelding 32.

#### 5.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Tophouto	Hevisions Webtorm	Results	Translate			
Form settings						
					Add a field	
				X	D Textfield	Textarea
					👿 E-mail	12 Number
					<ul> <li>Radios</li> </ul>	Checkboxes
					Select list	Date Date
					Time	G File
liidation				Ciose	iii Hidden	(R> Markup
					Fieldset	Here Page break
	Form settings	Form settings	Form settings	Form settings	Form settings	Form settings  Add a field  Add a field   Add a field    Add a field      Add a field

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list 🗖	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	<ul> <li>Textarea</li> <li>Number</li> <li>Oheckboxes</li> <li>Date</li> <li>File</li> <li>Markup</li> <li>→ Page break</li> </ul>
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse	2 d d (E) ist (C) t (C)	Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 5.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

me Test webformulier		
est webformulier		
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
components Conditionals E-mails Form settings		
Form proview	Add a	ield
New date	Add a 1	ield 📄 Textarea
Month v Day v Year v	E-ma	il (12) Number
	Radie	os Checkboxes
Properties Display Validation	Close	ct list 📃 🗖 Date
Title *	E Time	📮 File
New date	Hidd	en 🛛 🕸 Markup
Default value	Field	set   Page break
Description		
	11	

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	Re Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

#### 5.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

orm prev	view											- I'	Add a fi	eld	-		
New file											X		(ab) Textfie	• <b>a</b>	Text	tarea	
Bestand k	iezen Geen	bestand gekozen	Upload										E-mail		(12) Num	nber	
										 			<ul> <li>Radios</li> </ul>	<u> </u>	Che	ckboxes	
Properties	Display	Validation									Close		Select	list	Date	e	
Title *													Time 🔝		📮 File		
New file													Hidder	1	Mark	kup	
Form key: nev	v_file [Edit]												Fields	et	H Page	e break	
<ul> <li>Private</li> <li>Private file si</li> <li>Upload dirive</li> <li>Webform/</li> <li>You may opt</li> <li>Description</li> </ul>	files files torage has si ectory ionally specifin	gnificantly more	overhead than pu	blic files, but re s. Browse avail	astricts file	access to u	isers who ca	an view su	bmissions.								
						_											

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	Page break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture co	ninguration	om settir	82									5	Galon	env. accept	editorinchief	1
A partia	illy-complete	d form was	found. Plea	ise complet	e the remai	ining portio	ns.											_
orm preview	/														Add a fi	eld		
New file														X	Textfie	ld 🔳	Textarea	1
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E-mail	12	Number	ĺ
	-														Radios		Checkboxes	ĺ
Properties Dis	splay Vali	dation												Close	E Select	list 🛅	Date	ĺ
Required															Time	4	File	ĺ
Max unload size	0														Hidder	n (42)	Markup	ĺ
2 MB	•														Fields	et H	Page break	ĺ
Desktop images Documents	(select)	bmp	eps	tif	pict	_ psd	doc	c 🗌 odt	_ ppt	_ pptx	odp	🗌 xis	xisx					
		ods	xml															
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	I file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated we.	oy commas.										

Afbeelding 42.

#### 5.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

Honoenor Content Jucture Coniguration on seconds	30		annaecept	contorvincine	
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>					
orm preview		Add a field	ł		
New HTML Markup	/ ×	Textfield		Textarea	
		👩 E-mail	12	Number	
Enter any text supported by available text formats.		Radios		Checkboxes	
Properties	Close	Select list		Date	
Title *		E Time		File	
New markup		Hidden	(42)	Markup	
Form key: new_markup [Edit]		Fieldset	н	Page break	
Markup					
<strong>New HTML Markup</strong>					
co>Enter any text supported by available text formats.					
	1.				
Text format Filtered HTML ~					

Afbeelding 43.

#### 5.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		a field feetfeid III Textarea Enal III Number Balico III Checkboxes Balect Ist III Date IIII addition IIII Checkboxes Balect Ist IIII Date IIIII addition IIIII Additional Checkboxes IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII		
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld 🔳	Textarea	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	_
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie Textfiel E-mail Radios Select	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie	iejd ed E Textarea a D Number is C Chekbass fat Date a Fie an ac Markup		
Form preview	Add a fiel Textfiel E-mail Radios Refer to Refer to		Textarea Number Checkboxes Date File Markup	

Afbeelding 44.

ũ.

### 5.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 4. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 5. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

6. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform	Results Transla	ate		
Form components Conditionals E-mails Form settings Conditionals may be used to hide or show certain components (or entire pagest) based on the value of oth then New textfield v is v shown v	er components.	· •	Show row we	ights
There are no conditional actions on t	this form. Add a new co	ndition: +		
Save conditions				

Afbeelding 46.

### 5.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

ñ	My Workbench Content	Structure Configuration	UM settings						Se	sarch	Env: accept	editorinchief	Log ou
T	est webforr	nulier											
V	ew draft Edit draft	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate						
Form	a components Conditiona	is E-mails Form sett	ings										
	Send	E-mail to			Subject			From		Operations			
	Currently not sending e-m	ails, add an e-mail recipie	nt below.										
		Address: test@ma     Component value	aastrichtuniversity.	omponents ~						Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 5. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 6. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 7. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

		My Workbench Conterx Structure Configuration UM settings	Search	Env: accept	editorinchief
See datk         Edit datk         Residue         Tandate           See datk         Edit datk         Formulating           Continue         See datk         Formulating           See datk         See datk         Formulating           See datk         See datk         See datk           See datk	widt         Edition         Revings         Revings         Webde         Revings         Tanalala           widt         Edition         Revings         Revindid Revings         Revings         Re	est webformulier			
		w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Even is used used is intermediation in the intermediation is a second to the sequent above. Multiple and above and use sequent above. Above and use sequent above and use sequent above. Above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above and use sequent above. Above and use sequent above above and use sequent above a	End a data data data data data data data	components Conditionals E-mails Form settings			
<pre>e categot</pre>	<pre>class in windowscondurations if in windowscondurations if in windowscondurations in the seconduration windowsconduration in the seconduration windowsconduration in the seconduration windowsconduration in the seconduration in the second</pre>	E-mail to address			
Congrett is analatio encourse in iteration is a matter actions. Multiple and address. Multiple andress. Address address address. Multiple andress addre	<pre>c concord: w landware concord: w landware concord and the second at the sequence above. Multiple e real above.exe may be sequenced by users. F</pre>	O Custom: teest@maasorichusiversity.nl			
Textualization and the transfer the mail to the advance they the basic to a the requirer advance. Advance may be sequented by someal.  Second Control	In a share a share is the standard, by each do the dot the selected as the neglected data standard, and the selected data stan	Component: No available components *			
I dealer standing We under standing O totals: form understand how the second to be autous as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address Very undits: data nuity construction and second nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nu	Cental header details     Even a known for men known	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the nocipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-mail from domission horn. Ret eledormuler C-mail from domission horn items the set and/or is an all address. E-mail from from term C-mail from domission horn items there is and/or is an all address. E-mail from from term C-mail from domission horn items there is and/or is an all address. E-mail from from term C-mail from domission horn items there is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail template E-mail template E-mail template term items the set address term items the set address term items term ite	- E-mail header details	Enable sending Urohoù to diable sending this emal.			
Email to Specify Constrained from the state address of the subject for e-mails. Email from address O Default: we subject of the subject of a the subject for e-mails. Email from address O Default: we subject of the subject of a the subject of a remail address. Email from address O Default: Measured of the subject of a the subject of a remail address. Email from address O Default: Measured of the subject of a the subject of a remail address. Email from address O Default: Measured of the subject of a the subject of a remail address. Email form address O Default: Measured of the subject of a the subject of a remail address. Email form and the subject of the subject of a the subject	Ernal studiet O belauf: form submission hom: Test readomnufor Controlmert Cont	– E-mail header details –			
O Letter. Form scotnission form: Net needformular C Dustors Very studiet, select, or hidson torm: alment may be selected as the active to e main. E-mail form address O Default: designed interver may be selected as the senders e mail actives. E-mail form address O Default: designed interver may be selected as the senders e mail actives. E-mail form address O Default: designed interver may be selected as the senders range be readed.  O Component:  O Default: designed interver may be selected as the senders range be readed.  O Component:  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed i	O bela: composed:   Composed: we wanded:   Available: composed:   We wanded: composed:   Available: composed:   I bela: composed:   I	E-mail subject			
Cutots: Cu	Outsime	Default: Form submission from: Test webformulier			
Composet: we wanted:  Any testing, select, or hidden test even may be selected as the subject to e-mail.  Custors:  Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custor: Custors: Custor: Custors: Custor: Cu	Concount: interventer will write	Custom			
Ary studied, suicit, or hidden turn skenner, may be selected as the subject to e-mails. Email from address Ordense: Custom: Cu	Any banks, stells, critition tom stander may be selected as the subject to 4-mails.   E-mail tom address   I or trade tom stells   I or trade to tom stells   I or trade to tom stell	Component: New textfield ~			
Email forn addees  Default: wedefinaastrichturiversity.vf Custom  Ary waak, seise, or kidden team elament may be selected as the sender's e-mail address. Email forn name  Default: Mastricht university  Custom  Cust	E-nal from dadees  O befuit: seed@maashichturkversity.vl Cutorm Cutorm Component Compo	Any textfield, select, or hidden form element may be selected as the subject for e-mails.			
O blad:: web@insativbluvivesity// C utor::::::::::::::::::::::::::::::::::::	Orderat: seedemastic/sturivenity.vi Custom: Ary small, statute: components Ary small, statute: components Ary small, statute: components Orderat: Massicher univenity: Outon: Custom: Component: New statute: view statute: Ary statute: statute: the s	E-mail from address			
Custom Corporers No available components Yey well, select, or hidden tom setment may be selected as the sender's e-mail address. E-mail form name Component: Ne settedies Component: Ne settedies Component: Ne settedies No mail template Ary well-list, select, or hidden tom element may be selected as the sender's name tor e-mails.	Curden: Curde	Default: web@maastrichtuniversity.nl			
Corporet: he available component: Ary weak select of hidden tone weaterner may be selected as the sandar's e-mail address. E-mail from name Component: New selected Component	Component: we waitable components w  Any sensitive components w  Provide the weakable to the senser may be selected as the sender's neme to e-mail address.  E-mail from name  Component:   Any sensitive components weakable to accomponents w  Any sensitive components weakable to accomponents w  Any sensitive components weakable to accomponents weakable to accomponents weakable to accomponents  F-mail template  Any sensitive components weakable to accomponents weakable to accomponents  F-mail template weakable to accomponents  F-m	Custom			
Ary sendi, select, or hidden tom element may be selected as the sender's e-mail address. Email from name  Custom Custom Concordent Even testing Concor	Any small, select, or hidden form selenent may be selected as the sender's e-mail address. E-mail from name  O Default: MassFirch university C Curron: C Component: New teaching C Component: New teachi	Component: No available components ~			
O Default: Madasticht university    Custern   Component:   Ner stadied will   Ar stadietis, seisci, or hidden form element may be selected as the sender's name for e-mails.   • E-mail template   Ar e-mail template of   Bubmission day lower (bubmissions)   Bubmission day lower (bubmissions)   Bubmission may be viewed at:   [Jubmission.ut]	O Default: Massfricht university   Outsons   Component:   New tastiskt wit   Ary startiskt, saket, or hidden form ekennert nav be selected al at be sender's name for e-mails.   • E-mail template   Are mail template on (submission tasking)   Submitted on (submission tasking)   Submitted on (submission tasking)   Submitted values are:   (pubmission/unit)   Browne setable toars • Included e-mail values	Any email, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Component: New standing	C Gragomet Component New tautidat New tautida	Default: Masshicht university			
Component: New statistics Are statistics Are statistics Submitted on juborssion/data/ong Submitted	Component: New textilists Ary textifiest Ary texti	O Custom:			
Ary section, seter, or holden form element may be selected as the sender's name for e-mails.	Ary sectied, setied, or hidden turn element may be selected as the sender's name for e-main.  - E-mail template Are email template care customizes the display of e-mains. Default template Constrained by user (behresion-custed Source) Submitted by user (behresion-custed Source) Sources are (behresion-custed Sources) Sources are (behresion-custed Sources) Sources are (behresion-custed Sources) Sources are (behresion-custed Sources) Sources are (behresion-c	Component: New textfield ~			
	E-mail template An email template on cutorities the display of e-mails.  Default template Submitted on puterinsion/tait-long Boomed by user (bubmission/tait-long) Boomed by user (bubmission) Boomed at: [pubmission/taile] Boomed at: [pubmission/tail] Boomed at: [pubmission	Any textfield, select, or hidden form element may be selected as the sender's name for e-mails.			
- • E-mail template An e-mail template An e-mail template can customize the display of e-mails. Default template Submitsed to juborisational Submitsed to gene (juborisationus) Submitsed					
An e-mail template can outlomize the display of e-mails.  Difut template	An e-mail implate can cutonize the display of e-mails.  Default template -  Budmitted on judorisation date long j Budmitted values are: judorisation date long j Budmitted values are: judorisation date long j Budmitted values are: judorisation date long j Budmitted values -  - Included e-mail values -	- •E-mail template			
Bututtsmister       Submitted values are:         Submitted values are:       [uutmistoricute]         [uutmistoricute]	Default tengine       Submitted on jubrission data longi       Submitted values are:       jubrission data longi       Borne evaluate       The results of this submission may be viewed at:       jubrission/unit	An e-mail template can custonize the display of e-mails.			
Bubmitad on jubmitaiondateloogi Submitad values gen: [submitaionvalues] [submissionwalues] The rest of this submission may be viewed at: [submissionwal] Previse available tokens.	Buchmited on (submissionidate/ong) Buchmited by user (submissionidate/ong) Buchmited submissionidate/ong) Der result of this submission may be viewed at: [submission/uni] Browse available takers. - Included e-mail values	Default template ~			
The results of this submission may be viewed at: [submission.un] Brokes available tokens • Included e-mail values	The results of this submission may be viewed at: [submission.un] Browne available tokens • Included e-mail values	Submitted on (submissiondatalong) Submitted by user [submissionuser] Submitted values are: (submitsed values)			
	Brower avalable toters. - · Included e-mail values	The results of this submission may be viewed at: [submission:ut]			
Brows avalable Same. - • Included e-mail values	Bower available toxers. - • Included e-mail values	_			11
- Included e-mail values	- • Included e-mail values	Browse available tokens.			
		- • Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	a.			
Sustom template ~				
lubmitted on (submission/datesiong) Jubmitted by user (submission/user) Jubmitted values are: submission/values) The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
Included e-mail values				
The selected components will be included in the [su	bmission:values) token. Individual values may	still be printed if explicitly specified as a [submi-	ssion:values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

### 5.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 5.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### 5.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

#### 5.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

#### 5.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

#### 5.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

## 6 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

A Mijn Workbench Inhoud Structuur Instel	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen			
Inhoud											
Inhoud Reacties Course Catalog	Course Catalog Meta Besta	nden Gepland	Webformulieren	Locked documents							
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.										
Titel	Aangemaakt	<ul> <li>Status</li> </ul>	Weergeven		Bewer	kingen					
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten				
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten				
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten				
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten				
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten				
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten				
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten				
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten				
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten				

Tekst vertalen

#### Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 7. Inzendingen/Submissions
- 8. Analyse/Analysis
- 9. Tabel/Table
- 10. Downloaden/Download
- 11. Bewerken/Edit
- 12. Componenten/Components

### 6.1 Inzendingen/Submissions

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workben	h Content Structure Configuration	UM settings					Search	Env: prod	editorinchief	Log out
Contac	Faculties Health, Medicine and Life Science Ct									
View publishe	d Edit Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
Submissions A	nalysis Table Download									
Showing 1 -	50 of 152. Show 10   50   100   All resul	ts per page.								
#	- Submitted		User			IP address	Opera	tions		
152	06/14/2016 - 15:51		Anonymous (not	t verified)		83.37.211.254	view			
151	06/14/2016 - 12:34		Anonymous (not	t verified)		62.140.132.66	view			
150	06/14/2016 - 12:07		Anonymous (no	t verified)		120.164.45.97	view			
149	06/14/2016 - 09:08		Anonymous (no	t verified)		194.151.36.3	view			
148	06/14/2016 - 08:33		Anonymous (no	t verified)		193.197.140.242	view			
147	06/14/2016 - 03:36		Anonymous (not	t verified)		5.117.252.167	view			
146	06/13/2016 - 23:11		Anonymous (not	t verified)		145.120.11.191	view			
145	06/13/2016 - 22:21		Anonymous (no	t verified)		84.25.186.176	view			
144	06/13/2016 - 17:02		Anonymous (no	t verified)		94.142.213.102	view			
143	06/13/2016 - 16:29		Anonymous (no	t verified)		84.193.158.154	view			
142	06/13/2016 - 13:07		Anonymous (not	t verified)		86.5.41.98	view			
141	06/13/2016 - 12:40		Anonymous (no	t verified)		91.61.112.77	view			
140	06/12/2016 - 17:39		Anonymous (no	t verified)		37.24.202.196	view			
139	06/12/2016 - 13:33		Anonymous (no	t verified)		91.183.92.189	view			
138	06/11/2016 - 19:39		Anonymous (no	t verified)		86.247.216.119	view			
137	06/11/2016 - 19:26		Anonymous (no	t verified)		87.231.10.107	view			
136	06/11/2016 - 16:10		Anonymous (not	t verified)		83.23.62.230	view			

Afbeelding 51.

### 6.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

### 6.3 Table/Table

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

#### 6.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

### 6.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### 6.6 Componenten/Components

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	۷	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	А	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
		2.1.1	Tekstveld/Textfield	9
		2.1.2	E-mailadres/Email	11
		2.1.3	Keuzerondjes/Radios	12
		2.1.4	Selectielijst/Select list	16
		2.1.5	Tijd/Time	19
	2	2.1.6	Verborgen/Hidden	21
		2.1.7	Veldengroep/Fieldset	21
	2	2.1.8	Tekstvlak/Textarea	23
		2.1.9	Getal/Number	25
		2.1.10	Keuzevakjes/Checkboxes	28
		2.1.11	Datum/Date	31
		2.1.12	Bestand/File	33
		2.1.13	Opmaak/Markup	35
		2.1.14	Pagina-einde/Page break	35
	2.2	Voc	prwaarden/Conditionals	37
	2.3	E-m	nails	38
	2.4	For	mulierinstellingen/Form settings	40
		2.4.1	Verzendinstellingen/Submission settings	40
		2.4.2	Toegang tot het formulier/Submission acces	40
		2.4.3	Voortgangsbalk/Progress bar	40
		2.4.4	Voorbeeldpagina/Preview page	40
		2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	alyse/Analysis	43
	3.3	a Tab	le/Table	43
3.4	Downloaden/Download	43		
-----	------------------------	----		
3.5	Bewerken/Edit	43		
3.6	Componenten/Components	43		

# 7 Webformulieren

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

# 7.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

# 8 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

A My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Homa Add content Create Detail page					
New content: Your draft will be placed in modern	- Content				-
Introduction	Title *	1			
Paragraphs	Language	]			
Meta data	English V View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or rons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A 5	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research@L	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft Vieitine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieitine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft viething orderess eelding 2. My Workbench Content me Test webformulier ew draft Edit draft Content Edit draft will Content Your draft will Content Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

## 8.1 Webformulier componenten

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 29. Tekstveld/Textfield (tekstveld 1 regel)
- 30. E-mailadres/Email (e-mailveld)
- 31. Keuzerondjes/Radios (radio-buttons)
- 32. Selectielijst/Select list (selectielijst)
- 33. Tijd/Time (tijdveld)
- 34. Verborgen/Hidden (verborgen veld)
- 35. Veldengroep/Fieldset (verzameling velden)
- 36. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 37. Getal/Number (nummerveld)
- 38. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 39. Datum/Date (datumveld)
- 40. Bestand/File (bestandsveld voor uploade bestanden)
- 41. Opmaak/Markup (opgemaakte tekst)
- 42. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

🕇 My Workbench	Content	Structure	Configuration	UM settings					Search	Env: accept	editorinchief	Log out
Home Test weblow Test we	bfor	mulie	er									
View draft Ed	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Transla	te			
Form components	Condition	als E-mai	ils Form settir	ngs								
Form previ	iew d							<i>.</i>	Add a fie	eld d E	Textarea	
Properties	Display	Validation	[					Clos	Radios		Checkboxes	
Title *									En Time		File	
New textfield	textfield (Edi	1							Hidden	482	Markup	
Default valu	e	4							Fieldse	• H	Page break	
Description												
				_					1.			
Save	ancel											

Afbeelding 5.

## 8.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

My Workbench	Content	Structure	Configuration	UM settings						Search	Env	accept	editorinchief	1
est weblo	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mail	s Form set	tings										
Form prev	iew									A	dd a field			
Titel teksvel	ld								I	×	Textfield		Textarea	
Standaard w	aarde										👩 E-mail	12	Number	
Dit is een bes	chrijving										<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Display	Validation							(	lose	Select list		Date	
Title *											Time		File	
Titel teksveld	i										Hidden	482	Markup	
Form key: titel_	teksveld [Ed	it]									Fieldset	H	Page break	
Default valu	le													
Standaard w	aarde													
Description														
Dit is een b	peschrijving	)												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

## 8.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

omponents Conditionals E-mails Form settings		
orm preview		
	Add a field	
E-mailveld		Textarea
7	💿 E-mail	12 Number
Properties Display Validation	Close Radios	Checkboxes
Title *	Select list	Date
E-mailveld	Time	File
Form key: e_mailveld [Edit]	Hidden	≪R> Markup
Default value	Fieldset	Page break
Description		
Description		

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est wedto	ent Structure	Configuration	UM settings						Search	Env: acce	editorinchief
v draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-mai	ils Form sett	tings								
orm preview									Ad	d a field	
E-mailveld								Ì	×	Textfield	Textarea
			7							E-mail	Number
Properties Displa	Validation									Radios	Checkboxes
Displa	Validation	1								Select list	Date
Placeholder									80	Time	File
									60	Hidden	Markup
The placeholder will b	e shown in the fie	Id until the user	starts entering a	value. Often use	d for example v	alues, such as	"john@example.com".			Fieldset	- Page break
Label display Above  Determines the place Disabled (read Private Private fields are Wrapper CSS class	nent of the compo -only) shown only to use ses	onent's label. ers with results a	access.								
Apply a class to the w	rapper around bol	th the field and it	its label. Separate	e multiple by spa	ces.						

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

Ay Workbench Content Structure Configuration UM settings	Sea	rch Env:	accept editorinchief	
e Test webformulier est webformulier				
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
components Conditionals E-mails Form settings				
Form preview		Add a field		
E-mailveld	/ ×	Textfield	Textarea	
E-mailveld	×	E-mail	III Number	]
E-mailveld	∦ ×	Textfield     E-mail     Radios	Textarea Number Checkboxes	]
E-mailveld  Properties Display Validation	Close	Textfield     E-mail     Radios     Select list	Textarea      Number      Checkboxes      Date	
E-mailveld  Properties Display Validation  Required	Close	Textfield     E-mail     Padios     Select list     End     Time	Image: Textarea       Image	
E-mailveld  Properties Display Validation  Required Unique	Close	E-mail     E-mail     Radios     Select list     Em Time     Hidden	Image: Textarea       Image: Number       Image: Checkboxes       Image: Date       Image: File       Image: Markup	

Afbeelding 11.

#### 8.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
🔿 one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

#### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

## 8.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate          Form components       Conditionals       E-mails       Form settings         Form preview       Intel select veld       Intel select veld <th>A My Workbench Content Structure</th> <th>e Configuration UM settings</th> <th></th> <th></th> <th></th> <th></th> <th>S</th> <th>earch</th> <th>Env: accept</th> <th>editorinchief</th> <th>Log out</th>	A My Workbench Content Structure	e Configuration UM settings					S	earch	Env: accept	editorinchief	Log out
View draft       Edit draft       Rankings & numbers       Replicate       Revisions       Webform       Results       Translate         Form components       Conditionals       E-mails       Form settings       Add a field       Intentional       Intentional       Intentional       Intentional       Add a field       Intentional       Inte	Home Test webformulier Test webformulie	er									
Form components       Conditionals       E-mails       Form settings         Form preview       Ittle select veld       Itel select veld	View draft Edit draft Ranking	gs & numbers Replicate	Revisions	Webform	Results	Translate					
Form preview   Titel select veld     •None - ~     Properties Display   Options Validation   Tite select veld     • Tite select veld <td>Form components Conditionals E-ma</td> <td>ails Form settings</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Form components Conditionals E-ma	ails Form settings									
	Form preview Titel select veld None ~ Properties Display Options Title * Titel select veld Form key: titel_select_veld [Edit] Description	Validation					Close	Add a fi Control Textle Control Textle Cont	eld id () i () e () t list () n () et () it	Textarea Number Checkboxes Date File Markup Page break	

## Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

## 8.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cinno	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

# Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

## 8.1.6 Verborgen/Hidden

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> </ul>		
<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a field	
New hidden - hidden field		Textarea
Pronerties	Ciose @ E-mail	12 Number
	Radios	Checkboxes
Title •	Select list	Date
Form key: new_hidden [Edit]	E Time	📮 File
Default value	Hidden	48> Markup
	Tieldset	Here Page break

Afbeelding 23

## 8.1.7 Veldengroep/Fieldset

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Prease comprete the remaining portions.				
rm preview		Add a	field		
New fieldset			xtfield	Textarea	
		(2) E-	mail	Number	
		• R	adios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	E Se	elect list	Date	
		E Tr	me 📮	File	
		lio Hi	dden 🕸	Markup	
roperties Display		Close Fit	eldset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1.			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		-	AUU d TIEld	Textarea
New fieldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	HI Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

## 8.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	-
Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.				
prm preview	Add	a field		
§New textarea	X	fextfield 📳	Textarea	
	100 E	E-mail 🔢	Number	
	• F	Radios	Checkboxes	
	<b>i</b> s	Select list	Date	
_	// 😥 T	lime 🔒	File	
Pronortiae Display Validation	Close F	fidden 🕸	Markup	
	E F	Fieldset	Page break	
Title *				
gree vaxarea Form key:new_lextarea [Edit]				
Default value				
	11			
Description				
	11			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	ð. 14	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay to the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow =			
bel display  Kome			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private make are shown only to users with results access. Private field are shown only to users and results access. Private field are shown only to users and results access. States to the wrigher anound both the field and its label. Reparate multiple by spaces. SS classes			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🐼	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

## 8.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a field	1
New number		Textarea
$   \neq$	💿 E-mail	III Number
	Radios	Checkboxes
Properties Display Validation Analysis	Close El Select list	Date
Title *	E Time	📮 File
New number	Hidden	- Markup
orm key: new_number (Edit)	Fieldset	Page break
Default value		
Description		
2001µ001		

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties         Display         Validation         Analysis         Cice           Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.         Cice	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

#### 8.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Tophouto	Hevisions Webtorm	Results	Translate			
Form settings						
					Add a field	
				X	D Textfield	Textarea
					👩 E-mail	12 Number
					<ul> <li>Radios</li> </ul>	Checkboxes
					Select list	Date Date
					Time	G File
liidation				Ciose	iii Hidden	(R> Markup
					Fieldset	Here Page break
	Form settings	Form settings	Form settings	Form settings	Form settings	Form settings  Add a field  Add a field   Add a field    Add a field      Add a field

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse		Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 8.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results Translate			
components Conditionals E-mails Form settin	ngs					
Form preview					Add a field	
New date				Ø×	Textfield	Textarea
Month V Day Vear V					E-mail	12 Number
Properties Display Validation				Close	Radios	Checkboxes
					Select list	Date
Title *					Re Time	📮 File
Form key: new_date [Edit]					Hidden	48> Markup
Default value					Fieldset	Hage break
Description						

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview       New date     > ×       Month v     Day v     Year v       Properties     Display     Validation       Coor     Enable popup calendar	Add a fie Textfiek E-mail Radios Select I E Time	2ld a (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	Textarea Number Checkboxes Date File	
Linuxe a Javaroutin case picker max to be date read.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldset	482 t	Markup Page break	
Above v Determines the placement of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.           Save         Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchief	Le
est webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ield	
New date	Add a f	eld 📄 Textarea	1
Month v Day v Year v	E-ma	I II Number	i -
	Radic	s Checkboxes	í .
Properties Display Validation	Close	t list 📄 Date	í
Required	E Time	📮 File	i i
Start date	Hidde	n (R2> Markup	í
-2 years	Fields	et   Page break	í –
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			1
End date			
+2 years			
The latest data that may be entered into the field. Assesses any data is any CNU Data lay of Format			

Afbeelding 39.

#### 8.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

orm prev	view												Add	d a field	1		ĩ
New file											0	` ×		Textheid		lextarea	1
Bestand k	iezen Geen	bestand gekozen	Upload											E-mail		) Number	1
										 				Radios		Checkboxes	
Properties	Display	Validation										Close	F	Select list		Date	
Title *													120	Time		File	
New file													60	Hidden	48	> Markup	
Form key: nev	v_file [Edit]													Fieldset	F	Page break	
<ul> <li>Private</li> <li>Private file si</li> <li>Upload dirive</li> <li>Webform/</li> <li>You may opt</li> <li>Description</li> </ul>	files files torage has si ectory ionally specif	gnificantly more	overhead than pul	lic files, but re Browse avail	estricts file	e access to ens.	o users who	o can view	submissions.								
						_						11					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	1	
New file				X	Textfield	Textare	a
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	12 Numbe	r
					<ul> <li>Radios</li> </ul>	Checkb	oxes
Properties Display	Validation			Close	Select list	📑 Date	
Label display					Time	📮 File	
Above ~					Hidden	Markup	
Determines the placer	nent of the component	t's label.			Fieldset	Hage b	reak
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separa	te multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture con	ninguration	OM settin	82									0	sarch	env. accept	editorinchief	
A partia	illy-complete	d form was t	found. Plea	ise complet	e the remai	ining portio	ns.											
Form preview	/														Add a fie	eld		
New file														/ X	Textfiel	d 🔳	Textarea	l
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E E-mail	12	Number	ĺ
	-														Radios		Checkboxes	Í.
Properties Dis	splay Vali	dation												Close	Select	list 🛅	Date	ĺ
Described															Re Time	4	File	Í
Max upland aim	~														Hidden	40	Markup	ĺ
Max upload size	8														Fieldse	( H	Page break	Í.
Desktop images Documents	(select) (select)	bmp	eps rtf xml	tif	pict pdf	psd doc	doc	k 🗌 odt	_ ppt	pptx	odp	xis	xlsx					
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	al file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated ve.	by commas.										

Afbeelding 42.

## 8.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

Honoenen Content Juotare Conigoration on seconds	30		antaccept	eutoniticritei	
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>					
orm preview		Add a field	ł		
New HTML Markup	/ ×	( Textfield		Textarea	
		E-mail	12	Number	
Enter any text supported by available text formats.		<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Close	E Select list		Date	
Title *		En Time		File	
New markup		Hidden	40	Markup	
Form key: new_markup [Edit]		Fieldset	н	Page break	
Markup					
<strong>New HTML Markup</strong>					
co>Enter any text supported by available text formats.					
	1.				
Text format Filtered HTML ~					

Afbeelding 43.

#### 8.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld a 🔳	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea Number	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie Textflek E-mail Radios Select II Ref Time	2ld d (12) (12) (13) (14) (14) (14) (14) (14) (14) (14) (14	Textarea Number Checkboxes Date File	_
Form preview	Add a fiel		Textarea Number Checkboxes Date File Markup	_

Afbeelding 44.

ũ.

# 8.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 7. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 8. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

9. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

🕈 My Workber	nch Content	Structure C	onfiguration	UM settings			Search		Env: accept	editorinchief	Log out
Test w	vebfor	mulier									
View draft	Edit draft	Rankings &	numbers	Replicate	Revisions	Webform	Results	Transla	ate		
Form componen Conditionals	ts Condition	E-mails o hide or show or v is field v is v	Form setti ertain comport	ings nents (or entire pa	ages!) based on t	the value of othe	r components		· •	Show row wel	ghts
				There a	are no condition	al actions on th	his form. Add	a new co	ndition: +		
Save cor	nditions										

Afbeelding 46.

# 8.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

	My Workbench (	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
T	est web	oformulier										
Vie	w draft Edit	draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form	components C	Conditionals E-mails Form settin	ngs									
	Send	E-mail to			Subject			From	Operations	5		
	Currently not ser	nding e-mails, add an e-mail recipien	t below.									
		Address: test@maa     Component value:	No available o	omponents ~					Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 9. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 10. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 11. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 12. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen e-mailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | MyWorkbunch Content Structure Configuration UM settings                                                                                                                                      | Search | Env: accept | editorinchief |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|---------------|
| ave dult Ext dult   ave dult Ext dult   average Control in   Ext dult Ext dult   Control in Ext dult                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | iest webformulier                                                                                                                                                                            |        |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate                                                                                                         |        |             |               |
| Evaluate bases   Control   Cont                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | n components Conditionals E-mails Form settings                                                                                                                                              |        |             |               |
| • chank indemandation reads   • chank index   • opport   • opport <td>E-mail to address</td> <td></td> <td></td> <td></td>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | E-mail to address                                                                                                                                                                            |        |             |               |
| <pre>c Orgonett t</pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 💿 Custom: teatimaanonturivenity.ni                                                                                                                                                           |        |             |               |
| The standards the standard to the standard to the standard standards and the neglear statebases may be separated by contrast.  Period control of the statebases of the stateba                                   | Component: No available components v                                                                                                                                                         |        |             |               |
| Personal services of the service                                       | Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas. |        |             |               |
| - E-mail header details E-mail header details E-mail header details E-mail header details C-bear mile O-bear form domission horn: Ret elebhomule C-bear mile Ary tardist, seeder-mail rety be selected as the subject to e-mail. E-mail tom above C-bear mile C-b                                    | Enable sending Undrext to disable sending this small.                                                                                                                                        |        |             |               |
| Email holds:<br>O Defail: From submission from: Test seebformular<br>C Comport. Ive submission from: Test seebformular<br>C Comport. Ive submission from: Test seebformular<br>D Defail: seebformation/testing/r<br>C Conton:<br>C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless.<br>Email from address<br>P Defail: Massion? university of<br>C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless.<br>Email from address<br>P Defail: Massion? university<br>C Conton:<br>C Comporter. Ive submits of the submit rule senal submits.<br>P Defail: Massion? university<br>C Conton:<br>C Defail: Testing of the submits of the submit rule senal submits.<br>P Email from from: Res submits of the submits rule of | E-mail header details                                                                                                                                                                        |        |             |               |
| O class. Form submission from: Net webformular Custom: Custom: Composered: Net southed: Custom: Composered: Net southed: Custom: Composered: Custom: Composered: Custom: Cust                                    | E-mail subject                                                                                                                                                                               |        |             |               |
| Cutors: Cutor                                    | Delaut: Form submission from: Test webformulier                                                                                                                                              |        |             |               |
| Component: we needed:  Any textus:  Construction:  Construction:  Provide:  Construction:  Construction:  Provide:  Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide                                    | Custom:                                                                                                                                                                                      |        |             |               |
| Ary testing, select, or hidden term skinear, may be selected as the subject for e-mail.   E-mail from address   O Conported:   No address   O Comported:   No address   O Default:   Selection:   O Default:   No address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Component: New sectivity                                                                                                                                                                     |        |             |               |
| Enal forn address O Default: web@maastrichturiversity.vi Custom Component: We walkalis component in Ary walk, weit, or hidden form sammert may be selected as the sender's e-mail address. Enal form name O Default: Mastricht uriversity Custom Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Water waterie in the sender's name for e-mails.  E-mail template Market server, in Submitted public server, in Custom in C                                       | Any startfield, select, or Nidden form element may be selected as the subject for e-mails.                                                                                                   |        |             |               |
| O blada: web@massichturiversity// C component: we available component: we have not be sender's e-mail address. E-mail from name O blada: Massicht university C custom: C custom: Ary work, standard was be sender's e-mail address. E-mail template: Ary work, standard was be sender's name be e-mails. Defund: Massicht university C custom: E-mail template can customize the display of e-mails. Defund: were table to be sender's e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: the table table to be sender's name be e-mails. Defund: the table table table to be sender's name be e-mails. Defund: the table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table. Defund: table table table table table table table table table table. Defund: table table table table table table table table table. Defund: table table table table table table table table table table. Defund: table table table table table table table table table                                                                                                                                                                                                                                                  | E-mail from address                                                                                                                                                                          |        |             |               |
| Custom Consorted Consorte                                    | Default: web@maastrichturiversity.nl                                                                                                                                                         |        |             |               |
| Component: the available components *  Are weakles components the sentence may be selected as the sandars e-mail address. E-mail from name Component: the sandars for durations e-mails Component: the sandars for duration e-mails.  E-mail template Are weakles components Submitted on public resistonical data the sandars in a mail to e-mails.  E-mail template components Submitted on public resistonical sites are: [locations are: [locatio                                            | Custom:                                                                                                                                                                                      |        |             |               |
| Ary small, select, or hidden tom element may be selected as the sender's e-mail address. E-mail template Output: Very starting selected as the sender's name bit e-mails.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | ○ Component: No available components ~                                                                                                                                                       |        |             |               |
| Default: Masshicht university    Custom:   Component:   Ner waterlieft, select, or hidden form element may be selected as the sendor's name for e-mails.   • E-mail template                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Any small, select, or hidden form element may be selected as the sender's e-mail address.<br>E-mail from name                                                                                |        |             |               |
| Custom Custom Component: Rev statilitä Compon                                    | Default: Maastricht university                                                                                                                                                               |        |             |               |
| Component New statistics  Ary statistics, salace, or hidden form elements may be selected as the sender's name for e-mails.  - E-mail template Are - mail template are  Submitsd on plubrisationules form  Submitsd on plubrisationules  Default template are  Default template are  Submitsd on plubrisationules                                    | O Custom:                                                                                                                                                                                    |        |             |               |
| Any statistict, select, or hidden form dement may be selected as the sender's name for e-mails.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Component: New textities ~                                                                                                                                                                   |        |             |               |
| - E-mail template An email template An emails. Detuct strends   Submited on puberssion/desional Submited values set: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values]                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Any textfeld, select, or hidden form element may be selected as the sender's name for e-mails.                                                                                               |        |             |               |
| - E-mail template An e-mail template can outcome the display of e-mails.  Default template Submitted on bulkersiseonuse() Submitted outserseconuse() Submitted outses are: [submission-values] The results of this submission may be viewed at: [submissionul] Berses patieties teams - • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                                                                                                                                              |        |             |               |
| An e-mail template can customize the display of e-mails.          Default template           Default template           Submitted on juburnisation user juburnisations           Submitted values are:           [uubrnisation value]           The results of this submission may be viewed at:           [uubrnisation.valie]           Devise available toters.           - • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | E-mail template                                                                                                                                                                              |        |             |               |
| Default tengilate ~<br>Submitted on juburisation rules food<br>Submitted on submission rules [<br>Submitted values are:<br>[submission rul]<br>Deves available toters.<br>- • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | An e-mail template can customize the display of e-mails.                                                                                                                                     |        |             |               |
| Submitted verbusierissionual<br>Submitted verbusier (submissionual)<br>Submitted verbus exer<br>(submissionual)<br>The result of its submission may be viewed at:<br>(submissionual)<br>Browse available toters.<br>- • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Default template ~                                                                                                                                                                           |        |             |               |
| The results of this submission may be viewed at: [submission.ut] Browse available tokens • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Submitted on (submission/sater.iong)<br>Submitted by user (submission/user)<br>Submitted uses are:<br>(submission/values)                                                                    |        |             |               |
| Bowse evaluate takens.<br>- • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | The results of this submission may be viewed at:<br>[submission.ut]                                                                                                                          |        |             |               |
| Bosse analade takes.<br>- • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | _                                                                                                                                                                                            |        |             | 11            |
| - • Included e-mail values                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Browne available stream.                                                                                                                                                                     |        |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | - Included e-mail values                                                                                                                                                                     |        |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                              |        |             |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                              |        |             |               |

# Afbeelding 48.

e-mail template can customize the display of e-mail	8.			
Sustom template ~				
lubmitted on [submission:date:long] Jubmitted by user: [submission:user] Jubmitted values are: submission:values] The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
<ul> <li>Included e-mail values</li> </ul>				 
The selected components will be included in the [su	mission.values) token. Individual values ma	y still be printed if explicitly specified as a [r	submission values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

### 8.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 8.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### 8.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

### 8.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

### 8.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

### 8.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

### 9 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

n Mijn Workbench Inhoud Structuur Instell	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website wee	er, die een webform kan bevatten.							
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 13. Inzendingen/Submissions
- 14. Analyse/Analysis
- 15. Tabel/Table
- 16. Downloaden/Download
- 17. Bewerken/Edit
- 18. Componenten/Components

### 9.1 Inzendingen/Submissions

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workbe	nch Conte	nt Structure Configuration	UM settings						Search	Env: prod	editorinchief	Log out
Conta	M Faculties ICT											
View publish	ned Edit	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Submissions	Analysis	Table Download										
Showing 1	- 50 of 152.	Show 10   50   100   All result	ts per page.									
#		- Submitted			User			IP address	Opera	tions		
152		06/14/2016 - 15:51			Anonymous (n	ot verified)		83.37.211.254	view			
151		06/14/2016 - 12:34			Anonymous (n	ot verified)		62.140.132.66	view			
150		06/14/2016 - 12:07			Anonymous (n	ot verified)		120.164.45.97	view			
149		06/14/2016 - 09:08			Anonymous (n	ot verified)		194.151.36.3	view			
148		06/14/2016 - 08:33			Anonymous (n	ot verified)		193.197.140.242	view			
147		06/14/2016 - 03:36			Anonymous (n	ot verified)		5.117.252.167	view			
146		06/13/2016 - 23:11			Anonymous (n	ot verified)		145.120.11.191	view			
145		06/13/2016 - 22:21			Anonymous (n	ot verified)		84.25.186.176	view			
144		06/13/2016 - 17:02			Anonymous (n	ot verified)		94.142.213.102	view			
143		06/13/2016 - 16:29			Anonymous (n	ot verified)		84.193.158.154	view			
142		06/13/2016 - 13:07			Anonymous (n	ot verified)		86.5.41.98	view			
141		06/13/2016 - 12:40			Anonymous (n	ot verified)		91.61.112.77	view			
140		06/12/2016 - 17:39			Anonymous (n	ot verified)		37.24.202.196	view			
139		06/12/2016 - 13:33			Anonymous (n	ot verified)		91.183.92.189	view			
138		06/11/2016 - 19:39			Anonymous (n	ot verified)		86.247.216.119	view			
137		06/11/2016 - 19:26			Anonymous (n	ot verified)		87.231.10.107	view			
136		06/11/2016 - 16:10			Anonymous (n	ot verified)		83.23.62.230	view			

Afbeelding 51.

### 9.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

### 9.3 Table/Table

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

### 9.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

### 9.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### 9.6 Componenten/Components

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

## Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	A	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	4	2.1.6	Verborgen/Hidden	21
	4	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	4	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	4	2.1.12	Bestand/File	33
	2	2.1.13	Opmaak/Markup	35
	2	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	4	2.4.3	Voortgangsbalk/Progress bar	40
	4	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

### **10 Webformulieren**

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

### **10.1 Rechten**

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

### 11 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

A My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Homa Add content Create Detail page					
New content: Your draft will be placed in modern	- Content				-
Introduction	Title *	1			
Paragraphs	Language	]			
Meta data	English V View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or rons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A 5	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research@L	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft intro document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft viething orderess eelding 2. My Workbench Content me Test webformulier ew draft Edit draft Content Edit draft will Content Your draft will Content Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

### **11.1 Webformulier componenten**

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 43. Tekstveld/Textfield (tekstveld 1 regel)
- 44. E-mailadres/Email (e-mailveld)
- 45. Keuzerondjes/Radios (radio-buttons)
- 46. Selectielijst/Select list (selectielijst)
- 47. Tijd/Time (tijdveld)
- 48. Verborgen/Hidden (verborgen veld)
- 49. Veldengroep/Fieldset (verzameling velden)
- 50. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 51. Getal/Number (nummerveld)
- 52. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 53. Datum/Date (datumveld)
- 54. Bestand/File (bestandsveld voor uploade bestanden)
- 55. Opmaak/Markup (opgemaakte tekst)
- 56. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

A My Workbench Content Structure Configuration UM settin	gs				Search	Env: accept	editorinchief	Log out
Test webformulier								
View draft Edit draft Rankings & numbers Replicat	e Revisions	Webform	Results	Translat	e			
Form components Conditionals E-mails Form settings								
Form preview New textfield				×	Add a fie	eld d E	Textarea	
					Radios		Checkboxes	
Properties Display Validation				Close	e Select I	list	Date	
Title *	1				R Time	4	File	
Form key: new_textfield [Edit]					B Hidden	482	Markup	
Default value					Fieldse	t	Page break	
Description								
					\$			
Save Cancel								

Afbeelding 5.

### 11.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

ly Workbench	Content	Structure	Configuration	UM settings						Searc	:h	Env: accept	editorinchief	Log ou
e Test webla EST WE	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mai	Is Form set	tings										
orm prev	riew										Add a fi	eld		
Titel teksve	ld								1	×	Textfie	ld 🔳	Textarea	
Standaard w	aarde										💿 E-mai	12	Number	
Dit is een bes	schrijving										Radio	s 🗹	Checkboxes	
Properties	Display	Validation								Close	E Select	list	Date	
Title *											R Time	4	File	
Titel teksveld	ł										Hidde	n (42)	Markup	
Form key: titel	_teksveld [Ed	it]									Fields	ot	Page break	
Default valu	e													
Standaard w	aarde													
Description														
Dit is een t	peschrijving	1												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

### **11.1.2 E-mailadres/Email**

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

draft Edit dra	ft Rankings & r	numbers Replicate	Revisions	Webform	Results	Translate				
omponents Conc	itionals E-mails	Form settings								
orm preview									Add a field	
E-mailveld							Ì	×	Discretifield	Textarea
		7							E-mail	12 Number
Properties Displa	y Validation						(	Close	Radios	Checkboxes
Title *	1 1								Select list	Date Date
E-mailveld									R Time	G File
Form key: e_mailveld [8	idit]								Hidden	Al> Markup
Default value									Fieldset	Page break
Deserieties										
Description										

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

	Content	mulle	Configuration	UM settings					Sec	arch Env:	accept	editorinchief
v draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
omponents	Condition	nals E-mails	s Form setti	tings								
orm prev	iew									Add a field		
E-mailveld									X	Textfield		Textarea
				7						💿 E-mail	12	Number
Properties	Dieplay	Validation							 Cioso	Radios		Checkboxes
riopenies	Dispidy	Validation							0.030	Select list		Date
Placeholde	r									Re Time		File
										Hidden	(H2)	Markup
The placehold	der will be sl	hown in the field	d until the user :	starts entering a	value. Often use	d for example v	alues, such as	"john@example.com".		Fieldset		Page break
Label displa	ay											
Determines th Disable Private Private fi Wrapper CS	to the wrop	nt of the compositive of the com	nent's label.	access.	multinla hu enau							
Determines th Disable Private Private fi Wrapper CS	to the wrap	nt of the composite ly) own only to use s per around both	nent's label. rs with results a , the field and it	access. its label. Separate	multiple by spa	ces.						
Determines th Disable Private fi Wrapper CS Apply a classe	to the wrap s	nt of the compositive of the com	nent's label. rs with results a ) the field and it	access. its label. Separate	multiple by spa	ces.						
Determines tr Disable Private Private fi Wrapper CS Apply a class CSS classe	to the field.	It of the composition of the composition of the composition of the use of the composition	nent's label. rs with results a h the field and it	access. Its label. Separate	multiple by spa	Ces.						

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

My Workbench Content Structure Configuration UM settings	Sear	ch	Env: accept	editorinchief	Log o
ne Test webformulier est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a fie	Id		
E-mailveld	X	Textfield	Te	extarea	
7		💿 E-mail	12 N	umber	
Properties Display Validation	Close	<ul> <li>Radios</li> </ul>	🗹 CI	heckboxes	
		Select list	st 📃 Da	ate	
Required		E Time	📮 Fi	le	
			082 M	arkup	
Unique Obec't that all antared values for this field are unique. The same value is not allowed to be used twice.		Hidden			

Afbeelding 11.

### **11.1.3 Keuzerondjes/Radios**

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
🔿 one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							mana	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

### 11.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

y Workbench Co	ontent Structur	e Configuration	n UM settings						Search	Er	w: accept	editorinchief	Log ou
e Test weblormule est web	formul	ier											
v draft Edit d	raft Rankin	gs & numbers	Replicate	Revisions	Webform	Results	Translate						
components Co	nditionals E-r	nails Form set	ttings										
orm preview									A	dd a field			
Titel select veld								Ø	×	Textfield		Textarea	
- None - 🗸									0	E-mail	12	Number	
Properties Dis	play Options	Validation						CI	50	Radios		Checkboxes	
Title									1	Select list		Date	
Titel select yeld									8	Time	4	File	
Form key: titel_selec	t_veld [Edit]								0	Hidden	412	Markup	
Description									C	Fieldset	н	Page break	
									4				

### Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
110000000000000000000000000000000000000						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

### 11.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Se	arch Env: acc	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	X	Textfield	Textarea
Hour v : 00 v • am ) pm		E-mail	12 Number
Proportion Dieplay Validation		Radios	Checkboxes
	0.000	Select list	Date
Title *		Time	📮 File
Form key: titel_tijdveld [Edit]		i Hidden	48> Markup
Default value		Fieldset	Here Page break
Description			
	"		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add a	field		
Titel tijdveld	/ X 🔂 Te:	xtfield 📳	Textarea	
Hour v : 00 v • am pm	(D) E-1	mail [12]	Number	
	• Ra	dios 🗹	Checkboxes	
Properties Display Validation	Close	lect list	Date	
Time format	E Tin	ne 🔼	File	
12-hour (am/pm)	Hice Hice	iden 🚸	Markup	
24-hour	T Fie	Idset I	Page break	
Label display				
Above V				
Private				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

### Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 📰	Textarea	
Hour v : 00 v • am ) pm	💿 E-mail	12	Number	
Properties Display Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Ra Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n	Page break	
Save Cancel				

Afbeelding 22.

### **11.1.6 Verborgen/Hidden**

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
orm preview		Add a field		
New hidden - hidden field	/ ×	Textfield	Textarea	
Properties	Close	👩 E-mail	12 Number	
		Radios	Checkboxes	
Title •		Select list	Date	
New hidden		R Time	G File	
Default value		Hidden	At> Markup	
		Fieldset	Page break	

Afbeelding 23

### **11.1.7 Veldengroep/Fieldset**

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)
| <ul> <li>A partially-completed form was to</li> </ul> | uno. Prease comprete the remaining portions.         |           |            |            |  |
|-------------------------------------------------------|------------------------------------------------------|-----------|------------|------------|--|
| rm preview                                            |                                                      | Add a     | field      |            |  |
| New fieldset                                          |                                                      |           | xtfield    | Textarea   |  |
|                                                       |                                                      | (2) E-    | mail       | Number     |  |
|                                                       |                                                      | • R       | adios 🗹    | Checkboxes |  |
|                                                       | This fieldset is empty. Drag a form element into it. | E Se      | elect list | Date       |  |
|                                                       |                                                      | E Tr      | me 📮       | File       |  |
|                                                       |                                                      | lio Hi    | dden 🕸     | Markup     |  |
| roperties Display                                     |                                                      | Close Fit | eldset H   | Page break |  |
| ïtle •                                                |                                                      |           |            |            |  |
| New fieldset                                          |                                                      |           |            |            |  |
| orm key: new_fieldset [Edit]                          |                                                      |           |            |            |  |
| Description                                           |                                                      |           |            |            |  |
|                                                       |                                                      |           |            |            |  |
|                                                       |                                                      |           |            |            |  |
|                                                       |                                                      |           |            |            |  |
|                                                       |                                                      | 1.        |            |            |  |

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		-	AUU d TIEld	Textarea
New fieldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	HI Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

#### 11.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	∕ ×	Textfield	Textarea
		🔞 E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
com key, new junktere [Eot] Default value			
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	a. 11	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of log lay teams			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow =			
bel display  Keene V  Second V  Seco			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Pro			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private make are shown only to users with results access. Private field are shown only to users and results access. Private field are shown only to users and results access. States to the wrigher anound both the field and its label. Reparate multiple by spaces. SS classes			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🐼	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

#### 11.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

mponenta Conditionala E-maila Pormisetunga		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
prm preview	Add a	field
New number	X X	field 🔄 Textarea
7	co E-m	all 😰 Number
Planter Meldelan Asstation	Rad	ios 🕑 Checkboxes
Properties Display Validation Analysis	Sele	ect list 📃 🗖 Date
Title *	iten Tim	e 🛛 🔁 File
New number	Hide	den de Markup
orm key: new_number [Edit]	Tiel	dset Hage break
Jefauit value		
Description		
	1	

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C That	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties Display Validation Analysis Cice Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

### 11.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft E	dit draft	Ranking	s & number	s Replicat	te Revisions	Webform	Results	Translate					
omponents	Condition	hals E-ma	ails Form s	ettings									
orm prev	iew										Add a fiel	d	
New check	boxes								I	×	( Textfield		Textarea
one one											👩 E-mail	12	Number
two											<ul> <li>Radios</li> </ul>		Checkboxes
three											Select lis	t 📃 🗖	Date
Desertion	Dieplay	Ontione	Validation								E Time		File
Properties	Display	Options	validation							01050	Hidden	40	Markup
Title *											Fieldset	F	Page break
Form key: new,	oxes _checkboxes	[Edit]											
Description													
										- 11			

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse		Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 11.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers	Replicate Revisio	ons Webform	Results	Translate			
components Conditionals E-mails Form setting	ngs						
Form preview						Add a field	
New date					∕ ×	Textfield	Textarea
Month V Day Vear V						E-mail	Number
Presenting Display Validation					Closes	<ul> <li>Radios</li> </ul>	Checkboxes
Properties Display Validation						Select list	Date
Title *						Time Time	📮 File
New date						Hidden	Alexandre Markup
Default value						Fieldset	Here Page break
Description							
Description							

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	ED Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

### 11.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

										 							_
orm prev	view												Add	a field			
New file											1	×		Textfield		Textarea	
Bestand k	iezen Geen	bestand gekozen	Uploa	d i										E-mail	12	Number	
										 			۲	Radios		Checkboxes	
Properties	Display	Validation										Close		Select list		Date	
Title *													80	Time		File	
New file													60	Hidden	482	Markup	
Form key: new	v_file [Edit]													Fieldset	-	Page break	
<ul> <li>Private</li> <li>Private file si</li> <li>Upload dir</li> <li>webform/</li> <li>You may opt</li> <li>Description</li> </ul>	files torage has si ectory ionally specif	gnificantly more y a sub-directory	overhead than	public files, bu files. Browse av	it restricts f	file access t kens.	to users who	o can viev	w submissions.								
												11					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	age break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture co	ninguration	om settir	82									5	Galon	env. accept	editorinchief	1
A partia	illy-complete	d form was	found. Plea	ise complet	e the remai	ining portio	ns.											_
orm preview	/														Add a fi	eld		
New file														X	Textfie	ld 🔳	Textarea	1
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E-mail	12	Number	ĺ
	-														Radios		Checkboxes	ĺ
Properties Dis	splay Vali	dation												Close	E Select	list 🛅	Date	ĺ
Required															Time	4	File	ĺ
Max unload size	0														Hidder	n (42)	Markup	ĺ
2 MB	•														Fields	et H	Page break	ĺ
Desktop images Documents	(select)	bmp	eps	tif	pict	_ psd	doc	c 🗌 odt	_ ppt	_ pptx	odp	🗌 xis	xisx					
		ods	xml															
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	I file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated we.	oy commas.										

Afbeelding 42.

### 11.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
rm preview		Add a field		
lew HTML Markup	∕ ×	Distriction Textfield	Textarea	
ater any test espended by available test fermate		E-mail	12 Number	
nter any text supported by available text formats.		<ul> <li>Radios</li> </ul>	Checkboxes	
Properties	Close	Select list	Date Date	
itle *		E Time	File	
New markup		i Hidden	Al> Markup	
orm key: new_markup [Edt]		Fieldset	HI Page break	İ.
Markup				
<strong>New HTML Markup</strong>				
Enter any text supported by available text formats.				
	11			
Text format Filtered HTML ~				

Afbeelding 43.

#### 11.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld 🔳	Textarea	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	_
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie Textfiel E-mail Radios Select	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie	eld d III ist III	Textarea Number Checkboxes Date File	
Form preview	Add a fiel Textfiel E-mail Radios Refer to Refer to		Textarea Number Checkboxes Date File Markup	

Afbeelding 44.

ũ.

### **11.2 Voorwaarden/Conditionals**

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 10. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 11. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

12. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

A My Workbench Content Structure Configuration UM settings	Search En	nv: accept editorinchief	Log out
Home Test webformulier Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Web	form Results Translate		
Form components Conditionals E-mails Form settings Conditionals may be used to hide or show certain components (or entire pages!) based on the value  then New textfield v is v then New textfield v is v shown v	e of other components.	Show row we - + - +	eights
There are no conditional actio	ns on this form. Add a new conditi	tion: +	
Save conditions			

Afbeelding 46.

### 11.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

Ħ.	My Workbench Con	ntent Structure Configuration UM setti	gs					Search	Env: accept	editorinchief	Log out
T T	est webf	ormulier									
Vi	ew draft Edit dra	aft Rankings & numbers Replica	e Revisions	Webform	Results	Translate					
Form	components Con	ditionals E-mails Form settings									
	Send	E-mail to		Subject			From	Operations			
	Currently not sendi	ng e-mails, add an e-mail recipient below.									
	٠	Address: test@maastrichtuniv     Component value: No availu	rsity.ŋ <sup>2</sup> ble components ~					Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 13. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 14. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 15. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 16. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

	MyWorkbunch Content Structure Configuration UM settings	Search	Env: accept	editorinchief
ave dult Ext dult   ave dult Ext dult   average Control in   Ext dult Ext dult   Control in Ext dult	iest webformulier			
	ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Evaluate bases   Control   Cont	n components Conditionals E-mails Form settings			
• chank indemandation reads   • chank index   • opport   • opport <td>E-mail to address</td> <td></td> <td></td> <td></td>	E-mail to address			
<pre>c Orgonett t</pre>	💿 Custom: teatimaanonturivenity.ni			
The standards the standard to the standard to the standard standards and the neglear statebases may be separated by contrast.  Period control of the statebases of the stateba	Component: No available components v			
Personal services of the service	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-bear mile O-bear form domission horn: Ret elebhomule C-bear mile Ary tardist, seeder-mail rety be selected as the subject to e-mail. E-mail tom above C-bear mile C-b	Enable sending Undrext to disable sending this small.			
Email holds: O Defail: From submission from: Test seebformular C Comport. Ive submission from: Test seebformular C Comport. Ive submission from: Test seebformular D Defail: seebformation/testing/r C Conton: C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university of C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university C Conton: C Comporter. Ive submits of the submit rule senal submits. P Defail: Massion? university C Conton: C Defail: Testing of the submits of the submit rule senal submits. P Email from from: Res submits of the submit rule senal submits rule for e mails. P Email from from: Res submits of the submits rule of the submit rule of the submits rule	E-mail header details			
O class. Form submission from: Net webformular Custom: Custom: Composered: Net southed: Custom: Composered: Net southed: Custom: Composered: Custom: Composered: Custom: Cust	E-mail subject			
Cutors: Cutor	Delaut: Form submission from: Test webformulier			
Component: we needed:  Any textus:  Construction:  Construction:  Provide:  Construction:  Construction:  Provide:  rovide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide	Custom:			
Ary testing, select, or hidden term skinear, may be selected as the subject for e-mail.   E-mail from address   O Conported:   No address   O Comported:   No address   O Default:   Selection:   O Default:   No address	Component: New sectivity ~			
Enal forn address O Default: web@maastrichturiversity.vi Custom Component: We walkalis component in Ary walk, weit, or hidden form sammert may be selected as the sender's e-mail address. Enal form name O Default: Mastricht uriversity Custom Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Water waterie in the sender's name for e-mails.  E-mail template Market server, in Submitted public server, in Custom in C	Any startfield, select, or Nidden form element may be selected as the subject for e-mails.			
O blada: web@massichturiversity// C component: we available component: we have not be sender's e-mail address. E-mail from name O blada: Massicht university C custom: C custom: Ary work, standard was be sender's e-mail address. E-mail template: Ary work, standard was be sender's name be e-mails. Defund: Massicht university C custom: E-mail template can customize the display of e-mails. Defund: were table to be sender's e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: the table table to be sender's name be e-mails. Defund: the table table table to be sender's name be e-mails. Defund: the table  Defund: table  Defund: table  Defund: table  Defund: table  Defund: table  Defund: table  Defund: table  Defund: table table table table table table table table table table. Defund: table table table table table table table table table. Defund: table table table table table table table table table table. Defund: table table table table table table table table table	E-mail from address			
Custom Consorted Consorte	Default: web@maastrichturiversity.nl			
Component: the available components *  Are weakles components the sentence may be selected as the sandars e-mail address. E-mail from name Component: the sandars for durations e-mails Component: the sandars for duration e-mails.  E-mail template Are weakles components Submitted on public resistonical data the sandars in a mail to e-mails.  E-mail template components Submitted on public resistonical sites are: [locations are: [locatio	Custom:			
Ary small, select, or hidden tom element may be selected as the sender's e-mail address. E-mail template Output: Very starting selected as the sender's name bit e-mails.	○ Component: No available components ~			
Default: Masshicht university    Custom:   Component:   Ner waterlieft, select, or hidden form element may be selected as the sendor's name for e-mails.   • E-mail template	Any small, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Custom Component: Rev statilitä Compon	Default: Maastricht university			
Component New statistics  Ary statistics, salace, or hidden form elements may be selected as the sender's name for e-mails.  - E-mail template Are - mail template are  Submitsd on plubrisationules form  Submitsd on plubrisationules  Default template are  Default template are  Submitsd on plubrisationules	O Custom:			
Any statistict, select, or hidden form dement may be selected as the sender's name for e-mails.	Component: New textities ~			
- E-mail template An email template An emails. Detuct strends   Submited on puberssion/desional Submited values set: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values]	Any textfeld, select, or hidden form element may be selected as the sender's name for e-mails.			
- E-mail template An e-mail template can outcome the display of e-mails.  Default template Submitted on bulkersiseonuse() Submitted outserseconuse() Submitted outses are: [submission-values] The results of this submission may be viewed at: [submissionul] Berses patieties teams - • Included e-mail values				
An e-mail template can customize the display of e-mails.          Default template           Default template           Submitted on juburnisation user juburnisations           Submitted values are:           [uubrnisation value]           The results of this submission may be viewed at:           [uubrnisation.valie]           Devise available toters.           - • Included e-mail values	E-mail template			
Default tengilate ~ Submitted on juburisation rules food Submitted on submission rules [ Submitted values are: [submission rul] Deves available toters. - • Included e-mail values	An e-mail template can customize the display of e-mails.			
Submitted verbusierissionual Submitted verbusier (submissionual) Submitted verbus exer (submissionual) The result of its submission may be viewed at: (submissionual) Browse available toters. - • Included e-mail values	Default template ~			
The results of this submission may be viewed at: [submission.ut] Browse available tokens • Included e-mail values	Submitted on (submission/sater.iong) Submitted by user (submission/user) Submitted uses are: (submission/values)			
Bowse evaluate takens. - • Included e-mail values	The results of this submission may be viewed at: [submission.ut]			
Bosse analade takes. - • Included e-mail values	_			11
- • Included e-mail values	Browne available stream.			
	- Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	£			
Custom template ~				
lubmitted on [submission/datesiong] Jubmitted by user [submission/user] Jubmitted values are: submission/values] The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
<ul> <li>Included e-mail values</li> </ul>				
The selected components will be included in the [su	mission values) token. Individual values may st	SII be printed if explicitly specified as a [submission	hvalues:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

### **11.4 Formulierinstellingen/Form settings**

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 11.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### **11.4.2 Toegang tot het formulier/Submission acces**

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

#### 11.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

#### **11.4.4 Voorbeeldpagina/Preview page**

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

#### 11.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

# 12 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

Aijn Workbench Inhoud Structuur Instell	Zoeken	Env: accept	editorinchief	Uitloggen					
Home Beheer Inhoud Inhoud									
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents					
Deze pagina geett alle inhoud van de website weer, die een webform kan bevatten.									
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen			
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 19. Inzendingen/Submissions
- 20. Analyse/Analysis
- 21. Tabel/Table
- 22. Downloaden/Download
- 23. Bewerken/Edit
- 24. Componenten/Components

### **12.1 Inzendingen/Submissions**

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

🕈 My Wor	kbench Cont	tent Structure Configuration	UM settings						Search	Env: prod	editorinchief	Log out
Con	Home About UM Flaculities Readth, Medicine and Life Sciences Contact Contact											
View pub	blished Ed	it Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Submission	Analysis	Table Download										
Showin	n 1 - 50 of 152	Show 10   50   100   All result	s per page.									
#		- Submitted	o por pogo.		User			IP address	Oper	ations		
152		06/14/2016 - 15:51			Anonymous (not verified)			83.37.211.254	view			
151		06/14/2016 - 12:34			Anonymous (n	ot verified)		62.140.132.66	view			
150		06/14/2016 - 12:07			Anonymous (n	ot verified)		120.164.45.97	view			
149		06/14/2016 - 09:08			Anonymous (n	ot verified)		194.151.36.3	view			
148		06/14/2016 - 08:33	3 Anonymous (not verified)					193.197.140.242	view			
147		06/14/2016 - 03:36		Anonymous (not verified)			5.117.252.167	view				
146		06/13/2016 - 23:11			Anonymous (n	ot verified)		145.120.11.191	view			
145		06/13/2016 - 22:21			Anonymous (n	ot verified)		84.25.186.176	view			
144		06/13/2016 - 17:02	Anonymous (not verified)			ot verified)		94.142.213.102	view			
143		06/13/2016 - 16:29		Anonymous (not verified)				84.193.158.154	view			
142		06/13/2016 - 13:07		Anonymous (not verified)				86.5.41.98	view			
141		06/13/2016 - 12:40		Anonymous (not v				91.61.112.77	view			
140		06/12/2016 - 17:39		Anonymous				37.24.202.196	view			
139		06/12/2016 - 13:33	2016 - 13:33			ot verified)		91.183.92.189	view			
138		06/11/2016 - 19:39			Anonymous (n	ot verified)		86.247.216.119	view			
137		06/11/2016 - 19:26			Anonymous (n	ot verified)		87.231.10.107	view			
136		06/11/2016 - 16:10			Anonymous (n	ot verified)		83.23.62.230	view			

Afbeelding 51.

### 12.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

#### **12.3 Table/Table**

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

#### 12.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

#### 12.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### **12.6 Componenten/Components**

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	۷	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	А	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
		2.1.1	Tekstveld/Textfield	9
		2.1.2	E-mailadres/Email	11
		2.1.3	Keuzerondjes/Radios	12
		2.1.4	Selectielijst/Select list	16
		2.1.5	Tijd/Time	19
	2	2.1.6	Verborgen/Hidden	21
		2.1.7	Veldengroep/Fieldset	21
	2	2.1.8	Tekstvlak/Textarea	23
		2.1.9	Getal/Number	25
		2.1.10	Keuzevakjes/Checkboxes	28
		2.1.11	Datum/Date	31
		2.1.12	Bestand/File	33
		2.1.13	Opmaak/Markup	35
		2.1.14	Pagina-einde/Page break	35
	2.2	Voc	prwaarden/Conditionals	37
	2.3	E-m	nails	38
	2.4	For	mulierinstellingen/Form settings	40
		2.4.1	Verzendinstellingen/Submission settings	40
		2.4.2	Toegang tot het formulier/Submission acces	40
		2.4.3	Voortgangsbalk/Progress bar	40
		2.4.4	Voorbeeldpagina/Preview page	40
		2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	alyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

## **13 Webformulieren**

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

### 13.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser
# 14 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

A My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Homa Add content Create Detail page					
New content: Your draft will be placed in modern	- Content				-
Introduction	Title *	1			
Paragraphs	Language	]			
Meta data	English V View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or rons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A 5	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research@L	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft Vieitine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieitine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft viething orderess eelding 2. My Workbench Content me Test webformulier ew draft Edit draft Content Edit draft will Content Your draft will Content Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

# **14.1 Webformulier componenten**

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 57. Tekstveld/Textfield (tekstveld 1 regel)
- 58. E-mailadres/Email (e-mailveld)
- 59. Keuzerondjes/Radios (radio-buttons)
- 60. Selectielijst/Select list (selectielijst)
- 61. Tijd/Time (tijdveld)
- 62. Verborgen/Hidden (verborgen veld)
- 63. Veldengroep/Fieldset (verzameling velden)
- 64. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 65. Getal/Number (nummerveld)
- 66. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 67. Datum/Date (datumveld)
- 68. Bestand/File (bestandsveld voor uploade bestanden)
- 69. Opmaak/Markup (opgemaakte tekst)
- 70. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

🕇 My Workbench	Content	Structure	Configuration	UM settings					Search	Env: accept	editorinchief	Log out
Home Test weblow Test we	bfor	mulie	er									
View draft Ed	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Transla	te			
Form components	Condition	als E-mai	ils Form settir	ngs								
Form previ	iew d							<i>. . . . . . . . . .</i>	Add a fie	eld d E	Textarea	
Properties	Display	Validation	[					Clos	Radios		Checkboxes	
Title *									En Time		File	
New textfield	textfield (Edi	1							Hidden	482	Markup	
Default valu	e	4							Fieldse	• H	Page break	
Description												
				_					1.			
Save	ancel											

Afbeelding 5.

# 14.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

st we	hfor	mulie	r										
		Ballion		Desl'este	Devidence	Webler	Decilia	Translate					
draft E	dit draft	Hankings	& numbers	Heplicate	Hevisions	webtorm	Hesuits	Translate					
omponents	Conditio	nals E-mai	s Form set	ttings									
Titel teksvel	lew									~ '	ADD a field		Textarea
Standaard w	aarde								<i></i>		💿 E-mail	112	Number
Dit is een bes	chrijving										Radios		Checkboxes
Properties	Display	Validation								Close	Select list		Date
Title •											Time		File
Titel teksveld	i										Hidden	482	Markup
Form key: titel_	teksveld [Ed	t]									Fieldset	н	Page break
Default valu	le												
Standaard w	aarde												
Description													
Dit is een b	peschrijving	1											
										11			

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							123	Time 🕻	File	Ĺ
			7				60	Hidden	Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

# 14.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

draft E	Edit draft	Rankings &	& numbers	Replicate	Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-mails	Form setting	js									
orm prev	view									A	dd a field		
E-mailveld									J ×		Textfield	Textarea	
				7							🔯 E-mail	12 Number	
Properties	Display	Validation							Close		<ul> <li>Radios</li> </ul>	Checkboxes	
Title •											Select list	Date Date	
E-mailveld											Ra Time	📮 File	
Form key: e_r	nailveld [Edit]										Hidden	≪l> Markup	
Default val	ue										Fieldset	Here Page break	
Description	1												

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est webto	ent Structure	Configuration	UM settings						Search	Env: accept	editorinchief
w draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-ma	ils Form sett	tings								
Form preview									Add a fi	eld	
E-mailveld								/ ×	D Textfie	ld 🔳	Textarea
			7						💿 E-mail	1	Number
Properties Displa	Validation							Close	Radio	s 🕑	Checkboxes
Displa	Vandation							0030	E Select	ist 🛅	Date
Placeholder									E Time	4	File
									Hidder	n (42)	Markup
The placeholder will b	e snown in the tie	aid until the user	starts entering a	value. Otten use	d for example v	alues, such as	"jonn@example.com".		Fields	et	Page break
Label display Above ~ Determines the placer Disabled (read Private Private fields are Wrapper CSS clas	nent of the compo- only) shown only to us	onent's label. ers with results a	access.								
	ranner around bo			e multiple by spa	ces.						
Apply a class to the w CSS classes		oth the field and r	its label. Separate								

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

	Add a fie	ald		
X	Textfield	d 🔳 T	extarea	
	💿 E-mail	12 N	lumber	
Close	<ul> <li>Radios</li> </ul>	S (	heckboxes	
0.000	Select I	list 🗖 C	Date	
	E Time	📮 F	ile	
	Hidden	(412) N	Markup	
	Fieldse	et F	age break	
		Add a fie X Cose Cose Add a fie E-mall P Radios Select III The Hidden The	Add a field  Add a field  Cose  Add a field   Frail  Fraid  raid Fraid  Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid F	Add a field  Add a field  Factinia  Factinia  Factor  Core  Add a field  Factor  Facto

Afbeelding 11.

#### 14.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
◯ one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

#### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							mana	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

# 14.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

y Workbench Co	ontent Structur	e Configuration	n UM settings						Search	Er	w: accept	editorinchief	Log ou
e Test weblormule est web	formul	ier											
v draft Edit d	raft Rankin	gs & numbers	Replicate	Revisions	Webform	Results	Translate						
components Co	nditionals E-r	nails Form set	ttings										
orm preview									A	dd a field			
Titel select veld								Ø	×	Textfield		Textarea	
- None - 🗸									0	E-mail	12	Number	
Properties Dis	play Options	Validation						CI	50	Radios		Checkboxes	
Title									1	Select list		Date	
Titel select yeld									8	Time	4	File	
Form key: titel_selec	t_veld [Edit]								0	Hidden	412	Markup	
Description									C	Fieldset	н	Page break	
									4				

# Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10 🔽	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

# 14.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cino	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		
	"		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	× × 💀 Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

# Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

## 14.1.6 Verborgen/Hidden

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> </ul>			
<ul> <li>A partially-completed form was found. Please complete the remaining portion</li> </ul>	Ş.		
orm preview		Add a field	
New hidden - hidden field	Ø×	Directfield	Textarea
Propartiae	Cine	E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
Title •		Select list	Date
New hidden Form key: new hidden [Edit]		Time	📮 File
Default value		Hidden	Al> Markup
		Fieldset	Page break

Afbeelding 23

#### **14.1.7 Veldengroep/Fieldset**

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Prease comprete the remaining portions.				
rm preview		Add a	field		
New fieldset			xtfield	Textarea	
		(2) E-	mail	Number	
		• R	adios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	E Se	elect list	Date	
		E Tr	me 📮	File	
		lio Hi	dden 🕸	Markup	
roperties Display		Close Fit	eldset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1.			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		-	AUU d TIEld	Textarea
New fieldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	Here Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

# 14.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	∕ ×	Textfield	Textarea
		🔞 E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
com key: _new_seturea [Ect] Default value	4		
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	ð. 14	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay to the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
bate display boxe v box			
bel display  Keene V  Second V  Seco			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  rotect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private make are shown only to users with results access. Private field are shown only to users and results access. Private field are shown only to users and results access. States to the wrigher anound both the field and its label. Reparate multiple by spaces. SS classes			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🐼	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

# 14.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

Changes to the form have been saved. A partially-completed form was found. Please complete the remaining portions.   Description   Add a field   Image: A partially-completed form was found. Please complete the remaining portions.   Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Add a field     Image: A partially-completed form was found. Please complete the remaining portions.     Image: A partially-completed form was found. Please complete the remaining portions.     Image: A partially-completed form was found. Please complete the remaining portions.     Image: A partially-completed form was found. Please complete the remaining portions.     Image: A partially-completed form was found. Please complete the remaining portions.     Image:			
Add a field  Add Add Add Add Add Add Add Add Add	<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
New number Image: Second	rm preview	Add a field	d
Image: Properties Display Validation Analysis	lew number		Textarea
Oroporties Display Validation Analysis     Citle *      New number     Com kay: new number [Edit]   Default value   Description     Operation     Image: new number number     Image: new number number     Image: new number number     Image: new number number     Image: number number     Image: number number     Image: number number number    <	7	💿 E-mail	12 Number
Display       Validation       Analysis       Code         Title *		Radios	Checkboxes
Title *     Image: Comparison of the second of	roperties Display Validation Analysis	Close Select list	Date
New number     Image: New, number       Image: New, number     Image: New, number       Default value     Image: New Number       Description     Image: New Number	itle *	EB Time	📮 File
Om køy: new_number [Lot]     Im Køy: new_number [Lot]       Default value     Im Køy: new_number [Lot]       Description     Im Køy: new_number [Lot]	New number	iii) Hidden	48> Markup
Description	om key: new_number (Edit)	Fieldset	H Page break
Description	Jerault value		
	Description		
	record operators a		
	zescription		

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties Display Validation Analysis Cice Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.	Radios     Radios     Select lis     Time     Hidden	t Date

Afbeelding 32.

# 14.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

draft Edit draft	Rankings & number	rs Replicate	Revisions	Webform	Results	Translate					
omponents Condition	nals E-mails Form	settings									
orm preview									Add a field		
New checkboxes							j.	×	( Textfield		Textarea
one									💿 E-mail	(12)	Number
two									Radios		Checkboxes
three									Select list		Date
Dieplay	Optione Validation	1						Cioso	R Time		File
Properties Display	Valuation							0.000	Hidden	482	Markup
Title *									Fieldset	Н	Page break
Form key: new_checkboxes	[Edit]										
Description											

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image	eld id E Textarea Number is Checkboxes ist Date is File is Grow Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list 🗖	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse	2 d d (E) ist (C) t (C) t (C) 2	Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

# 14.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translativ	9	
components Conditionals E-mails Form settings		
Form preview	Add	d a field
New date	/ × 🛛	Textfield Textarea
Month 🗸 Day 🖌 Year 🗸 🔲	8	E-mail 😥 Number
Propartice Dieplay Validation	Cione	Radios Checkboxes
Filiperios Diopay Failoaron		Select list Date
Title *	(co	Time 🔁 File
Form key: new date [Edit]		Hidden (82) Markup
Default value		Fieldset   Page break
Description		

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	ED Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

# 14.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

										 							_
orm prev	view												Add	a field			
New file											1	×		Textfield		Textarea	
Bestand k	iezen Geen	bestand gekozen	Uploa	d i										E-mail	12	Number	
										 			۲	Radios		Checkboxes	
Properties	Display	Validation										Close		Select list		Date	
Title *													80	Time		File	
New file													60	Hidden	482	Markup	
Form key: new	v_file [Edit]													Fieldset	-	Page break	
<ul> <li>Private</li> <li>Private file si</li> <li>Upload dir</li> <li>webform/</li> <li>You may opt</li> <li>Description</li> </ul>	files torage has si ectory ionally specif	gnificantly more y a sub-directory	overhead than	public files, bu files. Browse av	it restricts f	file access t kens.	to users who	o can viev	w submissions.								
												11					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	age break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture co	ninguration	om settir	82									5	Galon	env. accept	editorinchief	1
A partia	illy-complete	d form was	found. Plea	ise complet	e the remai	ining portio	ns.											_
orm preview	/														Add a fi	eld		
New file														X	Textfie	ld 🔳	Textarea	1
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E-mail	12	Number	ĺ
	-														Radios		Checkboxes	ĺ
Properties Dis	splay Vali	dation												Close	E Select	list 🛅	Date	ĺ
Required															Time	4	File	ĺ
Max unload size	0														Hidder	n (42)	Markup	ĺ
2 MB	•														Fields	et H	Page break	ĺ
Desktop images Documents	(select)	bmp	eps	tif	pict	_ psd	doc	c 🗌 odt	_ ppt	_ pptx	odp	🗌 xis	xisx					
		ods	xml															
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	I file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated we.	oy commas.										

Afbeelding 42.

# 14.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
rm preview		Add a field		
lew HTML Markup	∕ ×	Distriction Textfield	Textarea	
ater any test espended by available test fermate		E-mail	12 Number	
nter any text supported by available text formats.		<ul> <li>Radios</li> </ul>	Checkboxes	
Properties	Close	Select list	Date Date	
itle *		E Time	File	
New markup		i Hidden	Al> Markup	
orm key: new_markup [Edt]		Fieldset	HI Page break	İ.
Markup				
<strong>New HTML Markup</strong>				
Enter any text supported by available text formats.				
	11			
Text format Filtered HTML ~				

Afbeelding 43.

# 14.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld 🔳	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	_
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie Textfiel E-mail Radios Select	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie		Textarea Number Checkboxes Date File	
Form preview	Add a fiel Textfiel E-mail Radios Refer to Refer to		Textarea Number Checkboxes Date File Markup	

Afbeelding 44.

ũ.

# 14.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 13. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 14. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

15. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)

A My Workbench Content Structure Configuration	n UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier					
View draft Edit draft Rankings & numbers	Replicate Revisions Webfor	rm Results Transl	ate		
Form components Conditionals E-mails Form se	ittings				
Conditionals may be used to hide or show certain comp	onents (or entire pages!) based on the value o There are no conditional actions	f other components. on this form. Add a new co	ndition: +	Show row well	ghts
Save conditions					

#### Afbeelding 45.

A My Workbench Content Structure	Configuration UM settings		Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulie	r					
View draft Edit draft Rankings 8	anumbers Replicate I	Revisions Webform	Results Transla	ate		
Form components Conditionals E-mails Conditionals may be used to hide or show of the New textfield v is then New textfield v is	Form settings	es!) based on the value of othe	r components.	× 4 × 4	Show row wel	ghts
	There are	no conditional actions on th	is form. Add a new cor	ndition: +		
Save conditions						

4

Afbeelding 46.

# 14.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

Ħ.	My Workbench Con	ntent Structure Configuration UM setti	gs					Search	Env: accept	editorinchief	Log out
T T	est webf	ormulier									
Vi	ew draft Edit dra	aft Rankings & numbers Replica	e Revisions	Webform	Results	Translate					
Form	components Con	ditionals E-mails Form settings									
	Send	E-mail to		Subject			From	Operations			
	Currently not sendi	ng e-mails, add an e-mail recipient below.									
	٠	Address: test@maastrichtuniv     Component value: No availu	rsity.ŋ <sup>2</sup> ble components ~					Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 17. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 18. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 19. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 20. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen e-mailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

	MyWorkbunch Content Structure Configuration UM settings	Search	Env: accept	editorinchief
ave dult Ext dult   ave dult Ext dult   average Control in   Ext dult Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult	iest webformulier			
	ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Evaluate bases   Control   Cont	n components Conditionals E-mails Form settings			
• chank indemandation reads   • chank index   • opport   d>E-mail to address</td> <td></td> <td></td> <td></td>	E-mail to address			
<pre>c Orgonett t</pre>	💿 Custom: teatimaanonturivenity.ni			
The standards the standard to the standard to the standard standards and the neglear statebases may be separated by contrast.  Period control of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the stateba	Component: No available components v			
Personal services of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-bear mile O-bear form domission horn: Ret elebhomule C-bear mile Ary tardist, seeder-mail rety be selected as the subject to e-mail. E-mail tom above C-bear mile C-b	Enable sending Undrext to disable sending this small.			
Email holds: O Defail: From submission from: Test seebformular C Comport. Ive submission from: Test seebformular C Comport. Ive submission from: Test seebformular D Defail: seebformation/testing/r C Conton: C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university of C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university C Conton: C Comporter. Ive submits of the submit rule senal submits. P Defail: Massion? university C Conton: C Defail: Testing of the submits of the submit rule senal submits. P Email from from: Res submits of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of	E-mail header details			
O class. Form submission from: Net webformular Custom: Custom: Composered: Net southed: Custom: Composered: Net southed: Custom: Composered: Custom: Composered: Custom: Cust	E-mail subject			
Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutor	Delaut: Form submission from: Test webformulier			
Component: we needed:  Any textus:  Construction:  Construction:  Provide:  Construction:  Construction:  Provide:  rovide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide	Custom:			
Ary testing, select, or hidden term skinear, may be selected as the subject for e-mail.   E-mail from address   O Conported:   No address   O Comported:   No address   O Default:   Selection:   O Default:   No address	Component: New sectivity ~			
Enal forn address O Default: web@maastrichturiversity.vi Custom Component: We walkalis component in Ary walk, weit, or hidden form sammert may be selected as the sender's e-mail address. Enal form name O Default: Mastricht uriversity Custom Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Water waterie in the sender's name for e-mails.  E-mail template Market server, in Submitted public server, in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in C	Any startfield, select, or Nidden form element may be selected as the subject for e-mails.			
O blada: web@massichturiversity// C component: we available component: we have not be sender's e-mail address. E-mail from name O blada: Massicht university C custom: C custom: Ary work, standard was be sender's e-mail address. E-mail template: Ary work, standard was be sender's name be e-mails. Defund: Massicht university C custom: E-mail template can customize the display of e-mails. Defund: were table to be sender's e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: the table table to be sender's name be e-mails. Defund: the table table table to be sender's name be e-mails. Defund: the table  Defund: table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table.	E-mail from address			
Custom Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorte	Default: web@maastrichturiversity.nl			
Component: the available components *  Are weakles components the sentence may be selected as the sandars e-mail address. E-mail from name Component: the sandars for durations e-mails Component: the sandars for duration e-mails.  E-mail template Are weakles components Submitted on public resistonical data the sandars in a mail to e-mails.  E-mail template components Submitted on public resistonical sites are: [locations are: [locatio	Custom:			
Ary small, select, or hidden tom element may be selected as the sender's e-mail address. E-mail template Output: Very starting selected as the sender's name bit e-mails.	○ Component: No available components ~			
Default: Masshicht university    Custom:   Component:   Ner waterlieft, select, or hidden form element may be selected as the sendor's name for e-mails.   • E-mail template	Any small, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Custom Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Compon	Default: Maastricht university			
Component New statistics  Ary statistics, salace, or hidden form elements may be selected as the sender's name for e-mails.  - E-mail template Are - mail template are  Submitsd on plubrisationules form  Submitsd on plubrisationules  Default template are  Default template are  Submitsd on plubrisationules	O Custom:			
Any statistict, select, or hidden form dement may be selected as the sender's name for e-mails.	Component: New textities ~			
- E-mail template An email template An emails. Detuct strends   Submited on puberssion/desional Submited values set: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values]	Any textfeld, select, or hidden form element may be selected as the sender's name for e-mails.			
- E-mail template An e-mail template can outcome the display of e-mails.  Default template Submitted on bulkersiseonuse() Submitted outserseconuse() Submitted outses are: [submission-values] The results of this submission may be viewed at: [submissionul] Berses patieties teams - • Included e-mail values				
An e-mail template can customize the display of e-mails.          Default template           Default template           Submitted on juburnisation user juburnisations           Submitted values are:           [uubrnisation value]           The results of this submission may be viewed at:           [uubrnisation.valie]           Devise available toters.           - • Included e-mail values	E-mail template			
Default tengilate ~ Submitted on juburisation rules food Submitted on submission rules [ Submitted values are: [submission rul] Deves available toters. - • Included e-mail values	An e-mail template can customize the display of e-mails.			
Submitted verbusierissionual Submitted verbusier (submissionual) Submitted verbus exer (submissionual) The result of its submission may be viewed at: (submissionual) Browse available toters.	Default template ~			
The results of this submission may be viewed at: [submission.ut] Browse available tokens • Included e-mail values	Submitted on (submission/sater.iong) Submitted by user (submission/user) Submitted uses are: (submission/values)			
Bowse evaluate takens. - • Included e-mail values	The results of this submission may be viewed at: [submission.ut]			
Bosse avalatele stars. - • Included e-mail values	_			11
- • Included e-mail values	Browne available stream.			
	- Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	8.			
Sustom template ~				
lubmitted on [submission:date:long] Jubmitted by user: [submission:user] Jubmitted values are: submission:values] The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
<ul> <li>Included e-mail values</li> </ul>				 
The selected components will be included in the [su	mission.values) token. Individual values ma	y still be printed if explicitly specified as a [r	submission values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

# 14.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

# 14.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

# 14.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

# 14.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

# 14.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

# 14.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden
- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

# 15 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

n Mijn Workbench Inhoud Structuur Instell	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.							
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 25. Inzendingen/Submissions
- 26. Analyse/Analysis
- 27. Tabel/Table
- 28. Downloaden/Download
- 29. Bewerken/Edit
- 30. Componenten/Components

## **15.1 Inzendingen/Submissions**

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workbe	nch Conte	nt Structure Configuration	UM settings						Search	Env: prod	editorinchief	Log out
Conta	M Faculties ICT											
View publish	ned Edit	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Submissions	Analysis	Table Download										
Showing 1	- 50 of 152.	Show 10   50   100   All result	ts per page.									
#		- Submitted			User			IP address	Opera	tions		
152		06/14/2016 - 15:51			Anonymous (n	ot verified)		83.37.211.254	view			
151		06/14/2016 - 12:34			Anonymous (n	ot verified)		62.140.132.66	view			
150		06/14/2016 - 12:07			Anonymous (n	ot verified)		120.164.45.97	view			
149		06/14/2016 - 09:08			Anonymous (n	ot verified)		194.151.36.3	view			
148		06/14/2016 - 08:33			Anonymous (n	ot verified)		193.197.140.242	view			
147		06/14/2016 - 03:36			Anonymous (n	ot verified)		5.117.252.167	view			
146		06/13/2016 - 23:11			Anonymous (n	ot verified)		145.120.11.191	view			
145		06/13/2016 - 22:21			Anonymous (n	ot verified)		84.25.186.176	view			
144		06/13/2016 - 17:02			Anonymous (n	ot verified)		94.142.213.102	view			
143		06/13/2016 - 16:29			Anonymous (n	ot verified)		84.193.158.154	view			
142		06/13/2016 - 13:07			Anonymous (n	ot verified)		86.5.41.98	view			
141		06/13/2016 - 12:40			Anonymous (n	ot verified)		91.61.112.77	view			
140		06/12/2016 - 17:39			Anonymous (n	ot verified)		37.24.202.196	view			
139		06/12/2016 - 13:33			Anonymous (n	ot verified)		91.183.92.189	view			
138		06/11/2016 - 19:39			Anonymous (n	ot verified)		86.247.216.119	view			
137		06/11/2016 - 19:26			Anonymous (n	ot verified)		87.231.10.107	view			
136		06/11/2016 - 16:10			Anonymous (n	ot verified)		83.23.62.230	view			

Afbeelding 51.

## 15.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

## **15.3 Table/Table**

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

## 15.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

## 15.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

## **15.6 Componenten/Components**

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	A	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	2	2.1.6	Verborgen/Hidden	21
	2	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	2	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	4	2.1.12	Bestand/File	33
	2	2.1.13	Opmaak/Markup	35
	2	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	4	2.4.3	Voortgangsbalk/Progress bar	40
	4	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

## **16 Webformulieren**

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

## 16.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

## 17 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Home Add content Create Detail page	ution.				
Content *	- Content				-
Introduction	Title *	_			
Paragraphs	Test webformulier	]			
Magazine	Language English V				
Meta data	View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or cons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A S	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research@L	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft viething orderess eelding 2. My Workbench Content me Test webformulier ew draft Edit draft Content Edit draft will Content Your draft will Content Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

## **17.1 Webformulier componenten**

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 71. Tekstveld/Textfield (tekstveld 1 regel)
- 72. E-mailadres/Email (e-mailveld)
- 73. Keuzerondjes/Radios (radio-buttons)
- 74. Selectielijst/Select list (selectielijst)
- 75. Tijd/Time (tijdveld)
- 76. Verborgen/Hidden (verborgen veld)
- 77. Veldengroep/Fieldset (verzameling velden)
- 78. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 79. Getal/Number (nummerveld)
- 80. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 81. Datum/Date (datumveld)
- 82. Bestand/File (bestandsveld voor uploade bestanden)
- 83. Opmaak/Markup (opgemaakte tekst)
- 84. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

My Workbench C	ontent Structure	Configuration	UM settings					Search	Env: accept	editorinchief	Log out
Test webformul Test web	formulie	er									
View draft Edit of	draft Rankings	& numbers	Replicate	Revisions	Webform	Results	Translat	te			
Form preview Form preview New textfield Properties Dis Title *	onditionals E-ma	ils Form settin	gs				Clos	Add a fie Textfiel E-mail Radios See	eld d III III Iist III	Textarea Number Checkboxes Date	
New textfield Form key: new_text Default value	field [Edit]							Hidden	482 412	File Markup Page break	
Description											
								6			
Save Cano	el										

Afbeelding 5.

## 17.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

My Workbench	Content	Structure	Configuration	UM settings						Search	Env	accept	editorinchief	1
est weblo	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mail	s Form set	tings										
Form prev	iew									A	dd a field			
Titel teksvel	ld								I	×	Textfield		Textarea	
Standaard w	aarde										👩 E-mail	12	Number	
Dit is een bes	chrijving										<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Display	Validation							(	lose	Select list		Date	
Title *											Time		File	
Titel teksveld	i										Hidden	482	Markup	
Form key: titel_	teksveld [Ed	it]									Fieldset	H	Page break	
Default valu	le													
Standaard w	aarde													
Description														
Dit is een b	peschrijving	)												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

## **17.1.2 E-mailadres/Email**

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

draft E	Edit draft	Rankings &	& numbers	Replicate	Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-mails	Form setting	js									
orm prev	view									A	dd a field		
E-mailveld									J ×		Textfield	Textarea	
				7							🔯 E-mail	12 Number	
Properties	Display	Validation							Close		<ul> <li>Radios</li> </ul>	Checkboxes	
Title •											Select list	Date	
E-mailveld											Ra Time	📮 File	
Form key: e_r	nailveld [Edit]										Hidden	≪l> Markup	
Default val	ue										Fieldset	Here Page break	
Description	1												

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est webto	ent Structure	Configuration	UM settings						Search	Env: accept	editorinchief
w draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-ma	ils Form sett	tings								
Form preview									Add a fi	eld	
E-mailveld								/ ×	D Textfie	ld 🔳	Textarea
			7						💿 E-mail	1	Number
Properties Displa	Validation							Close	Radio	s 🕑	Checkboxes
Displa	Vandation							0000	E Select	ist 🛅	Date
Placeholder									E Time	4	File
									Hidder	n (42)	Markup
The placeholder will b	e snown in the tie	aid until the user	starts entering a	value. Otten use	d for example v	alues, such as	"jonn@example.com".		Fields	et	Page break
Label display Above ~ Determines the placer Disabled (read Private Private fields are Wrapper CSS clas	nent of the compo- only) shown only to us	onent's label. ers with results a	access.								
	ranner around bo			e multiple by spa	ces.						
Apply a class to the w CSS classes		oth the field and r	its label. Separate								

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

	Add a fie	ald		
X	Textfield	d 🔳 T	extarea	
	💿 E-mail	12 N	lumber	
Close	<ul> <li>Radios</li> </ul>	S (	heckboxes	
0.000	Select I	list 🗖 C	Date	
	E Time	📮 F	ile	
	Hidden	(412) N	Markup	
	Fieldse	et F	age break	
		Add a fie X  Cose Cose Cose Cose Cose Cose Cose Cose	Add a field  Add a field  Cose  Add a field   Frail  Fraid  raid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fr	Add a field  Add a field  Factinia  Factinia  Factor  Core  Add a field  Factor  Facto

Afbeelding 11.

### **17.1.3 Keuzerondjes/Radios**

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
◯ one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							mana	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

## 17.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

# My Workbench	Content	Structure	e Configuration	n UM settings						Sear	ch	Env: accept	editorinchief	Log out
Test web	ebfor	rmuli	er											
View draft E	dit draft	Ranking	gs & numbers	Replicate	Revisions	Webform	Results	Translate						
Form components	Conditio	nals E-m	ails Form set	tings										
Form prev Titel select • None - v Properties Title • Titel select v Form key: titel Description	veld Display eid veld	Options [Edit]	Validation						1	X Close	Add a fi Textfie E-mail Add a fi E-mail Select Time Hidden Fields	eld id () s () list () n (42) n (42)	Textarea Number Checkboxes Date File Markup Page break	
Save	Cancel									<i>li</i> ,				

## Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10 🔽	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

## 17.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cinno	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (H2)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

## Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 📰	Textarea	
Hour v : 00 v • am ) pm	💿 E-mail	12	Number	
Properties Display Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Ra Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n	Page break	
Save Cancel				

Afbeelding 22.

## **17.1.6 Verborgen/Hidden**

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

Containoritais Lonninoritais Lonninoritainge			
<ul> <li>Changes to the form have been saved.</li> <li>A particily completed form was found. Discussion participation participation.</li> </ul>			
<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	A	dd a field	
New hidden - hidden field	/ × (	Textfield	Textarea
Properties	Ciose	E-mail	Number
		Radios	Checkboxes
Title •		Select list	Date
Form key: new_hidden [Edit]	6	🔋 Time 🛛 📮	File
Default value		i Hidden	Markup
		Fieldset	Page break

Afbeelding 23

## **17.1.7 Veldengroep/Fieldset**

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	und. Please complete the remaining portions.				
rm preview		Add a	field		
New fieldset		/ X Tes	tfield	Textarea	
		(B) E-r	nail	Number	
This fieldset is empty. Drag a form element into it.	• Ra	tios 🗹	Checkboxes		
	Sel	ect list	Date		
	E Tir	e 🕻	File		
		Hid	den 482	Markup	
Properties Display		Close Fie	idset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		2			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

arm proviou			Add a field	
Newfoldcet		- A . V.	AUU a field	Textarea
- New fieldset		/~×	E mail	TTD Number
			Dadlas	
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	I File
			Hidden	All Markup
Properties Display		Close	Fieldset	Hage break
Collapsible Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acc	055.			
CSS classes				

Afbeelding 25.

## 17.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	X	Textfield	Textarea
		C E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
Gom Key, new_soutree [Edit]	6		
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)
| Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |             |                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------------|------------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       | Ladd - Cold |                                          |
| rm preview                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | ð. 14 | Add a field | Textarea                                 |
| 46M 10X12163                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | X     | GR E-mail   | (II) Number                              |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       | Barlos      | Checkhowes                               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       | Select list | Date                                     |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1     | Se Time     | G Fie                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       | Hidden      | an Markan                                |
| opperties Display Validation                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Close | C Eekiset   | Page break                               |
| aceholder                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             | 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1- |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |             |                                          |
| e placeholder will be shown in the field until the user starts entering a value.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |             |                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |             |                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |             |                                          |
| 2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |       |             |                                          |
| olumns                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |             |                                          |
| 50                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |             |                                          |
| he width of the textarea. This property might not have a visual impact depending on the CSS of your site.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |       |             |                                          |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |             |                                          |
| abel display                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |       |             |                                          |
| abol display<br>None v                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |       |             |                                          |
| base of splay to the component's label.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |             |                                          |
| bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |       |             |                                          |
| batel display blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow =  |       |             |                                          |
| bel display  Keene V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Seco |       |             |                                          |
| Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |             |                                          |
| bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |             |                                          |
| bel display  Kone v  Protect  rotect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote |       |             |                                          |
| bed display<br>town v<br>Disabled (read-only)<br>Private<br>Private make are shown only to users with results access.<br>Private make are shown only to users with results access.<br>Private field are shown only to users and results access.<br>Private field are shown only to users and results access.<br>States to the wrigher anound both the field and its label. Reparate multiple by spaces.<br>SS classes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |       |             |                                          |

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🐼	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

#### 17.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a	field
New number	/ ×	dfield 📰 Textarea
7	(@ E-r	nail 😰 Number
		dios 🕑 Checkboxes
Properties Display Validation Analysis	Se	lect list 📃 🗖 Date
Title *	E Tin	te 🔀 File
New number	ie Hic	Iden 42 Markup
rorm key: new_number (Edit)	T Fie	idset   Page break
Default value		
Description		

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopnour		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of "	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties Display Validation Analysis Cice Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

### 17.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ec	dit draft	Rankings	s & numbers	Replica	ate Revis	ions	Webform	Results	Translate						
omponents	Condition	nals E-ma	ils Form s	ettings											
orm previ	iew											Add a fie	eld		
New checkb	ooxes									Ì	×	Textfiel	d 📒	Textarea	ĺ
one 🗌												👩 E-mail	8	Number	l
two												<ul> <li>Radios</li> </ul>		Checkboxes	Į.
three												Select	list	Date	Į.
	Disalari	<b>O</b> -17-10	Mandarian							 		E Time		File	Į.
Properties	Display	Options	validation								lose	Hidden		> Markup	Į.
Title *												Fieldse	n	Page break	ĺ.
New checkbo	checkboxes	[Edit]													
Description															

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse		Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 17.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers	Replicate Revisio	ons Webform	Results	Translate			
components Conditionals E-mails Form setting	ngs						
Form preview						Add a field	
New date					∕ ×	Textfield	Textarea
Month V Day Vear V						E-mail	Number
Presenting Display Validation					Closes	<ul> <li>Radios</li> </ul>	Checkboxes
Properties Display Validation						Select list	Date
Title *						Time Time	📮 File
New date						Hidden	Alexandre Markup
Default value						Fieldset	Here Page break
Description							
Description							

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	ED Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

### 17.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

										 							_
orm prev	view												Add	a field			
New file											1	×		Textfield		Textarea	
Bestand k	iezen Geen	bestand gekozen	Uploa	d i										E-mail	12	Number	
										 			۲	Radios		Checkboxes	
Properties	Display	Validation										Close		Select list		Date	
Title *													80	Time		File	
New file													60	Hidden	482	Markup	
Form key: new	v_file [Edit]													Fieldset	-	Page break	
<ul> <li>Private</li> <li>Private file si</li> <li>Upload dir</li> <li>webform/</li> <li>You may opt</li> <li>Description</li> </ul>	files torage has si ectory ionally specif	gnificantly more y a sub-directory	overhead than	public files, bu files. Browse av	it restricts f	file access t kens.	to users who	o can viev	w submissions.								
												11					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	age break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture co	ninguration	om settir	82									5	Galon	env. accept	editorinchief	1
A partia	illy-complete	d form was	found. Plea	ise complet	e the remai	ining portio	ns.											_
orm preview	/														Add a fi	eld		
New file														X	Textfie	ld 🔳	Textarea	1
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E-mail	12	Number	ĺ
	-														Radios		Checkboxes	ĺ
Properties Dis	splay Vali	dation												Close	E Select	list 🛅	Date	ĺ
Required															Time	4	File	ĺ
Max unload size	0														Hidder	n (42)	Markup	ĺ
2 MB	•														Fields	et H	Page break	ĺ
Desktop images Documents	(select)	bmp	eps	tif	pict	_ psd	doc	c 🗌 odt	_ ppt	_ pptx	odp	🗌 xis	xisx					
		ods	xml															
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	I file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated we.	oy commas.										

Afbeelding 42.

### 17.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
rm preview		Add a field		
lew HTML Markup	∕ ×	Directive Textfield	Textarea	
ater any test espended by available test fermate		E-mail	12 Number	
nter any text supported by available text formats.		<ul> <li>Radios</li> </ul>	Checkboxes	
Properties	Close	Select list	Date Date	
itle *		E Time	File	
New markup		i Hidden	Al> Markup	
orm key: new_markup [Edt]		Fieldset	HI Page break	İ.
Markup				
<strong>New HTML Markup</strong>				
Enter any text supported by available text formats.				
	11			
Text format Filtered HTML ~				

Afbeelding 43.

#### 17.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld 🔳	Textarea	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	_
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie Textfiel E-mail Radios Select	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie		Textarea Number Checkboxes Date File	
Form preview	Add a fiel Textfiel E-mail Radios Refer to Refer to		Textarea Number Checkboxes Date File Markup	

Afbeelding 44.

ũ.

### **17.2 Voorwaarden/Conditionals**

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 16. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 17. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

18. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)

A My Workbench Content Structure Configuration	n UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier					
View draft Edit draft Rankings & numbers	Replicate Revisions Webfor	rm Results Transl	ate		
Form components Conditionals E-mails Form se	ittings				
Conditionals may be used to hide or show certain comp	onents (or entire pages!) based on the value o There are no conditional actions	f other components. on this form. Add a new co	ndition: +	Show row well	ghts
Save conditions					

#### Afbeelding 45.

A My Workbench Content Structure	Configuration UM settings		Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulie	r					
View draft Edit draft Rankings 8	anumbers Replicate I	Revisions Webform	Results Transla	ate		
Form components Conditionals E-mails Conditionals may be used to hide or show of the New textfield v is then New textfield v is	Form settings	es!) based on the value of othe	r components.	× 4 × 4	Show row wel	ghts
	There are	no conditional actions on th	is form. Add a new cor	ndition: +		
Save conditions						

4

Afbeelding 46.

### 17.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

Ħ.	My Workbench	Content Structure Configuration	UM settings						s	Search	Env: accept	editorinchief	Log out
H₀ T	est wel	bformulier											
Vi	ew draft Edit	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate						
Form	n components	Conditionals E-mails Form setti	ngs										
	Send	E-mail to			Subject			From		Operations			
	Currently not se	ending e-mails, add an e-mail recipier	nt below.										
		Address: test@ma     Component value	No available c	omponents ~						Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 21. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 22. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 23. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 24. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

	MyWorkbunch Content Structure Configuration UM settings	Search	Env: accept	editorinchief
ave dult Ext dult   ave dult Ext dult   average Control in   Ext dult Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult	iest webformulier			
	ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Evaluate bases   Control   Cont	n components Conditionals E-mails Form settings			
• chank indemandation reads   • chank index   • opport   d>E-mail to address</td> <td></td> <td></td> <td></td>	E-mail to address			
<pre>c Orgonett t</pre>	💿 Custom: teatimaanonturivenity.ni			
The standards the standard to the standard to the standard standards and the neglear statebases may be separated by contrast.  Period control of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the stateba	Component: No available components v			
Personal services of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-bear mile O-bear form domission horn: Ret elebhomule C-bear mile Ary tardist, seeder-mail rety be selected as the subject to e-mail. E-mail tom above C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-b	Enable sending Undrext to disable sending this small.			
Email holds: O Defail: From submission from: Test seebformular C Comport. Ive submission from: Test seebformular C Comport. Ive submission from: Test seebformular D Defail: seebformation/testing/r C Conton: C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university of C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university C Conton: C Comporter. Ive submits of the submit rule senal submits. P Defail: Massion? university C Conton: C Defail: Testing of the submits of the submit rule senal submits. P Email from from: Res submits of the submit rule senal submits rule for e mails. P Email from from: Res submits of the submits rule of the submit rule senal to the e mails. P Email from from: Res submits of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the	E-mail header details			
O class. Form submission from: Net webformular Custom: Custom: Composered: Net southed: Custom: Composered: Net southed: Custom: Composered: Custom: Composered: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Cust	E-mail subject			
Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutor	Delaut: Form submission from: Test webformulier			
Component: we needed:  Any textus:  Construction:  Construction:  Provide:  Construction:  Construction:  Provide:  rovide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide	Custom:			
Ary testing, select, or hidden term skinear, may be selected as the subject for e-mail.   E-mail from address   O Conported:   No address   O Comported:   No address   O Default:   Selection:   O Default:   No address	Component: New sectivity			
Enal forn address O Default: web@maastrichturiversity.vi Custom Component: We walkalis component in Ary walk, weit, or hidden form sammert may be selected as the sender's e-mail address. Enal form name O Default: Mastricht uriversity Custom Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Water waterie in the sender's name for e-mails.  E-mail template Market server, in Submitted public server, in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in C	Any startfield, select, or Nidden form element may be selected as the subject for e-mails.			
O blada: web@massichturiversity// C component: we available component: we have not be sender's e-mail address. E-mail from name O blada: Massicht university C custom: C custom: Ary work, standard was be sender's e-mail address. E-mail template: Ary work, standard was be sender's name be e-mails. Defund: Massicht university C custom: E-mail template can customize the display of e-mails. Defund: were table to be sender's e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: the table table to be sender's name be e-mails. Defund: the table table table to be sender's name be e-mails. Defund: the table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table. Defund: table table table table table table table table table table. Defund: table table table table table table table table table. Defund: table table table table table table table table table table. Defund: table table table table table table table table table	E-mail from address			
Custom Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorte	Default: web@maastrichturiversity.nl			
Component: the available components *  Are weakles components the sentence may be selected as the sandars e-mail address. E-mail from name Component: the sandars for durations e-mails Component: the sandars for duration e-mails.  E-mail template Are weakles components Submitted on public resistonical data the sandars in a mail to e-mails.  E-mail template components Submitted on public resistonical sites are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locatio	Custom:			
Ary small, select, or hidden tom element may be selected as the sender's e-mail address. E-mail template Output: Very starting selected as the sender's name bit e-mails.	○ Component: No available components ~			
Default: Masshicht university    Custom:   Component:   Ner waterlieft, select, or hidden form element may be selected as the sendor's name for e-mails.   • E-mail template	Any small, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Custom Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Compon	Default: Maastricht university			
Component New statistics  Ary statistics, salace, or hidden form elements may be selected as the sender's name for e-mails.  - E-mail template Are - mail template are  Submitsd on plubrisationules form  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Default template are  Default template are  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules	O Custom:			
Any statistict, select, or hidden form dement may be selected as the sender's name for e-mails.	Component: New textities ~			
- E-mail template An email template An emails. Detuct strends   Submited on puberssion/desional Submited values set: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values]	Any textfeld, select, or hidden form element may be selected as the sender's name for e-mails.			
- E-mail template An e-mail template can outcome the display of e-mails.  Default template Submitted on bulkersiseonuse() Submitted outserseconuse() Submitted outses are: [submission-values] The results of this submission may be viewed at: [submissionul] Berses patieties teams - • Included e-mail values				
An e-mail template can customize the display of e-mails.          Default template           Default template           Submitted on juburnisation user juburnisations           Submitted values are:           [uubrnisation value]           The results of this submission may be viewed at:           [uubrnisation.valie]           Devise available toters.           - • Included e-mail values	E-mail template			
Default tengilate ~ Submitted on juburisation rules food Submitted on submission rules [ Submitted values are: [submission rul] Deves available toters. - • Included e-mail values	An e-mail template can customize the display of e-mails.			
Submitted verbusierissionual Submitted verbusier (submissionual) Submitted verbus exer (submissionual) The result of its submission may be viewed at: (submissionual) Browse available toters. - • Included e-mail values	Default template ~			
The results of this submission may be viewed at: [submission.ut] Browse available tokens • Included e-mail values	Submitted on (submission/sater.iong) Submitted by user (submission/user) Submitted uses are: (submission/values)			
Bowse evaluate takens. - • Included e-mail values	The results of this submission may be viewed at: [submission.ut]			
Bosse analade takes. - • Included e-mail values	_			11
- • Included e-mail values	Browne available stream.			
	- Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	8.			
Custom template ~				
lubmitted on (submission/datesiong) Jubmitted by user (submission/user) Jubmitted values are: submission/values) The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
<ul> <li>Included e-mail values</li> </ul>				 
The selected components will be included in the [su	mission.values) token. Individual values ma	y still be printed if explicitly specified as a [r	submission values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

4

а

Afbeelding 49.

### **17.4 Formulierinstellingen/Form settings**

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 17.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### **17.4.2 Toegang tot het formulier/Submission acces**

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

#### 17.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

#### 17.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

#### 17.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

# 18 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

A Mijn Workbench Inhoud Structuur Instell	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.							
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	iten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	iten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 31. Inzendingen/Submissions
- 32. Analyse/Analysis
- 33. Tabel/Table
- 34. Downloaden/Download
- 35. Bewerken/Edit
- 36. Componenten/Components

### **18.1 Inzendingen/Submissions**

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workben	h Content Structure Configuration	UM settings					Search	Env: prod	editorinchief	Log out
Contac	Faculties Health, Medicine and Life Science Ct									
View publishe	d Edit Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
Submissions A	nalysis Table Download									
Showing 1 -	50 of 152. Show 10   50   100   All resul	ts per page.								
#	- Submitted		User			IP address	Opera	tions		
152	06/14/2016 - 15:51		Anonymous (not	t verified)		83.37.211.254	view			
151	06/14/2016 - 12:34		Anonymous (not	t verified)	ed) 62.140.132.66			view		
150	06/14/2016 - 12:07		Anonymous (no	t verified)		120.164.45.97	view			
149	06/14/2016 - 09:08		Anonymous (no	t verified)		194.151.36.3	view			
148	06/14/2016 - 08:33		Anonymous (no	t verified)		193.197.140.242	view			
147	06/14/2016 - 03:36		Anonymous (not	t verified)		5.117.252.167	view			
146	06/13/2016 - 23:11		Anonymous (not	t verified)		145.120.11.191	view			
145	06/13/2016 - 22:21		Anonymous (no	t verified)		84.25.186.176	view			
144	06/13/2016 - 17:02		Anonymous (no	t verified)		94.142.213.102	view			
143	06/13/2016 - 16:29		Anonymous (no	t verified)		84.193.158.154	view			
142	06/13/2016 - 13:07		Anonymous (not	t verified)		86.5.41.98	view			
141	06/13/2016 - 12:40		Anonymous (no	t verified)		91.61.112.77	view			
140	06/12/2016 - 17:39		Anonymous (no	t verified)		37.24.202.196	view			
139	06/12/2016 - 13:33		Anonymous (no	t verified)		91.183.92.189	view			
138	06/11/2016 - 19:39		Anonymous (no	t verified)		86.247.216.119	view			
137	06/11/2016 - 19:26		Anonymous (no	t verified)		87.231.10.107	view			
136	06/11/2016 - 16:10		Anonymous (not	t verified)		83.23.62.230	view			

Afbeelding 51.

### 18.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

### **18.3 Table/Table**

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

#### 18.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

#### 18.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### **18.6 Componenten/Components**

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	۷	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	А	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
		2.1.1	Tekstveld/Textfield	9
		2.1.2	E-mailadres/Email	11
		2.1.3	Keuzerondjes/Radios	12
		2.1.4	Selectielijst/Select list	16
		2.1.5	Tijd/Time	19
	2	2.1.6	Verborgen/Hidden	21
		2.1.7	Veldengroep/Fieldset	21
	2	2.1.8	Tekstvlak/Textarea	23
		2.1.9	Getal/Number	25
		2.1.10	Keuzevakjes/Checkboxes	28
		2.1.11	Datum/Date	31
		2.1.12	Bestand/File	33
		2.1.13	Opmaak/Markup	35
		2.1.14	Pagina-einde/Page break	35
	2.2	Voc	prwaarden/Conditionals	37
	2.3	E-m	nails	38
	2.4	For	mulierinstellingen/Form settings	40
		2.4.1	Verzendinstellingen/Submission settings	40
		2.4.2	Toegang tot het formulier/Submission acces	40
		2.4.3	Voortgangsbalk/Progress bar	40
		2.4.4	Voorbeeldpagina/Preview page	40
		2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	alyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

# **19 Webformulieren**

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

### **19.1 Rechten**

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

## 20 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Home Add content Create Detail page	ution.				
Content *	- Content				-
Introduction	Title *	_			
Paragraphs	Test webformulier	]			
Magazine	Language English V				
Meta data	View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or cons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

Maastri	Structure Configura	ation UM settings	Purge this page		Search	Env: a	accept editorinch	ief Log
	cht Univ	ersitv				503	(	Contact
		,				sea	ich	
	Education	Research	Life@UM	News & eve	nts (	bout LIM	Support	-
	Education	Kesearen	LICEOM				Support	MyU
	Detail pag	e Test webformu	<i>lier</i> has been crea	ted.				
	Tect	abform	ulior					
	TEST W	ebioinn	uner					
	Share this pag	e 🖪 💟 📆 🖉	8					
	Share this pag							
	1							
Maastricht University								
postal address	Education	Research	Life@UN	News &	events	Abratum	Support	
Box 616 0 MD Maastricht	n state: Draft	Most recent revis	ion: Yes Set r	noderation state:	Needs Rev	n v Appl	у	
Nether View draft	Edit draft Ra	nkings & numb	ers Replicate	Revisions	Webforn	n Results	Translate	begin
visiting address	Bachtland							
eelding 2.								
My Workbench Content	Structure Configura	ation UM settings			Search	Env: a	editorinch	lief Log
me Test webformulier		D. F. I	D ()	al familie				
ew draft Edit draft	Hankings & numbe	ers Heplicate	Hevisions W	ebtorm Hesuits	Transla	te		
		- 1	2 22 21 2 2	1				
This document is n	low locked against sir	nultaneous editing.	It will unlock when y	ou navig te elsewhere	h.			
New content: Your draft will	be placed in moderati	on.						
Content *	_	Contont						
Interduction								
introduction		Test webformulier						
Paragraphs		Language						
Magazine		English Y						
Meta data		View mode *						
		Standard	~					
		Chapeau						
		Chapeau						
		Chapeau						
		Chapeau						
Menu settinas		Chapeau Dublishing o	ntions		]			

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)
- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

### **20.1 Webformulier componenten**

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 85. Tekstveld/Textfield (tekstveld 1 regel)
- 86. E-mailadres/Email (e-mailveld)
- 87. Keuzerondjes/Radios (radio-buttons)
- 88. Selectielijst/Select list (selectielijst)
- 89. Tijd/Time (tijdveld)
- 90. Verborgen/Hidden (verborgen veld)
- 91. Veldengroep/Fieldset (verzameling velden)
- 92. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 93. Getal/Number (nummerveld)
- 94. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 95. Datum/Date (datumveld)
- 96. Bestand/File (bestandsveld voor uploade bestanden)
- 97. Opmaak/Markup (opgemaakte tekst)
- 98. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

A My Workbench Content Structure Configuration	UM settings			S	Search	Env: accept	editorinchief	Log out
Test webformulier		_						
View draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate	2			
Form components Conditionals E-mails Form sett	ings							
Form preview					Add a fie	ld	Testere	
New textfield				X	Iextield	,	lextarea	
Display Validation				0	Radios		Checkboxes	
Properties Display Validation				Close	Select li	ist 🔲	Date	
Title *					R Time	4	File	
New textfield Form key: new_textfield [Edit]					Hidden	(42)	Markup	
Default value					Fieldset	· H	Page break	
Description								
				1,				
Save Cancel								

Afbeelding 5.

#### 20.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

My Workbench	Content	Structure	Configuration	UM settings						Search	Env	accept	editorinchief	1
est weblo	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mail	s Form set	tings										
Form prev	iew									A	dd a field			
Titel teksvel	ld								I	×	Textfield		Textarea	
Standaard w	aarde										👩 E-mail	12	Number	
Dit is een bes	chrijving										<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Display	Validation							(	lose	Select list		Date	
Title *											Time		File	
Titel teksveld	i										Hidden	482	Markup	
Form key: titel_	teksveld [Ed	it]									Fieldset	H	Page break	
Default valu	le													
Standaard w	aarde													
Description														
Dit is een b	peschrijving	)												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

#### 20.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

omponents Conditionals E-mails Form settings		
orm preview		
	Add a field	
E-mailveld		Textarea
7	💿 E-mail	12 Number
Properties Display Validation	Close Radios	Checkboxes
Title *	Select list	Date
E-mailveld	Time	File
Form key: e_mailveld [Edit]	Hidden	≪R> Markup
Default value	Fieldset	Page break
Description		
Description		

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est webto	ent Structure	Configuration	UM settings						Search	Env: accept	editorinchief
w draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-ma	ils Form sett	tings								
Form preview									Add a fi	eld	
E-mailveld								/ ×	D Textfie	ld 🔳	Textarea
			7						💿 E-mail	1	Number
Properties Displa	Validation							Close	Radio	s 🕑	Checkboxes
Displa	Vandation							0000	E Select	ist 🛅	Date
Placeholder									E Time	4	File
									Hidder	n (42)	Markup
The placeholder will b	e snown in the tie	aid until the user	starts entering a	value. Otten use	d for example v	alues, such as	"jonn@example.com".		Fields	et	Page break
Label display Above ~ Determines the placer Disabled (read Private Private fields are Wrapper CSS clas	nent of the compo- only) shown only to us	onent's label. ers with results a	access.								
	ranner around bo			e multiple by spa	ces.						
Apply a class to the w CSS classes		oth the field and r	its label. Separate								

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

My Workbench Content Structure Configuration UM settings	Sear	ch	Env: accept	editorinchief	Log o
ne Test webformulier est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a fie	Id		
E-mailveld	X	Textfield	Te	extarea	
7		💿 E-mail	12 N	umber	
Properties Display Validation	Close	<ul> <li>Radios</li> </ul>	🗹 CI	heckboxes	
		Select list	st 📃 Da	ate	
Required		E Time	📮 Fi	le	
			082 M	arkup	
Unique Obec't that all antared values for this field are unique. The same value is not allowed to be used twice.		Hidden			

Afbeelding 11.

#### 20.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
🔿 one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fii Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

#### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						 Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

#### 20.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

y Workbench Conte	nt Structure	Configuration	n UM settings						Searc	h	Env: accept	editorinchief	Log out
est webformulier	rmuli	er											
v draft Edit draft	Ranking	s & numbers	Replicate	Revisions	Webform	Results	Translate						
components Condit	onals E-ma	ails Form set	tings										
orm preview										Add a fi	eld		
Titel select veld								Ø	×	Textfie	ld 🔳	Textarea	
- None - 🗸										💿 E-mail	12	Number	
Properties Display	Options	Validation							Close	Radio	s 🗹	Checkboxes	
Title										Select	list	Date	
Titel select yeld										Time	4	File	
Form key: titel_select_vel	d [Edit]									Hidden	n (H2)	Markup	
Description										Fields	et 🖂	Page break	
									4				

#### Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10 🔽	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

#### 20.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

ly Workbench Content Structure Configuration	UM settings				Searc	h Env: a	ccept editorinchief
est webformulier							
w draft Edit draft Rankings & numbers	Replicate R	Revisions Webfo	rm Results	Translate			
components Conditionals E-mails Form setting	ngs						
Tarra a sa dau							
Titel tijdveld					X	Textfield	Textarea
Hour v : 00 v • am O pm						💿 E-mail	12 Number
Properties Display Validation					Close	Radios	Checkboxes
						Select list	Date
Titel tickeld						Time	📮 File
Form key: titel_tijdveld [Edit]						iii Hidden	≪⊳ Markup
Default value						Fieldset	Here Page break
Description							
					11		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

# Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

#### **20.1.6 Verborgen/Hidden**

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
arm preview		Add a field	
New hidden - hidden field	X	Textfield	E Textarea
Descention	0	🔯 E-mail	12 Number
Properties	Close	Radios	Checkboxes
Title *		Select list	Date
New hidden		Re Time	File
Pormikey: new_noden (con)		Hidden	dito Markup
		Fieldset	Page break

Afbeelding 23

#### **20.1.7 Veldengroep/Fieldset**

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Prease comprete the remaining portions.				
rm preview		Add a	field		
New fieldset			xtfield	Textarea	
		(2) E-	mail	Number	
		• R	adios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	E Se	elect list	Date	
		Ra Tir	me 📮	File	
		lio Hi	dden 🕸	Markup	
roperties Display		Close Fit	eldset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1.			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		-	AUU d TIEld	Textarea
New fieldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	HI Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

#### 20.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

Workbench Content Structure Configuration UM settings	Search	E	nv: accept	editorinchief
Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.				
orm preview	1	Add a field		
New textarea	×	Textfield		Textarea
	]    [	🐻 E-mail	1	Number
		Radios		Checkboxes
		Select list		Date
	<   [	Time		File
Pronortise Dienlay Validation		Hidden	(4)	Markup
		Fieldset	н	Page break
itte *				
Shew textarea				
200x (pito)				
	11			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	ð. 14	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay to the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow =			
bel display  Kome			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private make are shown only to users with results access. Private field are shown only to users and results access. Private field are shown only to users and results access. States to the wrigher anound both the field and its label. Reparate multiple by spaces. SS classes			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🐼	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

#### 20.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

nitionaura compromise compromise			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
orm preview	Add	a field	
New number	/ × 🐵	Textfield	Textarea
F		E-mail	Number
		Radios	Checkboxes
Properties Display Validation Analysis	Close	Select list	Date
Title *	10	Time 📮	File
New number		Hidden 42	Markup
Form key: new_number (Edit)		Fieldset	Page break
Default value			
Description			

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties Display Validation Analysis Cice Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

#### 20.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft E	dit draft	Ranking	s & number	s Replicat	e Revisions	Webform	Results	Translate					
components	Condition	nals E-m	ails Form s	ettings									
orm previ	iew										Add a fie	eld	
New checkt	ooxes								J	×	Textfield	d 🔳	Textarea
one 🗌											🖪 E-mail	12	Number
🗌 two											<ul> <li>Radios</li> </ul>		Checkboxes
three											Select I	ist 📃	Date
	Disalari	0.1	Mandan								RB Time		File
Properties	Display	Options	validation							Close	Hidden	42	Markup
Title *											Fieldset	t	Page break
New checkbo Form key: new,	_checkboxes	[Edit]											
Description													
										11			

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list 🗖	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse		Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 20.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers	Replicate Revisio	ons Webform	Results	Translate			
components Conditionals E-mails Form setting	ngs						
Form preview						Add a field	
New date					∕ ×	Textfield	Textarea
Month V Day Vear V						E-mail	Number
Presenting Display Validation					Closes	<ul> <li>Radios</li> </ul>	Checkboxes
Properties Display Validation						Select list	Date
Title *						Time Time	📮 File
New date						Hidden	Alexandre Markup
Default value						Fieldset	Here Page break
Description							
Description							

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	ED Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

#### 20.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

- • Ap	partially-com	pieted form wa	s tound. Pleas	complete the	e remainin	ng portions.											
orm prev	view												Add a	field	_		
New file											Ì	×	D Te:	xtfield		Textarea	
Bestand ki	iezen Geen	bestand gekozen	Upload										👩 E-	mail	12	Number	
										 			• Ra	dios		Checkboxes	
Properties	Display	Validation									C	ose	E Se	lect list		Date	
Title *													Re Tin	ne		File	
New file													📑 Hic	dden	(82>	Markup	
Form key: new	v_file [Edit]												E Fie	eldset	H	Page break	
Public 1     Private     Private file st     Upload dir     webform/     You may opti     Descriptior	files files torage has si ectory ionally specif	nificantly more o	werhead than p to store your fil	ublic files, but r Is. Browse ava	estricts file	e access to u	users who c	can view s	submissions.								
						_											

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	1	
New file				X	Textfield	Textare	a
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	12 Numbe	r
					<ul> <li>Radios</li> </ul>	Checkb	oxes
Properties Display	Validation			Close	Select list	Date	
Label display					Time	📮 File	
Above ~					Hidden	Markup	
Determines the placer	nent of the component	t's label.			Fieldset	Hage b	reak
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separa	te multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture con	ninguration	OM settir	82									0	sarch	env. accept	editorinchief	
A partia	illy-complete	d form was t	found. Plea	ise complet	e the remai	ining portio	ns.											
Form preview	/														Add a fie	eld		
New file														/ X	Textfiel	d 🔳	Textarea	l
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E E-mail	12	Number	ĺ
	-														Radios		Checkboxes	Í.
Properties Dis	splay Vali	dation												Close	Select	list 🛅	Date	ĺ
Described															Re Time	4	File	Í
Max upload aiz	~														Hidden	40	Markup	ĺ
Max upload size	8														Fieldse	( H	Page break	Í.
Desktop images Documents	(select) (select)	bmp	eps rtf xml	tif	pict pdf	psd doc	doc	k 🗌 odt	_ ppt	pptx	odp	xis	xlsx					
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	al file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated ve.	by commas.										

Afbeelding 42.

### 20.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
rm preview		Add a field		
lew HTML Markup	Ø ×	( Textfield	Textarea	
ater any test expanded by available test formate		E-mail	12 Number	
nter any text supported by available text formats.		<ul> <li>Radios</li> </ul>	Checkboxes	
roperties	Close	Select list	Date	
itle *		E Time	G File	
New markup		Hidden	- Markup	
orm key: new_markup [Edit]		Fieldset	H- Page break	]
Markup				
<strong>New HTML Markup</strong>				
Enter any text supported by available text formats.				
1				
	11			
Text format Filtered HTML ~				

Afbeelding 43.

#### 20.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld a 🔳	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea Number	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie Textflek E-mail Radios Select II Ref Time	2ld d (12) (12) (13) (14) (14) (14) (14) (14) (14) (14) (14	Textarea Number Checkboxes Date File	_
Form preview	Add a fiel		Textarea Number Checkboxes Date File Markup	_

Afbeelding 44.

ũ.

# 20.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 19. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 20. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

21. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

A My Workbench Content Structure	Configuration UM settings		Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulier	r					
View draft Edit draft Rankings &	numbers Replicate	Revisions Webform	Results Tran	slate		
Form components Conditionals E-mails Conditionals may be used to hide or show o  then New textfield v is then New textfield v is	Form settings ertain components (or entire page	es!) based on the value of o	ther components.	× #	Show row we	ights
	There are	e no conditional actions or	this form. Add a new	condition: +		
Save conditions						

Afbeelding 46.

# 20.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

*	My Workbench	n Content	Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
Т	est we	ebforr	nulier										
Vie	w draft E	Edit draft	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form	components	Conditional	is E-mails Form setting	ngs									
	Send		E-mail to			Subject			From	Operation	S		
	Currently not	t sending e-m	ails, add an e-mail recipier	nt below.									
			Address: test@ma     Component value:	astrichtuniversity.	y≠ pmponents ∨					Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 25. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 26. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 27. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 28. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

My Workberch Contern: Structure Configuration UM settings	Search	Env: accept	editorinchief
iest webformulier			
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
n components Conditionals E-mails Form settings			
E-mail to address			
⊙ Custom: testimaasorionuriverity.ni			
Component: No available components v			
Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the incipient address. Multiple e-mail addresses may be separated by commas.			
Enable sending Undexis to deade sending this email.			
E-mail header details			
E-mail subject			
Delaut: Form submission from: Test webformulier			
Custom			
Component: New section -			
Any sectifield, select, or hidden form element may be selected as the subject for e-mails.			
E-mail from address			
Default: web@maastrichtuniversity.n/			
Custom:			
Component: No sualizate components ~			
Any enail, select, or hidson form element may be selected as the sender's e-mail address. E-mail from name			
Default: Maastricht university			
O Custom			
Component: New sextees *			
Any textfield, select, or hidsen form element may be selected as the sender's name for e-mails.			
E-mail template			
An e-mail template can customize the display of e-mails.			
Default template 👻			
Submitted on (submissionidate(ong) Submitted by user (submissionuser) Submitted subsets are: [submitted:sionivature]			
The results of this submission may be viewed at: [submission:uri]			
			11
Broade weilable triade			
- • Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	a.			
Sustom template ~				
lubmitted on (submission/datesiong) Jubmitted by user (submission/user) Jubmitted values are: submission/values) The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
Included e-mail values				
The selected components will be included in the [su	bmission:values) token. Individual values may	still be printed if explicitly specified as a [submi-	ssion:values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

4

а

Afbeelding 49.

# 20.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 20.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

# 20.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

#### 20.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

#### 20.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

#### 20.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

# 21 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

Aijn Workbench Inhoud Structuur Instell	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.							
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 37. Inzendingen/Submissions
- 38. Analyse/Analysis
- 39. Tabel/Table
- 40. Downloaden/Download
- 41. Bewerken/Edit
- 42. Componenten/Components

# **21.1 Inzendingen/Submissions**

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.
A My Workt	bench Conti	ent Structure Configuration	UM settings						Search	Env: prod	editorinchief	Log out
Conta	UM Facultion act											
View publis	shed Edi	t Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Submissions	Analysis	Table Download										
Showing	1 - 50 of 152	Show 10   50   100   All result	s per page.									
#		- Submitted	o por pogor		User			IP address	Oper	ations		
152		06/14/2016 - 15:51			Anonymous (n	ot verified)		83.37.211.254	view			
151		06/14/2016 - 12:34			Anonymous (n	ot verified)		62.140.132.66	view			
150		06/14/2016 - 12:07			Anonymous (n	ot verified)		120.164.45.97	view			
149		06/14/2016 - 09:08			Anonymous (n	ot verified)		194.151.36.3	view			
148		06/14/2016 - 08:33			Anonymous (n	ot verified)		193.197.140.242	view			
147		06/14/2016 - 03:36			Anonymous (n	ot verified)		5.117.252.167	view			
146		06/13/2016 - 23:11			Anonymous (n	ot verified)		145.120.11.191	view			
145		06/13/2016 - 22:21			Anonymous (n	ot verified)		84.25.186.176	view			
144		06/13/2016 - 17:02			Anonymous (n	ot verified)		94.142.213.102	view			
143		06/13/2016 - 16:29			Anonymous (n	ot verified)		84.193.158.154	view			
142		06/13/2016 - 13:07			Anonymous (n	ot verified)		86.5.41.98	view			
141		06/13/2016 - 12:40			Anonymous (n	ot verified)		91.61.112.77	view			
140		06/12/2016 - 17:39			Anonymous (n	ot verified)		37.24.202.196	view			
139		06/12/2016 - 13:33			Anonymous (n	ot verified)		91.183.92.189	view			
138		06/11/2016 - 19:39			Anonymous (n	ot verified)		86.247.216.119	view			
137		06/11/2016 - 19:26			Anonymous (n	ot verified)		87.231.10.107	view			
136		06/11/2016 - 16:10			Anonymous (n	ot verified)		83.23.62.230	view			

Afbeelding 51.

# 21.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

# 21.3 Table/Table

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

# 21.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

# 21.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

# **21.6 Componenten/Components**

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	A	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	4	2.1.6	Verborgen/Hidden	21
	4	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	4	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	2	2.1.12	Bestand/File	33
	4	2.1.13	Opmaak/Markup	35
	4	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	2	2.4.3	Voortgangsbalk/Progress bar	40
	2	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

# 22 Webformulieren

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

# 22.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

# 23 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Home Add content Create Detail page	ution.				
Content *	- Content				-
Introduction	Title *	_			
Paragraphs	Test webformulier	]			
Magazine	Language English V				
Meta data	View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or cons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A 5	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research@L	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content mo Tost webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

# 23.1 Webformulier componenten

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 99. Tekstveld/Textfield (tekstveld 1 regel)
- 100. E-mailadres/Email (e-mailveld)
- 101. Keuzerondjes/Radios (radio-buttons)
- 102. Selectielijst/Select list (selectielijst)
- 103. Tijd/Time (tijdveld)
- 104. Verborgen/Hidden (verborgen veld)
- 105. Veldengroep/Fieldset (verzameling velden)
- 106. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 107. Getal/Number (nummerveld)
- 108. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 109. Datum/Date (datumveld)
- 110. Bestand/File (bestandsveld voor uploade bestanden)
- 111. Opmaak/Markup (opgemaakte tekst)
- 112. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Transla	te			
Form components Conditionals E-mails Form settings				
Form preview	Add a fie	eld		
New textfield	X Textfield	d	Textarea	
	💿 E-mail	12	Number	
Properties Display Validation Cio	Radios		Checkboxes	
Title •	Select I	list	Date	
	R Time	4	File	
Form key: new_textfield [Edit]	Hidden	482	Markup	
Default value	Fieldse	t	Page break	
Description				
	11			
Save Cancel				

Afbeelding 5.

# 23.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

My Workbench	Content	Structure	Configuration	UM settings						Search	Env: a	ccept	editorinchief	Lo
est webler	ebfor	mulie	r											
ew draft E	dit draft	Rankings &	& numbers	Replicate	Revisions	Webform	Results	Translate						
n components	Conditio	nals E-mails	s Form sett	ings										
Form previ	iew									A	dd a field			
Titel teksvel	d								J	×	Textfield	Te	extarea	
Standaard wa	aarde										👩 E-mail	12 N	umber	
Dit is een bes	chrijving										Radios	🗹 CI	heckboxes	
Properties	Display	Validation							(	lose	Select list	Di	ate	
Title *		1									Time	📮 Fi	ile	
Titel teksveld											Hidden	<8⊅ M	larkup	
Form key: titel_	teksveld [Ed	it]									Fieldset	H-I Pa	age break	
Default valu	ie													
Standaard wa	aarde													
Description														
Dit is een b	veschrijving	1								4				
										<i>"</i>				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

# 23.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

omponents Conditionals E-mails Form settings		
orm preview		
	Add a field	
E-mailveld		Textarea
7	💿 E-mail	12 Number
Properties Display Validation	Close Radios	Checkboxes
Title *	Select list	Date
E-mailveld	Time	File
Form key: e_mailveld [Edit]	Hidden	≪R> Markup
Default value	Fieldset	Page break
Description		
Description		

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est wedto	ent Structure	Configuration	UM settings						Search	Env: acce	editorinchief
v draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-mai	ils Form sett	tings								
orm preview									Ad	d a field	
E-mailveld								Ì	×	Textfield	Textarea
			7							E-mail	Number
Properties Diepla	Validation									Radios	Checkboxes
Displa	Validation	1								Select list	Date
Placeholder									80	Time	File
									60	Hidden	Markup
The placeholder will b	e shown in the fie	Id until the user	starts entering a	value. Often use	d for example v	alues, such as	"john@example.com".			Fieldset	- Page break
Label display Above  Determines the place Disabled (read Private Private fields are Wrapper CSS class	nent of the compo -only) shown only to use ses	onent's label. ers with results a	access.								
Apply a class to the w	rapper around bol	th the field and it	its label. Separate	e multiple by spa	ces.						

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

	Add a fie	ald		
X	Textfield	d 🔳 T	extarea	
	💿 E-mail	12 N	lumber	
Close	<ul> <li>Radios</li> </ul>	S (	heckboxes	
0.000	Select I	list 🗖 C	Date	
	E Time	📮 F	ile	
	Hidden	(412) N	Markup	
	Fieldse	et F	age break	
		Add a fie X  Cose Cose Cose Cose Cose Cose Cose Cose	Add a field  Add a field  Cose  Add a field   Frail  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid Fraid Fraid  Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid F	Add a field  Add a field  Factinia  Factinia  Factor  Core  Add a field  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Facto

Afbeelding 11.

### 23.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
🔿 one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

## Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						 Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

# 23.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

y Workbench Co	ontent Structur	e Configuration	n UM settings						Search	Er	w: accept	editorinchief	Log ou
e Test weblormule est web	formul	ier											
v draft Edit d	raft Rankin	gs & numbers	Replicate	Revisions	Webform	Results	Translate						
components Co	nditionals E-r	nails Form set	ttings										
orm preview									A	dd a field			
Titel select veld								Ø	×	Textfield		Textarea	
- None - 🗸									0	E-mail	12	Number	
Properties Dis	play Options	Validation						CI	50	Radios		Checkboxes	
Title									1	Select list		Date	
Titel select yeld									8	Time	4	File	
Form key: titel_selec	t_veld [Edit]								0	Hidden	412	Markup	
Description									C	Fieldset	н	Page break	
									4				

# Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

# 23.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cinno	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

# Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

# 23.1.6 Verborgen/Hidden

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
orm preview		Add a field	
New hidden - hidden field	/ ×	Textfield	Textarea
Properties	Close	🔯 E-mail	12 Number
		Radios	Checkboxes
Title *		Select list	Date
New hidden Form key: new hidden [Edit]		Time	G File
		Hidden	Al> Markup
		Fieldset	Page break

Afbeelding 23

### 23.1.7 Veldengroep/Fieldset

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	und. Please complete the remaining portions.				
rm preview		Add a	field		
New fieldset		/ X Tes	tfield	Textarea	
		(B) E-r	nail	Number	
		• Ra	tios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	Sel	ect list	Date	
		ER Tir	e 🕻	File	
		Hid	den 482	Markup	
Properties Display		Close Fie	idset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

arm proviou			Add a field	
Newfoldcet		- A . V.	AUU a field	Textarea
New fieldset		/~×	E mail	TTD Number
			Dadlas	
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	I File
			Hidden	All Markup
Properties Display		Close	Fieldset	Hage break
Collapsible Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acc	055.			
CSS classes				

Afbeelding 25.

# 23.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	∕ ×	Textfield	Textarea
		🔞 E-mail	12 Number
		Radios	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
com key: _new_seturea [Ect] Default value	4		
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		1.4.4.4.6.4.4	
rm preview	a 11	Add a field	Textarea
46M 10X12163	/ ×	GR E-mail	(II) Number
		Barlins	Checkhowes
		Select list	Date
	4	En Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	Eieldset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay taken with the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow =			
bel display  Keene v			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private finds are shown only to users with results access. Private finds are shown only to users with results access. Private finds are shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown on the shown only to users and the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the showno			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		Textfield	Taxtorea
			rextarea
		E-mail	Number
		E-mail (12) Radios 🕑	Number Checkboxes
		E-mail [12] Radios 🕑	Number Checkboxes Date
		E-mail II Radios I Select list II Time I	Number Checkboxes Date File
		E-mail [12] Radios I II Select list III Time III Hidden III	Number Checkboxes Date File Markup
Properties Display Validation		E-mail (2) Radios C Select list Hidden 400 Fieldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

# 23.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

mponems concisconais e-mails rorm setungs			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview	Ac	d a field	
New number	/ × @	Textfield	Textarea
7	6	E-mail	12 Number
	(e	Radios	Checkboxes
Properties Unspilay Validation Analysis		Select list	Date Date
itle *	8	Time	📮 File
New number	8	Hidden	42> Markup
om wy. new_numor (con)	C	Fieldset	H Page break
Description			
	11		

### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)
| oran con oran                                                | riamango a i                      | Hamboro                  | riopiloui       |                            | Hoodito Hand    | ato |       |                            |       |            |   |
|--------------------------------------------------------------|-----------------------------------|--------------------------|-----------------|----------------------------|-----------------|-----|-------|----------------------------|-------|------------|---|
| mponents Conditiona                                          | als E-mails                       | Form set                 | tings           |                            |                 |     |       |                            |       |            |   |
|                                                              |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| <ul> <li>Changes to the</li> <li>A partially-comp</li> </ul> | form have been<br>bleted form was | n saved.<br>s found. Ple | ase complete    | the remaining portions.    |                 |     |       |                            |       |            |   |
|                                                              |                                   |                          |                 | 0,                         |                 |     |       |                            |       |            | - |
| orm preview                                                  |                                   |                          |                 |                            |                 |     |       | Add a fie                  | ld    |            |   |
| New number                                                   |                                   |                          |                 |                            |                 |     | X     | Textfield                  | d 🔳   | Textarea   |   |
| 7                                                            |                                   |                          |                 |                            |                 |     |       | 👩 E-mail                   | 12    | Number     |   |
|                                                              |                                   |                          |                 |                            |                 |     |       | <ul> <li>Radios</li> </ul> |       | Checkboxes |   |
| Properties Display                                           | Validation A                      | nalysis                  |                 |                            |                 |     | Close | Select I                   | ist 📃 | Date       |   |
| Prefix                                                       |                                   |                          |                 |                            |                 |     |       | Time                       | 4     | File       |   |
|                                                              |                                   |                          | 7               |                            |                 |     |       | Hidden                     | (42)  | Markup     |   |
| Suffix                                                       |                                   |                          |                 |                            |                 |     |       | Fieldse                    | t H   | Page break |   |
|                                                              |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Decimal places                                               |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Automatic ~                                                  |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Automatic will display up to                                 | 4 decimals plac                   | ces if needed            | d. A value of * | 2" is common to format cur | rrency amounts. |     |       |                            |       |            |   |
| Thousands separator                                          |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Comma (,) 🗸                                                  |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Decimal point                                                |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Period (.) Y                                                 |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| abol display                                                 |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Above v                                                      |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Determines the placement                                     | of the componer                   | nt's label.              |                 |                            |                 |     |       |                            |       |            |   |
| Private                                                      | m only to users a                 | with results             | 20085           |                            |                 |     |       |                            |       |            |   |
| Wrapper CSS classes                                          | ,                                 |                          |                 |                            |                 |     |       |                            |       |            |   |
|                                                              |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Apply a class to the wrappe                                  | er around both th                 | he field and i           | its label. Sepa | rate multiple by spaces.   |                 |     |       |                            |       |            |   |
| CSS classes                                                  |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
|                                                              |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |
| Apply a class to the field. S                                | eparate multiple                  | by spaces.               |                 |                            |                 |     |       |                            |       |            |   |
|                                                              |                                   |                          |                 |                            |                 |     |       |                            |       |            |   |

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties Display Validation Analysis Cice Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

### 23.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft E	dit draft	Ranking	s & number	s Replicat	e Revisions	Webform	Results	Translate					
components	Condition	nals E-m	ails Form s	ettings									
orm previ	iew										Add a fie	eld	
New checkt	ooxes								J	×	Textfield	d 🔳	Textarea
one 🗌											🖪 E-mail	12	Number
🗌 two											<ul> <li>Radios</li> </ul>		Checkboxes
three											Select I	ist 📃	Date
	Disalari	0.1	Mandan								RB Time		File
Properties	Display	Options	validation							Close	Hidden	42	Markup
Title *											Fieldset	t	Page break
New checkbo Form key: new,	_checkboxes	[Edit]											
Description													
										1			

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse	2 d d (E) ist (C) t (C)	Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 23.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers	Replicate Revisio	ons Webform	Results	Translate			
components Conditionals E-mails Form setting	ngs						
Form preview						Add a field	
New date					∕ ×	Textfield	Textarea
Month V Day Vear V						E-mail	Number
Presenting Display Validation					Closes	<ul> <li>Radios</li> </ul>	Checkboxes
Properties Display Validation						Select list	Date
Title *						Time Time	📮 File
New date						Hidden	Alexandre Markup
Default value						Fieldset	Here Page break
Description							
Description							

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	ED Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

### 23.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

• • Ap	partially-com	pleted form was	found. Please co	mplete the	remaini	ning portio	ons.											
orm prev	view													Add	a field	Ы		
New file												I	×		Textfield		] Textarea	
Bestand k	iezen Geen	bestand gekozen	Upload												E-mail		Number	
														•	Radios		Checkboxes	ĺ –
Properties	Display	Validation									 		Close		Select list		Date	İ.
Title *														10	Time		File	
New file															Hidden	44	> Markup	Ĺ
Form key: new	v_file [Edit]														Fieldset	-	Page break	i -
Public     Private     Private file st     Upload dir     webform/     You may opt     Description	files files torage has si ectory ionally specif	gnificantly more of y a sub-directory t	verhead than publ	c files, but re Browse avail	astricts fi	file access kens.	s to users v	who can	view subr	nissions.								
													4					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	Page break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture co	ninguration	om settir	82									5	Galon	env. accept	editorinchief	1
A partia	illy-complete	d form was	found. Plea	ise complet	e the remai	ining portio	ns.											_
orm preview	/														Add a fi	eld		
New file														X	Textfie	ld 🔳	Textarea	1
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E-mail	12	Number	ĺ
	-														Radios		Checkboxes	ĺ
Properties Dis	splay Vali	dation												Close	E Select	list 🛅	Date	ĺ
Required															Time	4	File	ĺ
Max unload size	0														Hidder	n (42)	Markup	ĺ
2 MB	•														Fields	et H	Page break	ĺ
Desktop images Documents	(select)	bmp	eps	tif	pict	_ psd	doc	c 🗌 odt	_ ppt	_ pptx	odp	🗌 xis	xisx					
		ods	xml															
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	I file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated we.	oy commas.										

Afbeelding 42.

### 23.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
rm preview		Add a field		
lew HTML Markup	∕ ×	Distriction Textfield	Textarea	
ater any test espended by available test fermate		E-mail	12 Number	
nter any text supported by available text formats.		<ul> <li>Radios</li> </ul>	Checkboxes	
Properties	Close	Select list	Date Date	
itle *		E Time	File	
New markup		i Hidden	Al> Markup	
orm key: new_markup [Edt]		Fieldset	HI Page break	İ.
Markup				
<strong>New HTML Markup</strong>				
Enter any text supported by available text formats.				
	11			
Text format Filtered HTML ~				

Afbeelding 43.

#### 23.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld 🔳	Textarea	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	_
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie Textfiel E-mail Radios Select	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie	eld d III ist III	Textarea Number Checkboxes Date File	
Form preview	Add a fiel Textfiel E-mail Radios Refer to Refer to		Textarea Number Checkboxes Date File Markup	

Afbeelding 44.

ũ.

### 23.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 22. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 23. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

24. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

A My Workbench Content Structure Configuration UM settings	Search En	nv: accept editorinchief	Log out
Home Test webformulier Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Web	form Results Translate		
Form components Conditionals E-mails Form settings Conditionals may be used to hide or show certain components (or entire pages!) based on the value  then New textfield v is v then New textfield v is v shown v	e of other components.	Show row we - + - +	eights
There are no conditional actio	ns on this form. Add a new conditi	tion: +	
Save conditions			

Afbeelding 46.

### 23.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

Ħ.	My Workbench	Content Structure Configuration	UM settings						s	Search	Env: accept	editorinchief	Log out
H₀ T	est wel	bformulier											
Vi	ew draft Edit	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate						
Form	n components	Conditionals E-mails Form setti	ngs										
	Send	E-mail to			Subject			From		Operations			
	Currently not se	ending e-mails, add an e-mail recipier	nt below.										
		Address: test@ma     Component value	No available c	omponents ~						Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 29. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 30. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 31. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 32. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

	MyWorkbunch Content Structure Configuration UM settings	Search	Env: accept	editorinchief
ave dult Ext dult   ave dult Ext dult   average Control in   Ext dult Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult   Control in Ext dult	iest webformulier			
	ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Evaluate bases   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Control   Cont	n components Conditionals E-mails Form settings			
• chank indemandation reads   • chank index   • chank index   • chank index   • chank index   • chank index   • chank index   • chank index   • chank index   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport   • opport <td>E-mail to address</td> <td></td> <td></td> <td></td>	E-mail to address			
<pre>c Orgonett t</pre>	💿 Custom: teatimaanonturivenity.ni			
The standards the standard to the standard to the standard standards and the neglear statebases may be separated by contrast.  Period control of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the statebases of the stateba	Component: No available components v			
Personal services of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service of the service	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the recipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-bear mile O-bear form domission horn: Ret elebhomule C-bear mile Ary tardist, seeder-mail rety be selected as the subject to e-mail. E-mail tom above C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-bear mile C-b	Enable sending Undrext to disable sending this small.			
Email holds: O Defail: From submission from: Test seebformular C Comport. Ive submission from: Test seebformular C Comport. Ive submission from: Test seebformular D Defail: seebformation/testing/r C Conton: C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university of C Comporter. Ive submits of the submit rule seables as the submit rule senal tabless. Email from address P Defail: Massion? university C Conton: C Comporter. Ive submits of the submit rule senal submits. P Defail: Massion? university C Conton: C Defail: Testing of the submits of the submit rule senal submits. P Email from from: Res submits of the submit rule senal submits rule for e mails. P Email from from: Res submits of the submits rule of the submit rule senal to the e mails. P Email from from: Res submits of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the submits rule of the	E-mail header details			
O class. Form submission from: Net webformular Custom: Custom: Composered: Net southed: Custom: Composered: Net southed: Custom: Composered: Custom: Composered: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Cust	E-mail subject			
Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutors: Cutor	Delaut: Form submission from: Test webformulier			
Component: we needed:  Any textus:  Construction:  Construction:  Provide:  Construction:  Construction:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide:  Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide: Provide	Custom:			
Ary testing, select, or hidden term skinear, may be selected as the subject for e-mail.   E-mail from address   O Conported:   No address   O Comported:   No address   O Default:   Selection:   O Default:   No address	Component: New sectivity			
Enal forn address O Default: web@maastrichturiversity.vi Custom Component: We walkalis component in Ary walk, weit, or hidden form sammert may be selected as the sender's e-mail address. Enal form name O Default: Mastricht uriversity Custom Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Wate waterie in Component: Water waterie in the sender's name for e-mails.  E-mail template Market server, in Submitted public server, in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in Custom in C	Any startfield, select, or Nidden form element may be selected as the subject for e-mails.			
O blada: web@massichturiversity// C component: we available component: we have not be sender's e-mail address. E-mail from name O blada: Massicht university C custom: C custom: Ary work, standard was be sender's e-mail address. E-mail template: Ary work, standard was be sender's name be e-mails. Defund: Massicht university C custom: E-mail template can customize the display of e-mails. Defund: were table to be sender's e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: were table to be sender's name be e-mails. Defund: the table table to be sender's name be e-mails. Defund: the table table table to be sender's name be e-mails. Defund: the table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table table table table table table table table. Defund: table table table table table table table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table table. Defund: table table.	E-mail from address			
Custom Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorted Consorte	Default: web@maastrichturiversity.nl			
Component: the available components *  Are weakles components the sentence may be selected as the sandars e-mail address. E-mail from name Component: the sandars for durations e-mails Component: the sandars for duration e-mails.  E-mail template Are weakles components Submitted on public resistonical data the sandars in a mail to e-mails.  E-mail template components Submitted on public resistonical sites are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locations are: [locatio	Custom:			
Ary small, select, or hidden tom element may be selected as the sender's e-mail address. E-mail template Output: Very starting selected as the sender's name bit e-mails.	○ Component: No available components ~			
Default: Masshicht university    Custom:   Component:   Ner waterlieft, select, or hidden form element may be selected as the sendor's name for e-mails.   • E-mail template	Any small, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Custom Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Component: Rev statilitä Compon	Default: Maastricht university			
Component New statistics  Ary statistics, salace, or hidden form elements may be selected as the sender's name for e-mails.  - E-mail template Are - mail template are  Submitsd on plubrisationules form  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Default template are  Default template are  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules  Submitsd on plubrisationules	O Custom:			
Any statistict, select, or hidden form dement may be selected as the sender's name for e-mails.	Component: New textities ~			
- E-mail template An email template An emails. Detuct strends   Submited on puberssion/desional Submited values set: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values] The realts of this submission may be viewed at: [u-trinsion/values]	Any textfeld, select, or hidden form element may be selected as the sender's name for e-mails.			
- E-mail template An e-mail template can outcome the display of e-mails.  Default template Submitted on bulkersiseonuse() Submitted outserseconuse() Submitted outses are: [submission-values] The results of this submission may be viewed at: [submissionul] Berses patieties teams - • Included e-mail values				
An e-mail template can customize the display of e-mails.          Default template           Default template           Submitted on juburnisation user juburnisations           Submitted values are:           [uubrnisation value]           The results of this submission may be viewed at:           [uubrnisation.valie]           Devise available toters.           - • Included e-mail values	E-mail template			
Default tengilate ~ Submitted on juburisation rules food Submitted on submission rules [ Submitted values are: [submission rul] Deves available toters. - • Included e-mail values	An e-mail template can customize the display of e-mails.			
Submitted verbusierissionual Submitted verbusier (submissionual) Submitted verbus exer (submissionual) The result of its submission may be viewed at: (submissionual) Browse available toters. - • Included e-mail values	Default template ~			
The results of this submission may be viewed at: [submission.ut] Browse available tokens • Included e-mail values	Submitted on (submission/sater.iong) Submitted by user (submission/user) Submitted uses are: (submission/values)			
Bowse evaluate takens. - • Included e-mail values	The results of this submission may be viewed at: [submission.ut]			
Bosse analade takes. - • Included e-mail values	_			11
- • Included e-mail values	Browne available stream.			
	- Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	8.			
Custom template ~				
lubmitted on (submission/datesiong) Jubmitted by user (submission/user) Jubmitted values are: submission/values) The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
<ul> <li>Included e-mail values</li> </ul>				 
The selected components will be included in the [su	mission.values) token. Individual values ma	y still be printed if explicitly specified as a [r	submission values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

4

а

Afbeelding 49.

### 23.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 23.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### 23.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

#### 23.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

#### 23.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

#### 23.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

# 24 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

A Mijn Workbench Inhoud Structuur Instel	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta Bes	standen Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.							
Titel	Aangemaakt	<ul> <li>Status</li> </ul>	Weergeven		Bewerk	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	iten	

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 43. Inzendingen/Submissions
- 44. Analyse/Analysis
- 45. Tabel/Table
- 46. Downloaden/Download
- 47. Bewerken/Edit
- 48. Componenten/Components

### 24.1 Inzendingen/Submissions

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workbe	nch Conte	nt Structure Configuration	UM settings						Search	Env: prod	editorinchief	Log out
Conta	M Faculties ICT											
View publish	ned Edit	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Submissions	Analysis	Table Download										
Showing 1	- 50 of 152.	Show 10   50   100   All result	ts per page.									
#		- Submitted			User			IP address	Opera	tions		
152		06/14/2016 - 15:51			Anonymous (n	ot verified)		83.37.211.254	view			
151		06/14/2016 - 12:34			Anonymous (n	ot verified)		62.140.132.66	view			
150		06/14/2016 - 12:07			Anonymous (n	ot verified)		120.164.45.97	view			
149		06/14/2016 - 09:08			Anonymous (n	ot verified)		194.151.36.3	view			
148		06/14/2016 - 08:33			Anonymous (n	ot verified)		193.197.140.242	view			
147		06/14/2016 - 03:36			Anonymous (n	ot verified)		5.117.252.167	view			
146		06/13/2016 - 23:11			Anonymous (n	ot verified)		145.120.11.191	view			
145		06/13/2016 - 22:21			Anonymous (n	ot verified)		84.25.186.176	view			
144		06/13/2016 - 17:02			Anonymous (n	ot verified)		94.142.213.102	view			
143		06/13/2016 - 16:29			Anonymous (n	ot verified)		84.193.158.154	view			
142		06/13/2016 - 13:07			Anonymous (n	ot verified)		86.5.41.98	view			
141		06/13/2016 - 12:40			Anonymous (n	ot verified)		91.61.112.77	view			
140		06/12/2016 - 17:39			Anonymous (n	ot verified)		37.24.202.196	view			
139		06/12/2016 - 13:33			Anonymous (n	ot verified)		91.183.92.189	view			
138		06/11/2016 - 19:39			Anonymous (n	ot verified)		86.247.216.119	view			
137		06/11/2016 - 19:26			Anonymous (n	ot verified)		87.231.10.107	view			
136		06/11/2016 - 16:10			Anonymous (n	ot verified)		83.23.62.230	view			

Afbeelding 51.

### 24.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

### 24.3 Table/Table

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

#### 24.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

#### 24.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### 24.6 Componenten/Components

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 S Iskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	A	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	2	2.1.6	Verborgen/Hidden	21
	2	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	2	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	4	2.1.12	Bestand/File	33
	2	2.1.13	Opmaak/Markup	35
	2	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	4	2.4.3	Voortgangsbalk/Progress bar	40
	4	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

# **25 Webformulieren**

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

### 25.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

## 26 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

A My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Homa Add content Create Detail page					
New content: Your draft will be placed in modern Content *	- Content				-
Introduction	Title *	1			
Paragraphs	Language	]			
Meta data	English V View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or rons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

Maastri	My Workbench Content Structure Configuratio		on UM settings Purge this page			Env: a	accept editorinch	ept editorinchief Log o	
	cht Univ	ersitv				503	(	Contact	
		,				sea	ich		
	Education	Research	Life@UM	News & eve	nts (	bout LIM	Support	-	
	Education	Kesearen	LICEOM				Support	MyU	
	Detail pag	e Test webformu	<i>lier</i> has been crea	ted.					
	Tect	abform	ulior						
	TEST W	ebioinn	uner						
	Share this pag	e 🖪 💟 📆 🖉	8						
	Share this pag								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abratum	Support		
Box 616 0 MD Maastricht	n state: Draft	Most recent revis	ion: Yes Set r	noderation state:	Needs Rev	n Appl	у		
Nether View draft	Edit draft Ra	nkings & numb	ers Replicate	Revisions	Webforn	n Results	Translate	begin	
visiting address	Bachtland								
eelding 2.									
My Workbench Content	Structure Configura	ation UM settings			Search	Env: a	editorinch	lief Log	
me Test webformulier		D. F. I	D ()	al familie					
ew draft Edit draft	Hankings & numbe	ers Heplicate	Hevisions W	ebtorm Hesuits	Transia	te			
		- 1	2 22 21 2 2	1					
This document is n	low locked against sir	nultaneous editing.	It will unlock when y	ou navig te elsewhere	h.				
New content: Your draft will	be placed in moderati	on.							
Content *	_	Contont							
Interduction									
introduction		Test webformulier							
Paragraphs		Language							
Magazine		English Y							
Meta data		View mode *							
		Standard	~						
		Chapeau							
		Chapeau							
		Chapeau							
		Chapeau							
Menu settinas		Chapeau Dublishing o	ntions		]				

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Concentration	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	ld ()) ()) ()) ()) ()) ()) ()) ()	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

### 26.1 Webformulier componenten

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 113. Tekstveld/Textfield (tekstveld 1 regel)
- 114. E-mailadres/Email (e-mailveld)
- 115. Keuzerondjes/Radios (radio-buttons)
- 116. Selectielijst/Select list (selectielijst)
- 117. Tijd/Time (tijdveld)
- 118. Verborgen/Hidden (verborgen veld)
- 119. Veldengroep/Fieldset (verzameling velden)
- 120. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 121. Getal/Number (nummerveld)
- 122. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 123. Datum/Date (datumveld)
- 124. Bestand/File (bestandsveld voor uploade bestanden)
- 125. Opmaak/Markup (opgemaakte tekst)
- 126. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

My Workbench Content Structure Configuration	UM settings					Search	Env: accept	editorinchief	Log out
Test webformulier									
View draft Edit draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate	Ð			
Form components Conditionals E-mails Form set	tings								
Form preview						Add a fie	eld		
New textfield					X	( Textfiel	d 🔳	Textarea	
						💿 E-mail	12	Number	
Properties Display Validation					Close	Radios		Checkboxes	
Title *						Select	ist	Date	
New textfield						Ra Time	4	File	
Form key: new_textfield [Edit]						Hidden	48>	Markup	
Default value						Fieldse	t	Page break	
Description									
Save Cancel									

Afbeelding 5.
## 26.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

ly Workbench	Content	Structure	Configuration	UM settings						Searc	:h	Env: accept	editorinchief	Log ou
e Test webla EST WE	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mai	Is Form set	tings										
orm prev	riew										Add a fi	eld		
Titel teksve	ld								1	×	Textfie	ld 🔳	Textarea	
Standaard w	aarde										💿 E-mai	12	Number	
Dit is een bes	schrijving										Radio	s 🗹	Checkboxes	
Properties	Display	Validation								Close	E Select	list	Date	
Title *											R Time	4	File	
Titel teksveld	ł										Hidde	n (42)	Markup	
Form key: titel	_teksveld [Ed	it]									Fields	ot	Page break	
Default valu	e													
Standaard w	aarde													
Description														
Dit is een t	peschrijving	1												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							100	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

## 26.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

omponents Conditionals E-mails Form settings		
orm preview		
	Add a field	
E-mailveld		Textarea
7	💿 E-mail	12 Number
Properties Display Validation	Close Radios	Checkboxes
Title *	Select list	Date
E-mailveld	Time	File
Form key: e_mailveld [Edit]	Hidden	≪R> Markup
Default value	Fieldset	Page break
Description		
Description		

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est webto	ent Structure	Configuration	UM settings						Search	Env: accept	editorinchief
w draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-ma	ils Form sett	tings								
Form preview									Add a fi	eld	
E-mailveld								/ ×	D Textfie	ld 🔳	Textarea
			7						💿 E-mail	1	Number
Properties Displa	Validation							Close	Radio	s 🕑	Checkboxes
Displa	Vandation							0000	E Select	ist 🛅	Date
Placeholder									E Time	4	File
									Hidder	n (42)	Markup
The placeholder will b	e snown in the tie	aid until the user	starts entering a	value. Otten use	d for example v	alues, such as	"jonn@example.com".		Fields	et	Page break
Label display Above ~ Determines the placer Disabled (read Private Private fields are Wrapper CSS clas	nent of the compo- only) shown only to us	onent's label. ers with results a	access.								
	ranner around bo			e multiple by spa	ces.						
Apply a class to the w CSS classes		oth the field and r	its label. Separate								

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

	Add a fie	ald		
X	Textfield	d 🔳 T	extarea	
	💿 E-mail	12 N	lumber	
Close	<ul> <li>Radios</li> </ul>	S (	heckboxes	
0.000	Select I	list 🗖 C	Date	
	E Time	📮 F	ile	
	Hidden	(412) N	Markup	
	Fieldse	et F	age break	
		Add a fie X  Cose Cose Cose Cose Cose Cose Cose Cose	Add a field  Add a field  Cose  Add a field   Frail  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid Fraid  Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Frai	Add a field  Add a field  Factinia  Factinia  Factor  Core  Add a field  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Facto

Afbeelding 11.

#### 26.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
◯ one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fir Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

#### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						 Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

## 26.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

y Workbench Conte	nt Structure	Configuration	n UM settings						Searc	h	Env: accept	editorinchief	Log out
est webformulier	rmuli	er											
v draft Edit draft	Ranking	s & numbers	Replicate	Revisions	Webform	Results	Translate						
omponents Condit	onals E-ma	ails Form set	tings										
orm preview										Add a fi	eld		
Titel select veld								Ø	×	Textfie	ld 🔳	Textarea	
- None - 🗸										💿 E-mail	12	Number	
Properties Display	Options	Validation							Close	Radio	s 🗹	Checkboxes	
Title										Select	list	Date	
Titel select yeld										Time	4	File	
Form key: titel_select_vel	d [Edit]									Hidden	n (H2)	Markup	
Description										Fields	et 🖂	Page break	
									4				

#### Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	se Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10 🔽	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

## 26.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cinno	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

## Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

## 26.1.6 Verborgen/Hidden

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
arm preview		Add a field	
New hidden - hidden field	X	Textfield	E Textarea
Descention	0	🔯 E-mail	12 Number
Properties	Close	Radios	Checkboxes
Title *		Select list	Date
New hidden		Ra Time	File
Pormikey: new_noden (con)		Hidden	dito Markup
		Fieldset	Page break

Afbeelding 23

#### 26.1.7 Veldengroep/Fieldset

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Prease comprete the remaining portions.				
rm preview		Add a	field		
New fieldset			xtfield	Textarea	
		(2) E-	mail	Number	
		• R	adios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	E Se	elect list	Date	
		E Tr	me 📮	File	
		lio Hi	dden 🕸	Markup	
roperties Display		Close Fit	eldset H	Page break	
ïtle •					
New fieldset					
orm key: new_fieldset [Edit]					
Description					
		1.			

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfieldest		-	AUU d TIEld	Textarea
New fieldset			E mail	(ID) Number
			Radios	Chaskbauan
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	File
			Hidden	48⊳ Markup
Properties Display		Close	Fieldset	Here Page break
Collapsed This property will not affect the preview immediately.				
Hide label Do not display the label of this component.				
Private Private fields are shown only to users with results acce	55.			
CSS classes				

Afbeelding 25.

## 26.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	∕ ×	Textfield	Textarea
		🔞 E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
com key: _new_seturea [Ect] Default value	4		
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		Ladd - Cold	
rm preview	ð. 14	Add a field	Textarea
46M 10X12163	X	GR E-mail	(II) Number
		Barlos	Checkhowes
		Select list	Date
	1	Se Time	G Fie
		Hidden	an Markan
opperties Display Validation	Close	C Eekiset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay taken with the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
batel display blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow = V blow =			
bel display  Keene v			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. rapper CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private finds are shown only to users with results access. Private finds are shown only to users with results access. Private finds are shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the show			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	a field	
\$New textarea		ntfield (19)	Textarea
			Territoriou
		mail [12	Number
		-mail (12) adios 🖌	Number Checkboxes
		mail (12) adios 🕝	Number Checkboxes Date
		mail (2) adios (2) elect list (2) me (2)	Number Checkbaxes Date File
		mail (2) adios (2) elect list (2) me (2) idden (42)	Number Checkboxes Date File Markup
Properties Display Validation		mail (12) adios 🗭 elect list 🔤 idden 400 eldset H	Number Checkboxes Date File Markup Page break

Afbeelding 28.

## 26.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

mponenta Conditionala E-maila Pormisetunga		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
prm preview	Add a	field
New number	X X	field 🔄 Textarea
7	co E-m	all 😰 Number
Planter Meldelan Asstation	Rad	ios 🕑 Checkboxes
Properties Display Validation Analysis	Sele	ect list 📃 🗖 Date
Title *	iten Tim	e 🛛 🔁 File
New number	Hide	den de Markup
orm key: new_number [Edit]	Tiel	dset Hage break
Jefauit value		
Description		
	1	

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

oran con oran	riamango a i	Hamboro	riopiloui		Hoodito Hand	ato					
mponents Conditiona	als E-mails	Form set	tings								
<ul> <li>Changes to the</li> <li>A partially-comp</li> </ul>	form have been bleted form was	n saved. s found. Ple	ase complete	the remaining portions.							
				0,							-
orm preview								Add a fie	ld		
New number							X	Textfield	d 🔳	Textarea	
7								👩 E-mail	12	Number	
								<ul> <li>Radios</li> </ul>		Checkboxes	
Properties Display	Validation A	nalysis					Close	Select I	ist 📃	Date	
Prefix								Time	4	File	
			7					Hidden	(42)	Markup	
Suffix								Fieldse	t H	Page break	
Decimal places											
Automatic ~											
Automatic will display up to	4 decimals plac	ces if needed	d. A value of *	2" is common to format cur	rrency amounts.						
Thousands separator											
Comma (,) 🗸											
Decimal point											
Period (.) Y											
abol display											
Above v											
Determines the placement	of the componer	nt's label.									
Private	m only to users a	with results	20085								
Wrapper CSS classes	,										
Apply a class to the wrappe	er around both th	he field and i	its label. Sepa	rate multiple by spaces.							
CSS classes											
Apply a class to the field. S	eparate multiple	by spaces.									

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

My Workbench Content Structure Configuration UM settings S	earch	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fiel	d		
New number	Textfield		Textarea	
F	👩 E-mail	12	Number	
Dranastian Dianlay Multiduca Applysia	- Radios		Checkboxes	
Properties Display Validation Milarysis	Select lis	# 📃	Date	
Required	En Time	4	File	
Unique Check that all externed values for this field are unique. The same value is not allowed to be used byles	Hidden	942>	Markup	
Integer     Permit only integer values as inout, e.g. 12,34 would be invalid.	Fieldset	н	Page break	
Minimum				
Minimum numeric value, e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of "5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

y workbench. Content Structure Conliguration UM settings	Search	Env: accept editorinchief
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fiel	d
New number	Textfield	Textarea
	C	
······································	Radios	Checkboxes
Properties Display Validation Analysis Clea	Radios     Select lis	t Date
Properties Display Validation Analysis Exclude zero Exclude article of zero for blank) when counting submissions to calculate average and standard deviation.	Radios     Relect lis     Time	t Date
Properties         Display         Validation         Analysis         Cice           Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.         Cice	Radios     Radios     Select lis     Time     Hidden	t Date Checkboxes t Date Checkboxes t Date Checkboxes

Afbeelding 32.

## 26.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft E	dit draft	Ranking	s & number	s Replicat	e Revisions	Webform	Results	Translate					
components	Condition	nals E-m	ails Form s	ettings									
orm previ	iew										Add a fie	eld	
New checkt	ooxes								J	×	Textfield	d 🔳	Textarea
one 🗌											🖪 E-mail	12	Number
🗌 two											<ul> <li>Radios</li> </ul>		Checkboxes
three											Select I	ist 📃	Date
	Disalari	0.1	Mandan								RB Time		File
Properties	Display	Options	validation							Close	Hidden	42	Markup
Title *											Fieldset	t	Page break
New checkbo Form key: new,	_checkboxes	[Edit]											
Description													
										11			

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse	2 d d (E) ist (C) t (C) t (C) 2	Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

## 26.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers	Replicate Revisio	ons Webform	Results	Translate			
components Conditionals E-mails Form setting	ngs						
Form preview						Add a field	
New date					∕ ×	Textfield	Textarea
Month V Day Vear V						E-mail	Number
Presenting Display Validation					Closes	<ul> <li>Radios</li> </ul>	Checkboxes
Properties Display Validation						Select list	Date
Title *						Time Time	📮 File
New date						Hidden	Alexandre Markup
Default value						Fieldset	Here Page break
Description							
Description							

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	Re Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

## 26.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

• • Ap	partially-com	pleted form was	found. Please co	mplete the	remaini	ning portio	ons.											
orm prev	view													Add	a field	Ь		
New file												I	×		Textfield		] Textarea	
Bestand k	iezen Geen	bestand gekozen	Upload												E-mail		Number	1
														•	Radios		Checkboxes	ĺ –
Properties	Display	Validation									 		Close		Select list		Date	İ.
Title *														10	Time		File	
New file															Hidden	44	> Markup	Ĺ
Form key: new	v_file [Edit]														Fieldset	-	Page break	i -
Public     Private     Private file st     Upload dir     webform/     You may opt     Description	files files torage has si ectory ionally specif	gnificantly more of y a sub-directory t	verhead than public to store your files.	c files, but re Browse avail	astricts fi	file access kens.	s to users v	who can	view subr	nissions.								
													4					

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	age break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture con	ninguration	OM settir	82									0	sarch	env. accept	editorinchief	
A partia	illy-complete	d form was t	found. Plea	ise complet	e the remai	ining portio	ns.											
Form preview	/														Add a fie	eld		
New file														/ X	Textfiel	d 🔳	Textarea	l
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E E-mail	12	Number	ĺ
	-														Radios		Checkboxes	Í.
Properties Dis	splay Vali	dation												Close	Select	list 🛅	Date	ĺ
Described															Re Time	4	File	Í
Max upland aim	~														Hidden	40	Markup	Í
Max upload size	8														Fieldse	( H	Page break	Í.
Desktop images Documents	(select) (select)	bmp	eps rtf xml	tif	pict pdf	psd doc	doc	k 🗌 odt	_ ppt	pptx	odp	xis	xlsx					
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	al file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated ve.	by commas.										

Afbeelding 42.

## 26.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

Honoenen Content Juotuste Coninguisuon on seconds	30		antaccept	eutoniticniei	
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>					
orm preview		Add a field	ł		
New HTML Markup	/ ×	( Textfield		Textarea	
		E-mail	12	Number	
Enter any text supported by available text formats.		<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Close	E Select list		Date	
Title *		En Time		File	
New markup		Hidden	40	Markup	
Form key: new_markup [Edit]		Fieldset	н	Page break	
Markup					
<strong>New HTML Markup</strong>					
co>Enter any text supported by available text formats.					
	"				
Text format Filtered HTML ~					

Afbeelding 43.

## 26.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld a 🔳	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea Number	_
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie Textflek E-mail Radios Select II Ref Time	2ld d (12) (12) (13) (14) (14) (14) (14) (14) (14) (14) (14	Textarea Number Checkboxes Date File	_
Form preview	Add a fiel		Textarea Number Checkboxes Date File Markup	_

Afbeelding 44.

ũ.

## 26.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 25. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 26. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

27. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

A My Workbench Content Structure	Configuration UM settings		Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulier	r					
View draft Edit draft Rankings &	numbers Replicate	Revisions Webform	Results Tran	slate		
Form components Conditionals E-mails Conditionals may be used to hide or show o  then New textfield v is then New textfield v is	Form settings ertain components (or entire page	es!) based on the value of o	ther components.	× #	Show row we	ights
	There are	e no conditional actions or	this form. Add a new	condition: +		
Save conditions						

Afbeelding 46.

## 26.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

Ħ.	My Workbench Con	tent Structure Configuration UM sett	ngs					Search	Env: accept	editorinchief	Log out
T T	est webf	ormulier									
Vi	ew draft Edit dra	aft Rankings & numbers Replica	te Revisions	Webform	Results	Translate					
Form	components Con	ditionals E-mails Form settings									
	Send	E-mail to		Subject			From	Operations			
	Currently not sendir	ng e-mails, add an e-mail recipient below.									
		Address: test@maastrichtuniv     Component value: No avail	rsity.97					Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 33. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 34. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 35. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 36. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

My Workberch Contern: Structure Configuration UM settings	Search	Env: accept	editorinchief
iest webformulier			
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
n components Conditionals E-mails Form settings			
E-mail to address			
⊙ Custom: testimaasorionuriverity.ni			
Component: No available components v			
Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the incipient address. Multiple e-mail addresses may be separated by commas.			
Enable sending Undexis to deade sending this email.			
E-mail header details			
E-mail subject			
Delaut: Form submission from: Test webformulier			
Custom			
Component: New section -			
Any sectifield, select, or hidden form element may be selected as the subject for e-mails.			
E-mail from address			
Default: web@maastrichtuniversity.n/			
Custom:			
Component: No sualizate components ~			
Any enail, select, or hidson form element may be selected as the sender's e-mail address. E-mail from name			
Default: Maastricht university			
O Custom			
Component: New sextees *			
Any textfield, select, or hidsen form element may be selected as the sender's name for e-mails.			
E-mail template			
An e-mail template can customize the display of e-mails.			
Default template 👻			
Submitted on (submissionidate(ong) Submitted by user (submissionuser) Submitted subsets are: [submitted:sionivature]			
The results of this submission may be viewed at: [submission:uri]			
			11
Broade weilable triade			
- • Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	a.			
Sustom template ~				
lubmitted on [submission:date:long] Jubmitted by user: [submission:user] Jubmitted values are: submission:values] The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
Included e-mail values				
The selected components will be included in the [su	bmission:values) token. Individual values may	still be printed if explicitly specified as a [submi-	ssion:values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

## 26.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

## 26.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

## 26.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

## 26.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

## 26.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

## 26.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

## 27 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

A Mijn Workbench Inhoud Structuur Instel	lingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen
Home Beheer Inhoud								
Inhoud Reacties Course Catalog	Course Catalog Meta B	estanden Gepland	Webformulieren	Locked documents				
Deze pagina geeft alle inhoud van de website we	er, die een webform kan bevatten.							
Titel	Aangemaakt	<ul> <li>Status</li> </ul>	Weergeven		Bewer	kingen		
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten	
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten	

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 49. Inzendingen/Submissions
- 50. Analyse/Analysis
- 51. Tabel/Table
- 52. Downloaden/Download
- 53. Bewerken/Edit
- 54. Componenten/Components

## **27.1 Inzendingen/Submissions**

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workben	h Content Structure Configuration	UM settings					Search	Env: prod	editorinchief	Log out
Contac	Faculties Health, Medicine and Life Science Ct									
View publishe	d Edit Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
Submissions A	nalysis Table Download									
Showing 1 -	50 of 152. Show 10   50   100   All resul	ts per page.								
#	- Submitted		User			IP address	Opera	tions		
152	06/14/2016 - 15:51		Anonymous (not	t verified)		83.37.211.254	view			
151	06/14/2016 - 12:34		Anonymous (not	t verified)		62.140.132.66	view			
150	06/14/2016 - 12:07		Anonymous (no	t verified)		120.164.45.97	view			
149	06/14/2016 - 09:08		Anonymous (no	t verified)		194.151.36.3	view			
148	06/14/2016 - 08:33		Anonymous (no	t verified)		193.197.140.242	view			
147	06/14/2016 - 03:36		Anonymous (not	t verified)		5.117.252.167	view			
146	06/13/2016 - 23:11		Anonymous (not	t verified)		145.120.11.191	view			
145	06/13/2016 - 22:21		Anonymous (no	t verified)		84.25.186.176	view			
144	06/13/2016 - 17:02		Anonymous (no	t verified)		94.142.213.102	view			
143	06/13/2016 - 16:29		Anonymous (no	t verified)		84.193.158.154	view			
142	06/13/2016 - 13:07		Anonymous (no	t verified)		86.5.41.98	view			
141	06/13/2016 - 12:40		Anonymous (no	t verified)		91.61.112.77	view			
140	06/12/2016 - 17:39		Anonymous (no	t verified)		37.24.202.196	view			
139	06/12/2016 - 13:33		Anonymous (no	t verified)		91.183.92.189	view			
138	06/11/2016 - 19:39		Anonymous (no	t verified)		86.247.216.119	view			
137	06/11/2016 - 19:26		Anonymous (no	t verified)		87.231.10.107	view			
136	06/11/2016 - 16:10		Anonymous (not	t verified)		83.23.62.230	view			

Afbeelding 51.

## 27.2 Analyse/Analysis

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

## 27.3 Table/Table

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

## 27.4 Downloaden/Download

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

## 27.5 Bewerken/Edit

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

## **27.6 Componenten/Components**

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

#### (i) **b** https://intranet.accept.maastrichtuniversity.nl/en Edit View Favorites Tools Help 🔎 👻 🔒 Maastricht University [NL] 🖒 🍡 Home | Maastricht Universi... 🗴 📑 Test3 Intra (UM) Maastricht University ۹ Search by keyword Besloten groep 1 SBE Staff Microblog **-** × Featured news **-** × My groups 05/12/2017 intra.test8 Open groep 2 90 Open groep 2 24/10/2017 intra.test7 vs 2 **9**0 Besloten groep 1 1 sloten groep 1 • News Share Faculty of Arts and Social Sciences (staff) FASoS (staff) . Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) School of Br p | 29 All groups > ..... test @mention functionaliteit Go to × Read more and comment (0) More news > Employee Self Ser MyUM Classic 🗷 Add a block Test3 Intra (UM) 05/12/2017, Phone book 🗗 ICT self service intra.test3 micro test voor open gro

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

🔎 \* 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... × 🃑
Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 **•** X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### https://intranet.accept.maast Edit View Favorites Tool-🔎 👻 🔒 Maastricht University [NL] 🖒 隆 Home | Maastricht Universi... 🗙 [ Test3 Intra (UM) Maastricht University Search by keyword Q SBE Staf **•** × Featured news Microblog My groups 05/12/2017 Open groep 2 9 Open groep 2 24/10/2017 90 Besloten groep 1 oten groep 1 • News Share Faculty of Arts and Social Scient (staff) FASoS (staff) 0 Iskos Elena (ICTS) 08/12/2017, 9 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > 0 test @mention functionaliteit Go to × -> 0 More news > Employee Self MyUM Classic 🗷 Add a blo ne book 🗹 Test3 Intra (UM) 05/12/2017, intra.test3 micro test voor open g ICT self s

# Handleiding UM Web Webformulieren NL

In deze handleiding vindt u uitleg over het gebruik van de webformulieren in UM Website (Drupal cms). Mochten u na het raadplegen van deze handleiding toch nog vragen hebben, dan kunt u contact opnemen met functioneel beheer via fb-drupal@maastrichtuniversity.nl.

Functioneel Beheer UM Web

Datum: 15 juni 2016

# Index

1	V	Vebfor	mulieren	4
	1.1	Rec	hten	4
2	A	anmak	en webformulieren	5
	2.1	. We	bformulier componenten	8
	2	2.1.1	Tekstveld/Textfield	9
	2	2.1.2	E-mailadres/Email	11
	Ĩ	2.1.3	Keuzerondjes/Radios	12
	2	2.1.4	Selectielijst/Select list	16
	Ĩ	2.1.5	Tijd/Time	19
	4	2.1.6	Verborgen/Hidden	21
	4	2.1.7	Veldengroep/Fieldset	21
	Ĩ	2.1.8	Tekstvlak/Textarea	23
	2	2.1.9	Getal/Number	25
	4	2.1.10	Keuzevakjes/Checkboxes	28
	2	2.1.11	Datum/Date	31
	2	2.1.12	Bestand/File	33
	4	2.1.13	Opmaak/Markup	35
	4	2.1.14	Pagina-einde/Page break	35
	2.2	2 Voc	prwaarden/Conditionals	37
	2.3	E-m	ails	38
	2.4	For	mulierinstellingen/Form settings	40
	Ĩ	2.4.1	Verzendinstellingen/Submission settings	40
	Ĩ	2.4.2	Toegang tot het formulier/Submission acces	40
	2	2.4.3	Voortgangsbalk/Progress bar	40
	2	2.4.4	Voorbeeldpagina/Preview page	40
	Ĩ	2.4.5	Geavanceerde instellingen/Advanced settings	40
3	Ir	nzendir	ngen bekijken	42
	3.1	. Inze	endingen/Submissions	42
	3.2	Ana	Ilyse/Analysis	43
	3.3	a Tab	le/Table	43

3.4	Downloaden/Download	43
3.5	Bewerken/Edit	43
3.6	Componenten/Components	43

## 28 Webformulieren

Via de functie webformulieren kunnen beheerders met de juiste rechten formulieren opzetten binnen UM website.

Webformulieren zijn altijd gekoppeld aan het content type 'Detail pagina'. Je moet eerste een Detail pagina aanmaken voordat je een formulier kunt maken. Zie 1.2 Aanmaken webformulieren.

### 28.1 Rechten

Beheerders met de volgende rechten kunnen webformulieren aanmaken:

- Editor
- Chiefeditor
- Adminuser

## 29 Aanmaken webformulieren

Om een webformulier aan te maken, maak je eerst een Detail pagina aan.

1. Ga daarvoor naar Inhoud-> Inhoud toevoegen -> Detail pagina.

2. Vul op de Detail pagina minimaal de verplichte velden 'Titel' en 'View mode' in. 'View mode' staat default op 'Standard' en dat kan zo blijven staan.

3. Klik nu op 'Save as draft'. Zie afbeelding 1.

My Workbench Content Structure Config	uration UM settings	Search	Env: accept	editorinchief	Log out
Home Add content Create Detail page	ution.				
Content *	- Content				-
Introduction	Title *	_			
Paragraphs	Test webformulier	]			
Magazine	Language English V				
Meta data	View mode *				
	Standard V				
	Chapeau				
Menu settings Not in menu	- Publishing options				
Publishing or cons	Promoted to front page				
Save as draft Save and request review	Save and publish Unpublish				

Afbeelding 1.

4. Je ziet nu een preview van de aangemaakte pagina. Klik nu op de blauwe knop
Webformulier/Webform onderaan de pagina. Zie afbeelding 2.
Je kunt ook in de webformulier edit modus komen door op Edit draft te kiezen en dan in het horizontale tabblad 'Webformulier/Webform' te kiezen. Zie afbeelding 3.

My Workbench Content	Structure Configurat	tion UM settings	Purge this page		Search	Er	w: accept	editorinchie	ef Log
Maastri	cht Unive	ersitv				[ c	earch	Co	ontact
						5	earch		
	Education	Pecearch	Life@LIM	News & eve	nts	About LIA	A 5	unnort	2
	Education	Kesearen	Line@OM			About of	vn 5	аррон	MyU
	Detail page	Test webformul	<i>lier</i> has been crea	ted.					
	Testwo	hform	lior						
	Test we	DIOITI	uller						
	Share this nage								
	Share this page								
	1								
Maastricht University									
postal address	Education	Research	Life@UN	News &	events	Abr at UN	٨	Support	
Box 616 0 MD Maastricht	n state: Draft N	Nost recent revisi	on: Yes Set n	noderation state:	Needs Re	vi v 🗸 Ap	oply		
0.00	14/150-11442	> Research(@)	144 V Studiu in	Manue		Congaunsa	100	<ul> <li>Belore yo</li> </ul>	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	
View draft	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	m Resul	ts Tr	anslate	egin
View draft eelding 2.	Edit draft Ran	kings & numb	ers Replicate	Revisions	Webfori	n Resul	ts Tr	anslate	egin
View draft eelding 2. My Workbench Content	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Webforn Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft viritine address eelding 2. My Workbench Content me Test webformulier	Edit draft Ran Structure Configurat	kings & numb	ers Replicate	e Revisions	Search	m Resul	ts Tr	editorinchie	egin ef Log
View draft vieltine address eelding 2. My Workbench Content me Tost webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb tion UM settings rs Replicate	ers Replicate	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vielding 2. My Workbench Content me Test webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb	ers Replicate	e Revisions	Webforn Search Transla	m Resul Er ate	ts Tr	editorinchie	egin ef Log
View draft visiting eddress eelding 2. My Workbench Content me Tast webformulier ew draft Edit draft	Edit draft Ran Structure Configurat Rankings & number	kings & numb don UM settings rs Replicate ultaneous editing.	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will	Edit draft Ran Structure Configurat Rankings & number now locked against sim	kings & numb tion UM settings rs Replicate ultaneous editing. I n.	Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft Vieltine address eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim to placed in moderation	kings & numb	ers Replicate Revisions W	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content *	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	Revisions W	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft © This document is r New content: Your draft will Content * Introduction Paragraphs Magazine	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the value of the val	kings & numb	Revisions W t will unlock when y	ebform Results	Webforn Search Transla	m Resul	ts Tr	editorinchie	egin Log
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation T be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft  This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moderation Use placed in moder	kings & numb	ers Replicate Revisions W It will unlock when y	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ergin
View draft View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results	Search Transla	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test webformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in moderation U be placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y	ebform Results ou navis ite elsewhere	Search Transk	m Resul	ts Tr	editorinchie	egin
View draft View draft eelding 2. My Workbench Content me Test wobformulier ew draft Edit draft This document is r New content: Your draft will Content * Introduction Paragraphs Magazine Meta data	Edit draft Ran Structure Configurat Rankings & number now locked against sim be placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in moderation Ube placed in modera	kings & numb	ers Replicate Revisions W It will unlock when y T T T T T T T T T T T T T T T T T T T	e Revisions	Webforn Search Transla	m Resul	ts Tr	editorinchie	ef Log

Afbeelding 3.

Je komt nu in het scherm om het webformulier aan te maken of te editen. Op deze pagina vind je 4 tabbladen (zie afbeelding 4):

- Besturingselementen/Form components. Hiermee plaats je de formulier velden)

- Voorwaarden/conditionals (tonen of verbergen van velden o.b.v. de waarden van andere velden)
- E-mails (naar welk adres/adressen het formulier gestuurd moet worden)
- Formulierinstellingen/Form Settings (verschillende formulier settings, waaronder het bevestigingsbericht).

A My Workbench Content Structu	re Configuration LIM settings			Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformul	lier					Contonnennen	208 001
View draft Edit draft Rankir	ngs & numbers Replicate	Revisions Webfor	m Results	Translate			
Form components Conditionals E-	-mails Form settings	f it to this form.		Add a fie Textfield E-mail Radios Select li Select li Hidden Fieldset	d 5	Textarea Number Checkboxes Date File Markup Page break	

4

Afbeelding 4.

### **29.1 Webformulier componenten**

Onder het tabblad 'Besturinsgelementen/Form components' vind je aan de rechterzijde bij 'Een veld toevoegen/Add a field' de verschillende velden die je in het formulier kunt plaatsen door deze naar de linkzijde te slepen onder 'Voorbeeldweergave van formulier/Form preview':

- 127. Tekstveld/Textfield (tekstveld 1 regel)
- 128. E-mailadres/Email (e-mailveld)
- 129. Keuzerondjes/Radios (radio-buttons)
- 130. Selectielijst/Select list (selectielijst)
- 131. Tijd/Time (tijdveld)
- 132. Verborgen/Hidden (verborgen veld)
- 133. Veldengroep/Fieldset (verzameling velden)
- 134. Tekstvlak/Tekstarea (groot tekstveld meerdere regels)
- 135. Getal/Number (nummerveld)
- 136. Keuzevakjes/Checkboxes (vinkvakjes veld)
- 137. Datum/Date (datumveld)
- 138. Bestand/File (bestandsveld voor uploade bestanden)
- 139. Opmaak/Markup (opgemaakte tekst)
- 140. Pagina-einde/Page break (verdeeld het formulier in meerdere pagina's)

Nadat je een veld naar links gesleept hebt, kun je deze bewerken door er met je muis op te gaan staan en dan te klikken of door op het pen-icoontje te klikken dat getoond wordt. Zie afbeelding 5.

🕇 My Workbench	Content	Structure	Configuration	UM settings					Search	Env: accept	editorinchief	Log out
Test web	bforr	nulie	r!									
View draft Edi	it draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Transla	te			
Form components Form previe New textfield Properties Title * New textfield Form key: new_te Default value	Conditiona 2W Display	Is E-mails	s Form settin	igs				Clos	Add a fiel Textfiel C E-mail C E-mail Se Se Se Se Se Se Se Se Se Se	2 d d ()) ist ist d d d c ist d d d c ist d d c ist d d c ist d d c c c c c c c c c c c c c	Textarea Number Checkboxes Date File Markup Page break	
Description	ncel								4			

Afbeelding 5.

### 29.1.1 Tekstveld/Textfield

Het Tekstveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 6):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

My Workbench	Content	Structure	Configuration	UM settings						Search	Env	accept	editorinchief	1
est weblo	ebfor	mulie	er											
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate						
components	Conditio	nals E-mail	s Form set	tings										
Form prev	iew									A	dd a field			
Titel teksvel	ld								I	×	Textfield		Textarea	
Standaard w	aarde										👩 E-mail	12	Number	
Dit is een bes	chrijving										<ul> <li>Radios</li> </ul>		Checkboxes	
Properties	Display	Validation							(	lose	Select list		Date	
Title *											Time		File	
Titel teksveld	i										Hidden	482	Markup	
Form key: titel_	teksveld [Ed	it]									Fieldset	H	Page break	
Default valu	le													
Standaard w	aarde													
Description														
Dit is een b	peschrijving	)												
										11				

Afbeelding 6.

Onder het tablad Weergeven/Display (Zie afbeelding 7):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal invullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

form preview							Ad	d a field		
Titel teksveld						/ ×		Textfield	] Textarea	Ĺ
Standaard waarde								E-mail	Number	
Dit is een beschrijvin	g						0	Radios	Checkboxes	Ĺ
Properties Disp	ay Validation					Close		Select list	Date	Ĺ
Prefix							123	Time 🕻	File	Ĺ
			7				60	Hidden	> Markup	Ĺ
Suffix							0	Fieldset	Page break	Ĺ
Placebolder										
The placeholder will	he chours in the f	ald until the upor	starta antarina	a value						
Size	be shown in the i	ieid until the user :	starts entening	a value.						
24										
Label display										
Above v		ile leb el								
Determines the plac	ement of the com	ponents label.								
Disabled (rea	d-only)									
Private	o chown only to u	nore with requite a	00000							
Wrapper CSS cla	ecoc	Sers with results a	00055.							
	3303									
Apply a class to the	wrapper around b	oth the field and it	s label. Separa	ate multiple by spaces.						
CSS classes										
	field Constate m	utiolo bu opococ								
Apply a class to the	neio. Separate mi	imple by spaces.								

Afbeelding 7.

Onder het tabblad Validatie/Validation (zie afbeelding 8):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)
- Maximale lengte/Max length (maximal aantal karakters dat een gebruiker mag invullen)

y Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log
a Tiet webformulier est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add a f	ìeld	
Titel teksveld	✓ X → Textfit	eld 📑 Textarea	1
Standaard waarde	E-mai	il (12) Number	1
Dit is een beschrijving	Radio	os Checkboxes	ĺ
Properties Display Validation	Close Selec	t list 🔲 Date	j
	Time	📮 File	]
	iii) Hidde	an Alb Markup	]
Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Fields	set    Page break	1
Max length			

Afbeelding 8.

### 29.1.2 E-mailadres/Email

Het E-mailveld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 9):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het veld getoond wordt)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

omponents Conditionals E-mails Form settings		
orm preview		
	Add a field	
E-mailveld		Textarea
7	💿 E-mail	12 Number
Properties Display Validation	Close Radios	Checkboxes
Title *	Select list	Date
E-mailveld	Time	File
Form key: e_mailveld [Edit]	Hidden	≪R> Markup
Default value	Fieldset	Page break
Description		
Description		

Afbeelding 9.

Onder het tablad Weergeven/Display (Zie afbeelding 10):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Lengte/Size (lengte van het veld, getal in vullen. Standaardwaarde is lengte 50)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

est webto	ent Structure	Configuration	UM settings						Search	Env: accept	editorinchief
w draft Edit draf	t Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate				
components Cond	tionals E-ma	ils Form sett	tings								
Form preview									Add a fi	eld	
E-mailveld								/ ×	D Textfie	ld 🔳	Textarea
			7						💿 E-mail	1	Number
Properties Displa	Validation							Close	Radio	s 🕑	Checkboxes
Displa	Vandation							0000	E Select	ist 🛅	Date
Placeholder									E Time	4	File
									Hidder	n (42)	Markup
The placeholder will b	e snown in the tie	aid until the user	starts entering a	value. Otten use	d for example v	alues, such as	"jonn@example.com".		Fields	et	Page break
Label display Above ~ Determines the placer Disabled (read Private Private fields are Wrapper CSS clas	nent of the compo- only) shown only to us	onent's label. ers with results a	access.								
	ranner around bo			e multiple by spa	ces.						
Apply a class to the w CSS classes		oth the field and r	its label. Separate								

Afbeelding 10.

Onder het tabblad Validatie/Validation (zie afbeelding 11):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)

	Add a fie	ald		
X	Textfield	d 🔳 T	extarea	
	💿 E-mail	12 N	lumber	
Close	<ul> <li>Radios</li> </ul>	S (	heckboxes	
0.000	Select I	list 🗖 C	Date	
	E Time	📮 F	ile	
	Hidden	(412) N	Markup	
	Fieldse	et F	age break	
		Add a fie X Cose Cose Add a fie E-mall P Radios Select III The Hidden The	Add a field  Add a field  Cose  Add a field   Frail  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid  Fraid Fraid Fraid  Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid Fraid F	Add a field  Add a field  Factinia  Factinia  Factor  Core  Add a field  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Factor  Facto

Afbeelding 11.

### 29.1.3 Keuzerondjes/Radios

Het Radios veld (waarmee vinkvakjes in een webformulier aangebracht kunnen worden en waaruit de gebruiker slechts 1 optie kan kiezen), kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 12):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft Ed	dit draft	Ranking	gs & number	rs Replicate	e Revisions	Webform	Results	Translate					
omponents	Conditio	nals E-m	ails Form	settings									
orm previ	iew										Add a fi	ìeld	
Titel									Î	×	( Textfie	eld	Textarea
◯ one											💿 E-mai	al (12	Number
⊖ two											Radio	os 🗹	Checkboxes
) three											Selec	t list 📃 🚍	Date
	<b>D</b> iata	0.11.11									R Time	G	File
Properties	Display	Options	Validation							Close	Hidde	an 482	Markup
Title *											Fields	set	Page break
Titel	Edit												
Description	conj												
Description													

Afbeelding 12.

Onder het tablad Weergeven/Display (Zie afbeelding 13):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview Titel One two three	Add a fii Textfie E-mail Radion Select	eld id E s Ø	Textarea Number Checkboxes Date	
Properties Display Options Validation Cor	se Hidder	<b>a</b>	File	
Label display Above V	Fields	et H	Page break	
Determines the placement of the component's label.  Private Private fields are shown only to users with results access. Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes				
Apply a class to the field. Separate multiple by spaces.				
Raun Danael				

#### Afbeelding 13.

Onder het tablad Opties/Options (Zie afbeelding 14):

- Hier vul je de opties in de gebruiker kan aanvinken (bij Radio buttons kan een gebruiker slechts 1 optie aanvinken). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Str	ucture Configuration	UM settings						Sea	rch	Env: accept	editorinchief	Log ou
Home Test webfor Test we	ebform	ulier											
View draft Ec	dit draft Ra	nkings & numbers	Replicate	Revisions	Webform	Results	Translate						
orm components	Conditionals	E-mails Form set	tings										
Form previ	riew									Add a fi	eld		
Titel								J	×	Textfie	ld 🔳	Textarea	
⊖ one										💿 E-mail	31	Number	
⊖ two										Radio		Checkboxes	
O three										Select	list	Date	
Properties	Display Opti	one Validation							Close	R Time	4	File	
Tiopenues	Opu								0.000	Hidde	n ≪⊳	Markup	
Options •										Fields	et 🖂	Page break	
Default	Value												
+ 0	one								8				
* 0	two								8				
+ ()	three								8				
No default								♦ Ac Manual	d item				
- Option	n settings -							manue	aronay				
Custo	tomize keys tomizing the keys	will allow you to save on	ne value internally	while showing a	a different option	to the user.							
Save C	Cancel												

Afbeelding 14.

Onder het tabblad Validatie/Validation (zie afbeelding 15):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

.,,	Content	Structure	Configuration	UM settings					Sea	rch	Env: accept	editorinchief	Ŀ
est weble	ebfor	mulie	er										
w draft E	dit draft	Rankings	& numbers	Replicate	Revisions	Webform	Results	Translate					
components	Condition	nals E-mai	ils Form setti	ings									
Form prev	riew								 ×	Add a fie	eld	Textarea	
									 · ·	C E mail		Number	
○ one										Co Crinan	UE		
<ul><li>one</li><li>two</li></ul>										Radios		Checkboxes	
<ul><li>one</li><li>two</li><li>three</li></ul>										Radios     Select	list	Checkboxes Date	
one two three	Display	Ortions	Mildeler							Radios     Select     Time	list	Checkboxes Date File	
<ul> <li>one</li> <li>two</li> <li>three</li> <li>Properties</li> </ul>	Display	Options	Validation						Close	Radios     Radios     Select I     Time     Hidden		Checkboxes Date File Markup	

Afbeelding 15.

### 29.1.4 Selectielijst/Select list

De Selectielijst/Select list (dropdown lijst) kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 16):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

y Workbench Co	ontent Structur	e Configuration	n UM settings						Search	Er	w: accept	editorinchief	Log ou
e Test weblormule est web	formul	ier											
v draft Edit d	raft Rankin	gs & numbers	Replicate	Revisions	Webform	Results	Translate						
components Co	nditionals E-r	nails Form set	ttings										
orm preview									A	dd a field			
Titel select veld								Ø	×	Textfield		Textarea	
- None - 🗸									0	E-mail	12	Number	
Properties Dis	play Options	Validation						CI	50	Radios		Checkboxes	
Title									1	Select list		Date	
Titel select yeld									8	Time	4	File	
Form key: titel_selec	t_veld [Edit]								0	Hidden	412	Markup	
Description									C	Fieldset	н	Page break	
									4				

### Afbeelding 16

Onder het tablad Weergeven/Display (Zie afbeelding 17):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

draft Edit draft	Rankings & numbers Replicate Revi	sions Webform Results	Translate			
omponents Condition	als E-mails Form settings					
orm preview				Ac	dd a field	
Titel select veld			I	×	Textfield	Textarea
- None - 🗸				8	B E-mail	Number
Properties Display	Options Validation		CI	se	Radios	Checkboxes
Label display				1	Select list	Date
Above ~				8	Time (	File
Determines the placeme	t of the component's label.			6	Hidden 4	Markup
Private				0	Fieldset	Page break
Private fields are sr	wh only to users with results access.					
1110pp01 000 010330						
Apply a class to the wra	per around both the field and its label. Separate multipl	by spaces.				
CSS classes						



Onder het tablad Opties/Options (Zie afbeelding 18):

- Hier vul je de opties in de gebruiker kan aanvinken. Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een cirkel voor de opties aan te vinken, geef je aan welke optie default aan staat. Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

My Workbench	Content Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
TEST WE	bioimuliei										
View draft Edi	it draft Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form components	Conditionals E-mails Form sett	ings									
Form previe	2W							Add a	field		
Titel select ve	eld						1	X 🚯 Tex	tfield	Textarea	
- None - 🗸								🔯 E-r	nail	Number	
Properties	Display Options Validation						Clo	60 Ra	dios	Checkboxes	
0								E Se	ect list	Date	
Options								R Tin	10 🔽	File	
Default	Value							📑 Hic	iden 42	Markup	
* ()	one						8	Fie	ldset	Page break	
+ ()	two						8				
+ ()	three						8				
No default							Add ite	m			
- Ontion	settings						Manual ent	ry			
option	Settings										
Custo	mize keys										
Custo	mizing the keys will allow you to save on	e value internally	while showing a	amerent option	to the user.						
L											
Save Ca	incel										

Afbeelding 18.

Onder het tabblad Validatie/Validation (zie afbeelding 19):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

Ny Workbench Content Structure Configuration UM settings	Sea	irch	Env: accept	editorinchief	Logo
est webformulier					
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate					
components Conditionals E-mails Form settings					
Form preview		Add a field	d		
Titel select veld	X	Textfield		Textarea	
- None - 🗸		💿 E-mail	12	Number	
Properties Display Ontions Validation	Close	<ul> <li>Radios</li> </ul>		Checkboxes	
		Select list	t 🔲	Date	
Required		Ra Time	4	File	
		Hidden	482	Markup	
		Fieldset	н	Page break	

Afbeelding 19.

### 29.1.5 Tijd/Time

Het Tijd/Time veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 20):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

Ay Workbench Content Structure Configuration UM settings	Sea	arch Env: accep	editorinchief
est webformulier			
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results	Translate		
omponents Conditionals E-mails Form settings			
		Add a field	
Titel tiidveld	/ ×	Textfield	Textarea
Hour v : 00 v • am ) pm		C E-mail	Number
Proportion Dieplay Validation	Cinno	Radios	Checkboxes
	Close	Select list	Date
Title *		E Time	👃 File
Form key: titel_tijdveld [Edit]		Hidden 4	⊗ Markup
Default value		Fieldset	Page break
Description			
	~		

Afbeelding 20.

Onder het tablad Weergeven/Display (Zie afbeelding 21):

- 12 of 24 uurs tijdsaanduiding
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log o
est webformulier				
ew draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
a components Conditionals E-mails Form settings				
Form preview	Add	a field		
Titel tijdveld	X X Te	extfield	Textarea	
Hour v: 00 v • am pm	0 E-	mail [12]	Number	
	• R	adios	Checkboxes	
Properties Display Validation	Close	elect list	Date	
Time format	R Ti	me 📮	File	
12-hour (am/pm)	ы	dden (42)	Markup	
24-hour	E Fi	eldset H	Page break	
Label display				
Above V				
Determines the procession of the component's label.				
Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				

### Afbeelding 21

Onder het tabblad Validatie/Validation (zie afbeelding 22):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings	Add a fie	eld		
Titel tijdveld	× Textfie	ld 🔳	Textarea	
Hour v : 00 v • am ) pm	E-mail	[12]	Number	
Progetige Dienlay Validation	Radios		Checkboxes	
	Select	list	Date	
Required	Time	4	File	
	Hidder	n (42)	Markup	
	Fieldse	n H-1	Page break	
Save Cancel				

Afbeelding 22.

### **29.1.6 Verborgen/Hidden**

De Verborgen/Hidden veld is een veld dat niet getoond wordt aan de gebruiker, maar waarmee je 'onder water' een bepaalde waarde aan een formulier kunt meegeven. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 23):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
arm preview		Add a field	
New hidden - hidden field	X	Textfield	E Textarea
Descention	0	🔯 E-mail	12 Number
Properties	Close	Radios	Checkboxes
Title *		Select list	Date
New hidden		Ra Time	File
Pormikey: new_noden (con)		Hidden	dito Markup
		Fieldset	Page break

Afbeelding 23

#### **29.1.7 Veldengroep/Fieldset**

De Veldengroep/Fieldset is een veld waarin je een aantal velden kunt groeperen en die bijvoorbeeld gezamenlijk kunt inklappen/uitklappen. Na het slepen van het Veldengroep/Fieldset veld naar links, kun je andere velden in dit Veldengroep/Fieldset veld slepen. Het Veldengroep/Fieldset veld heeft zelf de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 24):

- Titel (titel van het veld. Deze wordt niet getoond aan de gebruiker.)
- Standaard waarde/Default value (waarde van het verborgen veld)

<ul> <li>A partially-completed form was to</li> </ul>	uno. Piease complete the remaining portions.				
orm preview		Add a	field		
New fieldset			tfield	Textarea	
		(2) E-n	ail 😰	Number	
		Rat	ios 🗹	Checkboxes	
	This fieldset is empty. Drag a form element into it.	Sel	ect list 📃	Date	
		ite Tim	e 🔒	File	
		Hid	den 482	Markup	
Properties Display		Close Fiel	dset H	Page break	
ïtle *					
New fieldset					
orm key: new_fieldset [Edit]					
Description					

Afbeelding 24.

Onder het tabblad Weergeven/Display(Zie afbeelding 25):

- Inklapbaar/Collapsible (met deze optie aangevinkt, kan een een gebruiker de Veldengroep/Fieldset inklappen)
- Ingeklapt/Collapsed (met deze optie aangevinkt, is de Veldengroep/Fieldset inklappen standaard ingeklapt)
- Label verbergen/Hide label (verberg de titel van de Veldengroep/Fieldset)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- CSS classes (toevoeging CSS styling in veld)

			Add a field	
Newfoldeet			AUU a Tield	Textarea
- New Tieldset		<i>y</i>	E mail	TTD Number
			Badios	
	This fieldset is empty. Drag a form element into it.		Select list	Date
			Ra Time	I File
			Hidden	All Markup
Properties Display		Close	Fieldset	Hage break
Collapsible Collapsed This property will not affect the preview immediately.				
Do not display the label of this component.				
Private Private fields are shown only to users with results acc	055.			
CSS classes				

Afbeelding 25.

### 29.1.8 Tekstvlak/Textarea

Het Tekstvlak/Textarea kun je een berichtenveld aanmaken. Tekstvlak/Textarea kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 66):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
prm preview		Add a field	
§New textarea	∕ ×	Textfield	Textarea
		🔞 E-mail	12 Number
		<ul> <li>Radios</li> </ul>	Checkboxes
		Select list	Date
	11	Time	📮 File
Properties Display Validation	Close	i Hidden	-Markup
		Fieldset	Hage break
com key, new junktera [Eot] Default value	4		
Description			

Afbeelding 26.

Onder het tablad Weergeven/Display (Zie afbeelding 27):

- Plaatshouder/Placeholder (tekstje dat in het invulveld getoond wordt als men er met de muis op klikt)
- Rijen/Rows (het aantal rijen/regels. Standaard is 5 regels)
- Kolommen/Columns (de breedte van het berichtenveld. Standaard is 60)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.			
		1.4.4.4.6.4.4	
rm preview	a. 11	Add a field	Textarea
46M 10X12163	/ ×	GR E-mail	(II) Number
		Barlins	Checkhowes
		Select list	Date
	1	En Time	G Fie
		Hidden	are Markan
opperties Display Validation	Close	Eieldset	Page break
aceholder			1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-
e placeholder will be shown in the field until the user starts entering a value.			
2			
olumns			
50			
he width of the textarea. This property might not have a visual impact depending on the CSS of your site.			
abel display			
abol display None v			
base of splay taken with the component's label.			
bet display termines the placement of the component's label. Displayer (read-only) Displayer (read-only)			
bate display boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v boxe v box			
bel display  Keene V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Second V  Seco			
Above v  Store v  Store v  Provide (read-only)  Private Provide Matta are shown only to users with results access. Papper CSS classes			
bel display term of the component's label. Disabled (read-only) Private Private Private private molecular solutions only to users with results access. resport CSS classes py a class to the wrapper around both the field and the label. Separate multiple by spaces.			
bel display  Kone v  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect  Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Protect Prote			
bed display town v Disabled (read-only) Private Private make are shown only to users with results access. Private finds are shown only to users with results access. Private finds are shown only to users with results access. Private finds are shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown only to users and the shown on the shown only to users and the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on the shown on			

Afbeelding 27.

Onder het tabblad Validatie/Validation (zie afbeelding 28):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

in the metric content of active comparation on second	Search	Env: accept	editorinchief
ne Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
Form preview	Add	afield	
Form preview %New textarea	Add a	a field xtfield	Textarea
Form preview SNew textarea	Add a	a field xtfield 📳 mail 🔃	Textarea Number
Form preview	Add a X Ba Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Particular Pa	a field xtfield (E) mail (12) adios (I2)	Textarea Number Checkboxes
Form preview  SNew textarea	Add a	a field xtfield () mail () adios () elect list ()	Textarea Number Checkboxes Date
Form preview  SNew textarea		a field xtfield () mail () udios () elect list () me ()	Textarea Number Checkboxes Date File
Form preview  SNew textarea		a field xtfield ()) mail ()) adios () elect list () me () dden ()	Textarea Number Checkboxes Date File Markup
Form preview  SNew textarea  Properties Display Validation		a field xttield III mail III adios III Nect list III dden 400 eldset III	Textarea Number Checkboxes Date File Markup Page break

Afbeelding 28.

### 29.1.9 Getal/Number

Met het Getal/Number veld, voeg je een veld toe waar alleen een nummer ingevuld mag worden. Het Getal/Number veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 29):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (de waarde die standaard in het tekstveld getoond wordt)
- Beschrijving/Description (beschrijving die onder het tekstveld getoond wordt)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>			
orm preview	Add	a field	
New number	7 📾 🔨	extfield 📑 Textarea	
7	() E	-mail 😥 Number	
		adios Checkbox	øs
Properties Display Validation Analysis	C000	elect list Date	
Title *	80 T	me 🚺 🔁 File	
New number	le H	idden dg> Markup	
orm key: new_number [Edit]	E F	ieldset Hage brea	ik
Default value			
Description			

#### Afbeelding 29.

Onder het tablad Weergeven/Display (Zie afbeelding 30):

- Voorvoegsel/Prefix (tekstje voor het invulveld)
- Achtervoegsel/Suffix (tekstje achter het invulveld)
- Aantal decimalen/Decimal places (hoeveel cijfers achter de komma getoond moeten worden)
- Scheidingsteken voor duizendtallen/Thousands separator (scheiding duizendtallen met punt of komma, etc)
- Decimaalteken/Decimal point (punt of komma voor decimalen)
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Uitgeschaked/Disabled (read only) -> indien aangevinkt kan het veld niet gewijzigd worden door een gebruiker
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

Conditionals E-mails Form settings      Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.  rm preview lew number				
Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.  rm preview lew number				
Changes to the form have been saved.     A partially-completed form was found. Please complete the remaining portions.				
rm preview lew number				
rm preview lew number				
lew number		Add a fie	ld	
	X	Textfield		Textarea
7		E-mail	12	Number
		<ul> <li>Radios</li> </ul>		Checkboxes
roperties Display Validation Analysis	Close	Select li	st	Date
refix		E Time		File
Ŧ		Hidden	(42)	Markup
uffix		Fieldset	н	Page break
Decimal places				
Automatic ¥				
utomatic will display up to 4 decimals places if needed. A value of *2* is common to format currency amounts.				
housands separator				
Comma (.) v				
Jecimal point				
Period (.) 🗸				
abel display				
Above v				
tetermines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Vrapper CSS classes				
pply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
SS classes				
pply a class to the field. Separate multiple by spaces.				

Afbeelding 30.

Onder het tabblad Validatie/Validation (zie afbeelding 31):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Uniek/Unique (indien aangevinkt, moet de waarde die ingevuld is door de gebruiker moet uniek zijn, dus mag niet door een andere gebruiker al eens ingevuld zijn.)
- Integer (indien aangevinkt mogen er alleen gehele getallen gebruikt worden)
- Minimum (minimale waarde)
- Maximum (maximale waarde)
- Stap/Step (in welke stappen de waarde mag zijn. Bijv. in stappen van 3).

A My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log out
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
- Character to the form have been sound				
<ul> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				_
Form preview	Add a f	îeld		
New number	X Text	ield 📳	Textarea	
4	👩 E-ma	H (2)	Number	
Properties Display Validation Analysis	lose Radie	os 🗹	Checkboxes	
	E Selec	ct list 📃 🚍	Date	
Required	En Time		File	
Unique Check that all entered values for this field are unique. The same value is not allowed to be used twice.	Hidde	en 482	Markup	
Permit only integer values as input. e.g. 12.34 would be invalid.	Field	set H	Page break	
Minimum				
Minimum numerio value. e.g. 0 would ensure positive numbers.				
Maximum				
Maximum numeric value. This may also determine the display width of your field.				
Step				
Limit options to a specific increment. e.g. a step of *5" would allow values 5, 10, 15, etc.				
Save Cancel				

Afbeelding 31.

Onder het tabblad Analysis (zie afbeelding 32):

- Nul uitsluiten/Exclude zero (indien aangevinkt mogen er geen waarden van 0 of leeg ingevuld worden)

workbench Content Subcure Configuration OW settings	Search	Env: accept editorinchie
est webformulier		
v draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate		
omponents Conditionals E-mails Form settings		
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>		
orm preview	Add a fie	ld
New number	C Textfield	Textarea
	Radios	Checkboxes
		st 🗖 Date
Properties Display Validation Analysis Close	Select li	
Properties Display Validation Analysis Con Exclude zero Exclude action of zero for blank) when counting submissions to calculate average and standard deviation	Select li	G File
Properties         Display         Validation         Analysis         Close           Exclude zero Exclude entries of zero (or blank) when counting submissions to calculate average and standard deviation.         Close         Close	E Select li	File

Afbeelding 32.
### 29.1.10 Keuzevakjes/Checkboxes

Via Keuzevakjes/Checkboxes kun je vinkvakjes toevoegen aan het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 33):

- Titel (wordt standaard boven het veld getoond)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

v draft E	dit draft	Ranking	s & number	s Replicat	e Revisions	Webform	Results	Translate					
components	Condition	nals E-m	ails Form s	ettings									
orm previ	iew										Add a fie	eld	
New checkt	ooxes								J	×	Textfield	d 🔳	Textarea
one 🗌											🖪 E-mail	12	Number
🗌 two											<ul> <li>Radios</li> </ul>		Checkboxes
three											Select I	ist 📃	Date
	Disalari	0.1	Mandan								RB Time		File
Properties	Display	Options	validation							Close	Hidden	42	Markup
Title *											Fieldset	t	Page break
New checkbo Form key: new,	_checkboxes	[Edit]											
Description													
										1			

Afbeelding 33

Onder het tablad Weergeven/Display (Zie afbeelding 34):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

A My Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	Log out
Test webformulier			
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Form components Conditionals E-mails Form settings			
Form preview          New checkboxes         one         two         two         three         Properties       Display         Above v         Determines the placement of the component's label.         Private	Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image: Add a fill       Image	eld id E Textarea Number is Checkows ist Date is File i G File i G Markup et H Page break	] ] ] ]
Private fields are shown only to users with results access. Wrapper CSS classes			
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces. CSS classes Apply a class to the field. Separate multiple by spaces.			

Afbeelding 34.

Onder het tablad Opties/Options (Zie afbeelding 35):

- Hier vul je de opties in de gebruiker kan aanvinken (meerdere mogelijk). Standaard staat er 3 opties die je kunt aanpassen. Via de kruisjes of het plusje (Item toevoegen/Add item) kun je minder of meer opties krijgen.
- Door een checkbox voor de opties aan te vinken, geef je aan welke optie(s) default aan staat(staan). Met de link No default is de default waarde uit.
- Indien gewenst kun je via de optie 'Handmatige invoer/Manual Entry' in een onderwaterscherm zelf opties aanmaken/wijzigen/verwijderen. Elke optie op een nieuwe regel (zie voorbeeld in onderwaterscherm voor de wijze van schrijven).
- Via 'Optie-instellingen/Option settings' kun je de optie 'Toetsen aanpassen/Custom keys' aanvinken. Daarmee kun je een onderscheid maken tussen de interne waarde (key) van een optie en de waarde die aan een gebruiker wordt getoond (value).

			o riopilouto	Hevisions	webiorm	Hesults	Iranslate				
omponents Cor	inditionals E-m	ails Form s	ettings								
orm preview									Add a fi	eld	
New checkboxe	s							/ ×	B Textfie	ld 🔳	Textarea
one one									E-mail		Number
two									Radios	• 🗹	Checkboxes
three									Select	list 🗖	Date
Properties Disp	play Options	Validation						Close	- Hidder		Markup
Options *									Fields	et H	Page break
Default Va	alue										-
+ 🗌 or	ne							8			
tw	NO							8			
th th	166							8			
No default								Add item			
- Option se	ettings							Manual entry			
	0										

Afbeelding 35.

Onder het tabblad Validatie/Validation (zie afbeelding 36):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)

My Workbench Content Structure Configuration	n UM settings				Searc	h	Env: accept	editorinchief	Log
ene Teet weblormulier Test webformulier									
iew draft Edit draft Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
m components Conditionals E-mails Form set	ttings								
Form preview          New checkboxes         one         two         three         Properties       Display       Options       Validation         Required				J.	×	Add a fie Textfiel E-mail Radios Select Midden Hidden Fieldse		Textarea Number Checkboxes Date File Markup Page break	

Afbeelding 36.

#### 29.1.11 Datum/Date

Met het Datum/Date veld kan een gebruiker een datum toevoegen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 37):

- Titel (wordt standaard boven het veld getoond)
- Standaard waarde/Default value (heeft geen functie in dit veld?)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

w draft Edit draft Rankings & numbers Replicate Revisions Webform Re	sults Translate		
components Conditionals E-mails Form settings			
orm preview		Add a field	
New date	/ ×	Textfield	Textarea
Month V Day Vear V		👩 E-mail	12 Number
Proportion Dienlay Validation	Cime	Radios	Checkboxes
Properties Display Vandaron		Select list	Date Date
Title *		RB Time	G File
Form key: new date [Edit]		Hidden	- Markup
Default value		Fieldset	Here Page break
Description			

Afbeelding 37.

Onder het tablad Weergeven/Display (Zie afbeelding 38):

- Popup-kalender inschakelen/Enable pop-up calendar (hierdoor krijgen gebruiker een pop-up met een kalender waar ze de datum kunnen aanklikken i.p.v. invoeren)
- Gebruik een tekstveld voor jaar/Use a textfield for year (indien aangevinkt is het jaar via een tekstveld in te vullen i.p.v. via dropdownlijst.
- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)

My Workbench Content Structure Configuration UM settings	Search	Env: accept	editorinchief	Log ou
Home Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
Form components Conditionals E-mails Form settings				
Form preview          New date       Image: State of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of	Add a fiel Textfiel E-mail Radios Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Reference Refere	eld id E ibit C	Textarea Number Checkboxes Date File	
Endow a Javason of use picker maxing in the date med.     Use a textfield for year     If checked, the generated date field will use a textfield for the year. Otherwise it will use a select list.     Label display	Fieldse	982) M	Markup Page break	
Above v Determines the placement of the component's label.				
Private Private fields are shown only to users with results access.				
Wrapper CSS classes				
Apply a class to the wrapper around both the field and its label. Separate multiple by spaces.				
Save Cancel				

#### Afbeelding 38

Onder het tabblad Validatie/Validation (zie afbeelding 39):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Start date (het vroegste jaar dat ingevuld mag worden. Default. -2 years)
- End date (het uiterste jaar dat ingevuld mag worden. Default +2 years)

Ay Workbench Content Structure Configuration UM settings	Search	Env: accept editorinchie	f Lo
re Test webformulier est webformulier			
w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
components Conditionals E-mails Form settings			
	Add at	îeld	
New date	Add al	ield 📄 Textarea	1
Month v Day v Year v	E-ma	all (12) Number	ī
	( Radi	os Checkboxes	ĩ
Properties Display Validation	Close	ct list 🔄 Date	ī
Required	ED Time	🔁 File	ĩ
Start date	Hidd	en de Markup	ĩ
-2 years	Field	set   Page break	í
The earliest date that may be entered into the field. Accepts any date in any GNU Date Input Format.			
End date			
+2 years			
The latest date that may be entered into the field. Accepts any date in any CNU Date least Format			

Afbeelding 39.

### 29.1.12 Bestand/File

Met het Bestand/File veld kan een gebruiker een bestand meesturen met het formulier. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 40):

- Titel (wordt standaard boven het veld getoond)
- Uploadbestemming/Upload destination (Public files of Afgeschermd/Private files. Afgeschermd/Private files zijn alleen voor beheerders die de inzendingen mogen zien.)
- Upload map/Upload directory (webform/[naam invullen] waar bestanden geplaatst worden op de server)
- Beschrijving/Description (beschrijving die onder het veld getoond wordt)

orm prev	view												Add a	field			
New file											1 >	<	(ab) Text	field		Textarea	
Bestand k	dezen Geen	n bestand gekozen	Upload										👩 E-m	ail		Number	
													Rad	ios		Checkboxes	
Properties	Display	Validation									Clos	10	E Sele	ct list		Date	
Title *													E Time	•	<b>1</b>	File	Ĺ
New file													Hidd	len	42> 1	Markup	Ĺ
Form key: new	w_file [Edit]												Field	iset	H	Page break	Ì.
Private Private file s Upload dir webform/ You may opt Description	files torage has s rectory tionally speci n	ignificantly more	overhead than	public files, but les. Browse ave	allable tok	file access t kens.	to users who	o can view	v submissions.								
											,						

Afbeelding 40.

Onder het tablad Weergeven/Display (Zie afbeelding 41):

- Labelweergave/Display (of de titel boven, voor of onder het veld moet komen staan)
- Afgeschermd/Private (alleen zichtbaar voor gebruikers die de resultaten van de ingevulde formulier kunnen zien)
- Wrapper CSS classes (toevoegen CSS styling code rondom veld en label)
- CSS classes (toevoeging CSS styling in veld)

orm preview					Add a field	d	
New file				X	D Textfield	<b>E</b> 1	Textarea
Bestand kiezen Ge	en bestand gekozen	Upload			E-mail	1	Number
					<ul> <li>Radios</li> </ul>	<b>I</b>	Checkboxes
Properties Display	Validation			Close	E Select list	ı 🗖 🖬	Date
Label display					E Time	G 1	File
Above ~					Hidden	482-1	Markup
Determines the placer	nent of the component	t's label.			Fieldset	H	Page break
Private Private fields are s	shown only to users w	ith results access.					
Wrapper CSS class	es						
Apply a class to the wr CSS classes	apper around both the	e field and its label. Separ	ate multiple by spaces.				

Afbeelding 41.

Onder het tabblad Validatie/Validation (zie afbeelding 42):

- Vereist/Required (indien aangevinkt is het veld verplicht om in te vullen door een gebruiker)
- Max upload Lengte/Size (maximale grootte van het te uploaden bestand. Standaard: 2MB )
- Category types (aangeven welke bestandstypes geüpload mogen worden)

	ontent Su	ucture co	ninguration	om settir	82									5	Galon	env. accept	editorinchief	1
A partia	illy-complete	d form was	found. Plea	ise complet	e the remai	ining portio	ns.											_
orm preview	/														Add a fi	eld		
New file														X	Textfie	ld 🔳	Textarea	1
Bestand kiezen	Geen besta	nd gekozen	Uploa	d											E-mail	12	Number	ĺ
	-														Radios		Checkboxes	ĺ
Properties Dis	splay Vali	dation												Close	E Select	list 🛅	Date	ĺ
Required															Time	4	File	ĺ
Max unload size	0														Hidder	n (42)	Markup	ĺ
2 MB	•														Fields	et H	Page break	ĺ
Desktop images Documents	(select)	bmp	eps	tif	pict	_ psd	doc	c 🗌 odt	_ ppt	_ pptx	odp	🗌 xis	xisx					
		ods	xml															
Media	(select)	avi	mov	mp3	ogg	wav												
Archives	(select)	bz2	dmg	🗌 gz	🗌 jar	🗌 rar	🗌 sit	🗌 tar	🗌 zip									
Additional exter	nsions																	
		Enter a list Entered ex	of additionations will	I file extensi I be append	ons for this a ed to checke	upload field, id items abo	separated we.	oy commas.										

Afbeelding 42.

### 29.1.13 Opmaak/Markup

Met Opmaak/Markup kan je een HTML opgemaakte tekst plaatsen. Dit veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 43):

- Titel (wordt niet getoond)
- Markup (HTML opgemaakte tekst/code)

<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
rm preview		Add a field		
lew HTML Markup	∕ ×	Distriction Textfield	Textarea	
ater any test espended by available test fermate		E-mail	12 Number	
nter any text supported by available text formats.		<ul> <li>Radios</li> </ul>	Checkboxes	
Properties	Close	Select list	Date Date	
itle *		E Time	File	
New markup		i Hidden	Al> Markup	
orm key: new_markup [Edt]		Fieldset	HI Page break	İ.
Markup				
<strong>New HTML Markup</strong>				
Enter any text supported by available text formats.				
	11			
Text format Filtered HTML ~				

Afbeelding 43.

### 29.1.14 Pagina-einde/Page break

Met Pagina-einde/Page break kun je het formulier opdelen in meerdere pagina's. Het Page break veld plaats je daarvoor tussen twee de 2 velden waar je een paginascheiding wilt aanbrengen. Er worden standaard Next/Volgende buttons en een voortgangsbalk toegevoegd (dit is in te stellen via de tab formsettings). Het veld kent de volgende opties:

Onder het tabblad Eigenschappen/Properties (Zie afbeelding 44):

- Titel (wordt standaard getoond in de voortgangsbalk)

My Workbench Content Structure Configuration UM settings S	Search	Env: accept	editorinchief	Log out
rene Test webformulier Test webformulier				
View draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate				
rm components Conditionals E-mails Form settings				
<ul> <li>Changes to the form have been saved.</li> <li>A partially-completed form was found. Please complete the remaining portions.</li> </ul>				
Form preview	Add a fie	eld		_
Form preview	Add a fie	eld 🔳	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie	eld a III	Textarea	
Form preview Page break (Fields below will be displayed on a new page)	Add a fie		Textarea Number Checkboxes	_
Form preview Page break (Fields below will be displayed on a new page) Properties Cose	Add a fie Textfiel E-mail Radios Select	eld d E	Textarea Number Checkboxes Date	
Form preview  Page break (Fields below will be displayed on a new page)  Properties  Title *	Add a fie	eld d III ist III	Textarea Number Checkboxes Date File	
Form preview	Add a fiel Textfiel E-mail Radios Refer to Refer to		Textarea Number Checkboxes Date File Markup	

Afbeelding 44.

ũ.

### 29.2 Voorwaarden/Conditionals

Via de tab Voorwaarden/Conditionals kun je velden tonen of verbergen o.b.v. de waarden van andere velden. Bijvoorbeeld om een veld Aantal kinderen te tonen als de checkbox Kinderen heeft aangevinkt.

- 28. Klik op + om een nieuwe voorwaarde/conditional toe te voegen bij een webformulier. (Zie afbeelding 45)
- 29. Vul daar de gewenste voorwaarde/conditional waarden in. Bijv.

If [veld Kinderen] [is] [waarde: True] Then [veld Aantal kinderen] [is] [shown]

30. Klik op Voorwaarden opslaan/Save conditionals (zie afbeelding 46)



#### Afbeelding 45.

A My Workbench Content Structure	Configuration UM settings		Search	Env: accept	editorinchief	Log out
Home Test webformulier Test webformulier	r					
View draft Edit draft Rankings &	numbers Replicate	Revisions Webform	Results Tran	slate		
Form components Conditionals E-mails Conditionals may be used to hide or show o  then New textfield v is then New textfield v is	Form settings ertain components (or entire page	es!) based on the value of o	ther components.	× #	Show row wel	ights
	There are	e no conditional actions or	this form. Add a new o	condition: +		
Save conditions						

Afbeelding 46.

### 29.3 E-mails

Via de tab E-mails kun je het e-mailadres instellen waar de inzendingen naar toe gemaild moeten worden (naast dat deze in de website database opgeslagen worden).

Vul bij Adres/Address het e-mailadres in waar de inzendingen naar gemaild moeten worden en klik op Toevoegen/Add. Bij de optie Componentwaarde/Components kun je een component invullen met een e-mailadres (bijv. een e-mailveld of verborgen veld met e-mailadres). Zie afbeelding 47.

*	My Workbench	n Content	Structure Configuration	UM settings						Search	Env: accept	editorinchief	Log out
Т	est we	ebforr	nulier										
Vie	w draft E	Edit draft	Rankings & numbers	Replicate	Revisions	Webform	Results	Translate					
Form	components	Conditional	is E-mails Form setting	ngs									
	Send		E-mail to			Subject			From	Operations	3		
	Currently not	t sending e-m	ails, add an e-mail recipier	nt below.									
			Address: test@ma     Component value:	astrichtuniversity.	y≠ pmponents ∨					Add			

#### Afbeelding 47

Er verschijnen nu verschillende instellingsmogelijkheden. (Zie afbeelding 48 en 49)

- 37. Enable sending (kun je uitvinken als je het formulier niet verzonden wilt hebben)
- 38. E-mailkop details/E-mail header details:
  - Onderwerp/E-mail subject (onderwerp. Standaard de titel van het formulier. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als Subject)
  - b. E-mailadres van afzender/E-mail from address (het e-mailadres van waaruit de formulieren verstuurd worden. Default is ingesteld op <u>web@maatsrichtuniversity.nl</u>.
    In het Custom veld kan zelf een e-mailadres ingesteld worden. Bij Component kan een E-mailveld of Hidden field met e-mailadres gekozen worden als afzender).
  - c. Naam van afzender/E-mail from name (de naam van waaruit de e-mail verstuurd wordt. Standaard Maastricht University. Bij Component kan een Tekstveld, Selectveld of Hidden field gekozen worden als naam afzender).
- 39. E-mailthema/E-mailtemplate (= het e-mailtemplate dat gestuurd wordt. Er is een default template, maar je kunt ook een Custom template aanmaken)
- 40. Inbegrepen e-mailwaarden/Include e-mail values (in de emailtemplate wordt via de code [submission:values] <u>alle</u> ingevulde waarden opgenomen in de e-mail. Via 'Inbegrepen emailwaarden/Include e-mail values' kun je aangeven welke velden getoond moeten worden.

		My Workbench Conterx Structure Configuration UM settings	Search	Env: accept	editorinchief
See datk         Edit datk         Residue         Tandate           See datk         Edit datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           Continue         See datk         Formulating           See datk         See datk         Formulating           See datk         See datk         See datk           See datk	widt         Edition         Revings         Revings         Webde         Revings         Tanalala           widt         Edition         Revings         Revindid Revings         Revings         Re	est webformulier			
		w draft Edit draft Rankings & numbers Replicate Revisions Webform Results Translate			
Even is used used is intermediation in the intermediation is a second to the sequent above. Multiple and above and use sequent above. Multiple and above and use sequent above. Multiple and above and use sequent above. Multiple and above and use sequent above. Multiple and above and use sequent above. Multiple and above and use sequent above. Multiple and above and use sequent above. Above and use sequent above and use sequent above. Above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above and use sequent above. Above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above and use sequent above above and use sequent above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above above a	End a data data data data data data data	components Conditionals E-mails Form settings			
<pre>e categot</pre>	<pre>class in windowscondurations if in windowscondurations if in windowscondurations in the seconduration windowsconduration in the seconduration windowsconduration in the seconduration windowsconduration in the seconduration in the second</pre>	E-mail to address			
Congrett is analatio encourse in iteration is a matter actions. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple and address. Multiple andress. Address address address. Multiple andress addre	<pre>c concord: w landware concord: w landware concord and the second at the sequence above. Multiple e real above.exe may be sequenced by users. F</pre>	O Custom: teest@maasorichusiversity.nl			
Textualization and the transfer the mail to the advance they the basic to a the requirer advance. Advance may be sequented by someal.  Second Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control Control	In a share a share is the standard, by each do the dot the selected as the neglected data standard, and the selected data stan	Component: No available components *			
I dealer standing We under standing O totals: form understand how the second to be autous as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address O totals: recolumnation does not nuity be second as the subject to e nuits. Evaluation address Very undits: data nuity construction and second nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity to e nuits. • Evaluation address nuity is second as the subject nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nuity is nu	Cental header details     Even a known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known for men known	Form submissions will be e-mailed to this address. Any email, select, or hidden form element may be selected as the nocipient address. Multiple e-mail addresses may be separated by commas.			
- E-mail header details E-mail header details E-mail header details E-mail header details C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn. Ret eledormuler C-mail from domission horn items the set and/or is an all address. E-mail from from term C-mail from domission horn items there is and/or is an all address. E-mail from from term C-mail from domission horn items there is and/or is an all address. E-mail from from term C-mail from domission horn items there is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail from domission from term items the set and/or is an all address. E-mail template E-mail template E-mail template term items the set address term items the set address term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term items term ite	- E-mail header details	Enable sending Urohoù to diable sending this emal.			
Email to Specify Constrained from the state address of the subject for e-mails. Email from address O Default: we subject of the subject of a the subject for e-mails. Email from address O Default: we subject of the subject of a the subject of a remail address. Email from address O Default: Measured of the subject of a the subject of a remail address. Email from address O Default: Measured of the subject of a the subject of a remail address. Email from address O Default: Measured of the subject of a the subject of a remail address. Email form address O Default: Measured of the subject of a the subject of a remail address. Email form and the subject of the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject of a the subject	Ernal studiet O belauf: form submission hom: Test readomnufor Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Controlmert Cont	– E-mail header details –			
O Letter. Form scotnission form: Net needformular C Dustors Very studiet, select, or hidson torm: alment may be selected as the active to e main. E-mail form address O Default: designed interver may be selected as the senders e mail actives. E-mail form address O Default: designed interver may be selected as the senders e mail actives. E-mail form address O Default: designed interver may be selected as the senders range be readed.  O Component:  O Default: designed interver may be selected as the senders range be readed.  O Component:  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  O Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed interver may be selected as the senders range be readed.  D Default: designed i	O bela: composed:   Composed: we wanded:   Available: composed:   We wanded: composed:   Available: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I bela: composed:   I	E-mail subject			
Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cutots: Cu	Outsime	Default: Form submission from: Test webformulier			
Composet: we wanted:  Any testing, select, or hidden test even may be selected as the subject to e-mail.  Custors:  Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custors: Custor: Custors: Custor: Custors: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Custor: Cu	Concount: interventer will write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write write	Custom			
Ary studied, suicit, or hidden turn skenner, may be selected as the subject to e-mails. Email from address Ordense: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Custom: Cu	Any banks, stells, critition tom stander may be selected as the subject to 4-mails.   E-mail tom address   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade to tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade tom stells   I or trade to tom stells   I or trade to tom stells   I or trade to tom stells   I or trade to tom stells   I or trade to tom stells   I or trade to tom stells   I or trade to tom stell	Component: New textfield ~			
Email forn addees  Default: wedefinaastrichturiversity.vf Custom  Ary waak, seise, or kidden team elament may be selected as the sender's e-mail address. Email forn name  Default: Mastricht university  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Custom  Cust	E-nal from dadees  O befuit: seed@maashichturkversity.vl Cutor Cutor Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Component Compone	Any textfield, select, or hidden form element may be selected as the subject for e-mails.			
O blad:: web@insativbluvivesity// C utor::::::::::::::::::::::::::::::::::::	Orderat: seedemastic/sturivenity.vi Custom: Ary small, statute: components Ary small, statute: components Ary small, statute: components Orderat: Massicher univenity: Outon: Custom: Component: New statute: view statute: Ary statute: statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the statute: the s	E-mail from address			
Custom Corporers No available components Yey well, select, or hidden tom setment may be selected as the sender's e-mail address. E-mail form name Component: Ne settedies Component: Ne settedies Component: Ne settedies No mail template Ary well-list, select, or hidden tom element may be selected as the sender's name tor e-mails.	Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curden: Curde	Default: web@maastrichtuniversity.nl			
Corporet: he available component: Ary weak select of hidden tone weaterner may be selected as the sandar's e-mail address. E-mail from name Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component: New selected Component	Component: we waitable components w  Any sensitive components w  Provide the weakable to the senser may be selected as the sender's neme to e-mail address.  E-mail from name  Component:   Any sensitive components weakable to accomponents w  Any sensitive components weakable to accomponents w  Any sensitive components weakable to accomponents weakable to accomponents weakable to accomponents  F-mail template  Any sensitive components weakable to accomponents weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-mail template weakable to accomponents  F-m	Custom			
Ary sendi, select, or hidden tom element may be selected as the sender's e-mail address. Email from name  Custom Custom Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concordent Even testing Concor	Any small, select, or hidden form selenent may be selected as the sender's e-mail address. E-mail from name  O Default: MassFirch university C Curron: C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teaching C Component: New teachi	Component: No available components ~			
O Default: Madasticht university    Custern   Component:   Ner stadied will   Ar stadietis, seisci, or hidden form element may be selected as the sender's name for e-mails.   • E-mail template   Ar e-mail template of   Bubmission day lower (bubmissions)   Bubmission day lower (bubmissions)   Bubmission may be viewed at:   [Jubmission.ut]	O Default: Massfricht university   Outsons   Component:   New tastiskt wit   Ary startiskt, saket, or hidden form ekennert nav be selected al at be sender's name for e-mails.   • E-mail template   Are mail template on (submission tasking)   Submitted on (submission tasking)   Submitted on (submission tasking)   Submitted values are:   (pubmission/unit)   Browne setable toars • Included e-mail values	Any email, select, or hidden form element may be selected as the sender's e-mail address. E-mail from name			
Custom Component: New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing New standing	C Gragomet Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat Component New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautidat New tautida	Default: Masshicht university			
Component: New statistics Are statistics Are statistics Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted on juborssion/data/ong Submitted	Component: New textilists Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary textifiest Ary texti	O Custom:			
Ary section, seter, or holden form element may be selected as the sender's name for e-mails.	Ary sectied, setied, or hidden turn element may be selected as the sender's name for e-main.  - E-mail template Are email template care customizes the display of e-mains. Default template Constrained by user (behresion-custed Source) Submitted by user (behresion-custed Source) Submitted by user (behresion-custed Source) Submitted by user (behresion-custed Source) Submitted by user (behresion-custed Source) Submitted by user (behresion-custed Source) Submitted by user (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Source) Sources are (behresion-custed Sources) Sources are (behresion-custed Sources) Sources are (behresion-custed Sources) Sources are (behresion-custed Sources) Sources are (behresion-c	Component: New textfield ~			
	E-mail template An email template on cutorities the display of e-mails.  Default template Submitted on puterinsion/tait-long Boomed by user (bubmission/tait-long) Boomed by user (bubmission) Boomed at: [pubmission/taile] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission/tail] Boomed at: [pubmission	Any textfield, select, or hidden form element may be selected as the sender's name for e-mails.			
- • E-mail template An e-mail template An e-mail template can customize the display of e-mails. Default template Submitsed to juborisational Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed to gene (juborisationus) Submitsed					
An e-mail template can outlomize the display of e-mails.  Difut template	An e-mail implate can customize the display of e-mails.  Default template -  Budmitted on judomission date long j Budmitted values are: judomission.usel Budmitted values are: judomission.usel Beevee available tokens.  - Included e-mail values	- •E-mail template			
Bututtsmister       Submitted values are:         Submitted values are:       [uutmistoricute]         [uutmistoricute]	Default tengine       Submitted on jubrission date long]       Submitted values are:       jubrission date long]       The results of this submission may be viewed at:       jubrission/unit	An e-mail template can custonize the display of e-mails.			
Bubmitad on jubmitaiondateloogi Submitad values gen: [submitaionvalues] [submissionwalues] The rest of this submission may be viewed at: [submissionwal] Previse available tokens.	Buchmited on (submissionidate/ong) Buchmited by user (submissionidate/ong) Buchmited sites are: [submissionidate/ong) The results of this submission may be viewed at: [submission/uni] Browse available takers. - Included e-mail values	Default template ~			
The results of this submission may be viewed at: [submission.un] Brokes available tokens • Included e-mail values	The results of this submission may be viewed at: [submission.un] Browne available tokens • Included e-mail values	Submitted on (submissiondatalong) Submitted by user [submissionuser] Submitted values are: (submitsed values)			
	Brower avalable toters. - · Included e-mail values	The results of this submission may be viewed at: [submission:ut]			
Brows avalable Same. - • Included e-mail values	Bower available tokers. - • Included e-mail values	_			11
- Included e-mail values	- • Included e-mail values	Browse available tokens.			
		- • Included e-mail values			

# Afbeelding 48.

e-mail template can customize the display of e-mail	a.			
Custom template ~				
lubmitted on (submission/datesiong) Jubmitted by user (submission/user) Jubmitted values are: submission/values) The results of this submission may be viewed at:				
submission ung				
owse available tokens.				
Included e-mail values				
The selected components will be included in the [su	bmission:values) token. Individual values may	still be printed if explicitly specified as a [submi-	ssion:values:?] in the template.	
Include all components				
New textfield				
Page break				
New textfield				
Exclude empty components				

j,

а

Afbeelding 49.

### 29.4 Formulierinstellingen/Form settings

Via Formulierinstellingen/Form settings kunnen de volgende instellingen gedaan worden:

- Submission settings
- Submission access
- Progress bar
- Preview page
- Advanced setting

### 29.4.1 Verzendinstellingen/Submission settings

Verzendinstellingen/Submission settings

- Bevestigingsbericht/Confirmation message (bericht dat verschijnt nadat het formulier verstuurd wordt)
- Confirm page/Custom url/No redirect (bij confirmation page wordt de Confirmation message getoond op een aparte pagina. Bij Custom url kun je een eigen link aangeven naar een pagina met een bevestigingstekst. Bij No redirect wordt de eigen pagina herladen en wordt de Confirmation message als melding getoond.
- Total submissions limit (hier kun je het max aantal inzendingen per tijdseenheid instellen. Standaard is dit ongelimiteerd.
- Per user submission limit (hier kun je het max aantal inzendingen per gebruiker per tijdseenheid instellen. Standaard is dit ongelimiteerd)
- Status of this form (open of closed aangeven. Bij closed kunnen er geen inzendingen meer gedaan worden. Standaard is open)

### 29.4.2 Toegang tot het formulier/Submission acces

Hier kun je aangeven welke gebruikersrollen het formulier van mogen versturen.

#### 29.4.3 Voortgangsbalk/Progress bar

Hier geef je aan of er een voortgangsbalk boven het formulier dient te komen (bij formulieren met meerdere stappen), of de balk met stappen of percentages getoond dient te worden en welke labels getoond dienen te worden bij de verschillende stappen.

#### 29.4.4 Voorbeeldpagina/Preview page

Via de Preview page krijg je voor het verzenden een pagina met alle ingevulde gegevens ter bevestiging. Indien de optie Preview page aangevinkt is, krijg je opties om deze bevestigingspagina in te stellen, zoals Titel, tekst op de pagina, tekst op de vorige en volgende knoppen, en welke ingevulde velden getoond moeten worden op de Preview page.

#### 29.4.5 Geavanceerde instellingen/Advanced settings

Bij de Geavanceerde instellingen/Advanced settings kun je de volgende zaken instellen:

- Of de Concept/Draft button getoond moet worden

- Of de ingevulde waarden op de formulieren automatisch tussentijds en bij errors toch opgeslagen moeten worden
- Vertrouwelijke inzendingen/Confidential submission (indien aangevinkt wordt het IP adres niet opgeslagen van de inzenders)
- Submit button label (het tekstje op de verstuur button)
- Nummer volgende inzending/Next submission number (het nummer van de volgende inzending. Dit is normaliter 1 bij start en steeds 1 meer bij elke inzending).

## 30 Inzendingen bekijken

Via <u>https://www.accept.maastrichtuniversity.nl/nl/admin/content/webform</u> vind je een overzicht van alle webforms van UM Web. (Zie afbeelding 50)

n Mijn Workbench Inhoud Structuur Instell	ingen UM settings				Zoeken	Env: accept	editorinchief	Uitloggen	
Home Rehver Inhoud									
Inhoud Reacties Course Catalog	Course Catalog Meta Bestan	den Gepland	Webformulieren	Locked documents					
Deze pagina geeft alle inhoud van de website wee	er, die een webform kan bevatten.								
Titel	Aangemaakt	Status	Weergeven		Bewer	kingen			
Contact	06/22/2015 - 09:38	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Feedback	11/25/2015 - 15:17	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Alumnigegevens wijzigen	01/14/2016 - 14:01	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Stay connected	04/05/2016 - 12:39	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Feedback form	04/06/2016 - 11:05	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Feedback form	04/06/2016 - 11:14	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Brochure and Infopack	04/07/2016 - 13:40	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	on Componen	ten		
Update your contact details	05/11/2016 - 15:13	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		
Test webformulier	06/14/2016 - 09:59	Open	Inzendingen Analys	e Tabel Downloaden	Bewerke	n Componen	ten		

Tekst vertalen

Afbeelding 50.

Bij elk webformulier heb je de volgende opties:

- 55. Inzendingen/Submissions
- 56. Analyse/Analysis
- 57. Tabel/Table
- 58. Downloaden/Download
- 59. Bewerken/Edit
- 60. Componenten/Components

### **30.1 Inzendingen/Submissions**

Klik bij een webformulier op Inzendingen/Submissions om een overzicht van alle inzendingen te zien. Door op view te klikken, krijg je de ingevulde waarden van een inzending te zien. Zie afbeelding 51.

A My Workben	h Content Structure Configuration	UM settings					Search	Env: prod	editorinchief	Log out
None About UM Flacutes Health, Muddine and Life Sciences Contact Contact										
View publishe	d Edit Rankings & numbers	Replicate Revisions	Webform	Results	Translate					
Submissions A	nalysis Table Download									
Showing 1 -	50 of 152. Show 10   50   100   All resul	ts per page.								
#	- Submitted		User			IP address	Opera	tions		
152	06/14/2016 - 15:51		Anonymous (not	t verified)		83.37.211.254	view			
151	06/14/2016 - 12:34		Anonymous (not	t verified)		62.140.132.66	view			
150	06/14/2016 - 12:07		Anonymous (no	t verified)		120.164.45.97	view			
149	06/14/2016 - 09:08		Anonymous (no	t verified)		194.151.36.3	view			
148	06/14/2016 - 08:33		Anonymous (no	t verified)		193.197.140.242	view			
147	06/14/2016 - 03:36		Anonymous (not	t verified)		5.117.252.167	view			
146	06/13/2016 - 23:11		Anonymous (not	t verified)		145.120.11.191	view			
145	06/13/2016 - 22:21		Anonymous (no	t verified)		84.25.186.176	view			
144	06/13/2016 - 17:02		Anonymous (no	t verified)		94.142.213.102	view			
143	06/13/2016 - 16:29		Anonymous (no	t verified)		84.193.158.154	view			
142	06/13/2016 - 13:07		Anonymous (not	t verified)		86.5.41.98	view			
141	06/13/2016 - 12:40		Anonymous (no	t verified)		91.61.112.77	view			
140	06/12/2016 - 17:39		Anonymous (no	t verified)		37.24.202.196	view			
139	06/12/2016 - 13:33		Anonymous (no	t verified)		91.183.92.189	view			
138	06/11/2016 - 19:39		Anonymous (no	t verified)		86.247.216.119	view			
137	06/11/2016 - 19:26		Anonymous (no	t verified)		87.231.10.107	view			
136	06/11/2016 - 16:10		Anonymous (not	t verified)		83.23.62.230	view			

Afbeelding 51.

### **30.2 Analyse/Analysis**

Bij Analysis kun je statistieken bekijken van bijvoorbeeld het aantal inzendingen per gestelde vraag/antwoord. Je kunt zelf aangeven welke components (vragen/onderdelen van het formulier) toegevoegd worden.

#### **30.3 Table/Table**

Via Table zie je alle inzendingen en ingevulde waarden overzichtelijk in een tabel.

#### **30.4 Downloaden/Download**

Via Downloaden/Download kun je de inzendingen downloaden in Excel of Tekst formaat. Daarbij kun je aangeven hoe en welke data getoond dient te worden.

#### **30.5 Bewerken/Edit**

Klik je op Bewerken/Edit, dan ga je naar de edit modus van de Detailpagina waar het webformulier aan gekoppeld is.

### **30.6 Componenten/Components**

Klik je op Componenten/Components, dan ga je direct naar de editmodus van het webformulier.

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) 0 2 Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

Edit View Favorite

🞦 Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 SBE Staff FASoS Staff Open groep 1 Microblog **•** × Featured news **•** × My groups 05/12/2017 Open groep 2 90 Open groep 2 24/10/2017 intra.test7\_ **9**0 ws\_2 Besloten groep 1 **⋒** ☆ -0-1 Besloten groep 1 ▼ X News Share Faculty of Arts and Social Sciences (staff) AX Siskos Elena (ICTS) 08/12/2017, ø FASoS (staff) @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) All groups > cshop | 29 90 test @mention functionaliteit Go to × ➔ Read more and comment (0) More news > Employee Self Ser MyUM Classic Add a block Phone book Test3 Intra (UM) 05/12/2017, ICT self service intra.test3 micro test voor open gr

#### (i) ha https://intranet.accept.maastrichtuniversity.nl/en Edit View Favorites Tools Help Test3 Intra (UM) Maastricht University Q Search by keyword Besloten groep 1 FASoS Staff SBE Staff **•** X Microblog **•** × Featured news My groups 05/12/2017 intra.test8 Open groep 2 **9** 0 Open groep 2 24/10/2017 intra.test7\_n ws\_2 **9**0 Besloten groep 1 ඛ☆ Besloten groep 1 • News Share Faculty of Arts and Social Sciences (staff) FASoS (staff) A 12 rant to lead in network nal Iskos Elena (ICTS) 08/12/2017, 90 @Notten Ester (SSC) @Fetter Sibren (SSC) @Rinkens Marianne (SSC) shop | 29 All groups > **9**0 test @mention functionaliteit Go to × → Read more and comment (0) More news > Employee Self Service UM (emp MyUM Classic 🛛 Add a block C Test3 Intra (UM) 05/12/2017, Phone book 🖙 intra.test3 micro test voor open groep ICT self service 🕑